



UKAL

The world of livestock

LIVESTOCK CATALOG

2020-2021



CONTENTS



CATTLE

5



SHEEP AND GOATS

73



PIGS

89



ELECTRIC CLIPPING

97



IDENTIFICATION

115



VACCINATION AND DRENCHING

127



HEATING

139



**HYGIENE
AND FARMER PROTECTION**

143



FARM EQUIPMENT

153



MILK AND MEAT PROCESSING

189

THE LEGACY OF A PASSION

With more than 50 years' experience, UKAL is the go-to specialist in the world of livestock farming.

Major brand distributors, as well as manufacturers of our own range, we can provide you with a very wide choice of products essential to your livestock farm.

Each year, we select new high-quality, innovative and highly effective products that meet the expectations of livestock farmers.

**50 years of passion,
50 years of quality,
50 years of customer satisfaction, our primary concern.**



Please feel free to contact us for more information and visit our website www.ukal-elevage.com

Follow us





UKAL

The world of livestock

THE UKAL WEBSHOP

**“QUICK AND EASY,
PLACE YOUR ORDERS
24 / 7!”**



More than **6 000** product references

More than **350** spare parts available
from our After Sales Service

Fast ordering simply by uploading an
Excel file

Merchandising tools can be ordered
directly online

 www.ukal-elevage.com

“ACCESS RESERVED TO RETAIL OUTLETS”



CHECK OUT THE EXPLANATORY VIDEO
ON OUR WEBSHOP BY SCANNING
THIS QR CODE

CONTACT US
to get your login code!

To brighten up your points of sale, we have developed a number of **MERCHANDISING TOOLS**

Because our relationship with our customer is our primary concern at UKAL, we offer you our merchandising expertise to make your point of sale more dynamic.

As your business partner, we have a team of experienced merchandisers always ready to lend you a hand, who can travel anywhere in France to help you to set up your retail display spaces and enhance your marketing tools (department signposting, flyers, POP advertising, etc.).



CATTLE



CALVING	06
CARE	10
FEEDING	11
MAGNETS AND TROCARS	23
DEHORNING	25
CASTRATION	31
RESTRAINING	32
HALTERS	38
HOOF CARE	42
DAIRY	53
COW BRUSHES	68
BELLS	71

UKAL introduces **Moocall**

LES CAPTEURS DE VÉLAGE



MOOCALL heat

Moocall HEAT significantly reduce the time spent detecting and tracking heat cycles in your herd.

- ✓ Moocall HEAT is a collar that is worn by a stock or a teaser / vasectomised bull. Moocall eartags are attached to all cows and heifers. Delivered with 50 RFID eartags. The collar then uses cow/bull proximity, mounting behaviour and bull activity levels to determine to an extremely high level of accuracy when a cow or a heifer is in heat.
- ✓ Moocall HEAT sensors measure the bull's activity around the cows to determine which cows are in estrus and when. They will then send you an SMS message, an app notification and an email to let you know that they have detected mounting activity. You can then use the AM/PM rule if you are using a teaser bull to AI at the optimum time.

On average, you will need about 1 device per 50 head. Each collar comes with 50 tags. You can put up.

Reference	Description
M0034724	MOOCALL Heat



MOOCALL Heat eartags

For Moocall heat collars.

Reference	Description
M00347241	Box of 25 



MOOCALL Calving sensor

Moocall's calving sensors measure contractions and predict when your cows will calve. This non-invasive, tail-mounted sensor collects hundreds of pieces of data per second. It can accurately predict when your cow is most likely to calve by measuring tail movements triggered by labour contractions.

When the contractions reach a certain level of intensity, over a period of time, the sensor sends an SMS alert directly to your mobile phone, on average, 1 hour before calving. DOES NOT WORK FOR HORSES

THE ADVANTAGES OF MOOCALL - CALVING SENSOR

- ✓ Connects easily with all networks and phones (GSM signal)
- ✓ No need for wifi, stations, router or extra batteries.
- ✓ Notification 1 hour before calving by SMS, email and App notification
- ✓ Free application
- ✓ One year warranty
- ✓ Non-invasive
- ✓ Cost compensated with about 30 cows
- ✓ Reduces calf and cow mortality,
- ✓ Save time and fuel
- ✓ After-sales service available by various means
- ✓ 95% effective product

Each sensor includes service and warranty for 12 months from the date of activation. After one year, an annual fee applies to keep the unit active. The annual fee for the second year is payable directly to Moocall HQ. Annual renewal covers 12 months of unlimited calving alerts, software updates, service and support. The customer can also extend the warranty for a second year. Please note that MOOCALL is not geolocatable.

Reference	Description
M0034716	MOOCALL Calving sensor

Calving jack beef cattle

Vink

Pulling power 500 kg (1'100 lbs). For corpulent suckling-cows. The 1,80 meter (5'4") tube provides an efficient support for calving even for very big calves. It is also suitable for hanging the calf upside down to clear out the respiratory tracts.

Reference Description

101011 Pulling power: 500 kg



Calving jack dairy cattle

Vink

Pulling power 300 kg (660 lbs). Allows a higher freedom of action as well as a high tension and an alternate motion of the two straps. Made of stainless steel.

Reference Description

101010001 Pulling power: 300 kg




SECURPART calving

Robust and light model. Easy to use. The "SECURPART" calving jack is especially designed for dairy cattle. Antislip handle due to its big thread and the embedding in two slide bars - blocking impossible. Collapsible, compact design, facilitates storage and carrying. Up to 400 kg (880 lbs) pulling power. Simultaneous movements. Larger cover with american head. Made of aluminium.

Reference Description

101040 American metal head 1,80 m

101050 Metal Head 1,80 m



Universal calving ropes

Made of nylon. 66 cm (26") long. Adaptable for all types of calving jacks. Supplied in pairs.

Reference Description

101103 White



VINK calving ropes

Vink

Made of nylon. Diameter of 12 mm (1/2"). Supplied in pairs.

Reference Description

101104 Red and blue / Length: 105 cm



Cotton calving ropes with ring

55 cm (27") long. Diameter 12 mm. Very soft. The cotton avoids shearing. Supplied in pairs.

Reference Description

101105 White





Nylon calving ropes with ring

Length: 43 cm (17"). Diameter 12 mm. Supplied in pairs.

Reference Description

101106 White




Nylon calving straps

Suitable for calving ropes. After placing the rope through the metal ring, the large strap can be fastened on the leg of the cattle. The strap avoids shearing. Supplied in pairs.

Reference Description

101123 Nylon assorted colors



Perlon calving cord 2 m

Diameter of 7 mm. For calving. Available in several colours. Using different colours during the calving makes it possible to identify the legs and to adjust the traction according to the calving need.

Reference Description

101107006 Blue by unit

101107036 One blue and one red

101107003 Red by unit



Blanket for calves

UKAL

For optimal strengthening of the calf's immune system in the days after birth. Prevents diarrhoeal diseases. Breathable and moisture-resistant fabric 3 layers of protection with insulation for a better comfort of the calf. Long and adjustable straps. Machine washable at 30°C. Pocket with velcro fastening on the right side for the use of heating pads (not included). Length: 72 cm.

Reference Description

101130 By piece



Cow lift

KAMER

Suitable model for dairy and beef cattle. The clamps prevent injuries thanks to its rubber foam covering. Double thread and triple tubing for a better resistance. Very simple to adjust. Helps weak cattle to stand up (after a difficult calving, for deficient animals). Maximum weight: 900 kg (1984 lbs).

Reference Description

104453 Maximum weight 900 kg (1984 lbs)

VINK cow lift

Helps cattle to stand up after a difficult calving and also assists deficient animals. To place on the hip bone.

Reference	Description
104455	Maximum weight 900 kg (1984 lbs)



Cow lift 1500 kg

Cow lift robust and stable for cows up to 1500 kg. A wise investment that pays off quickly and should be a "must" for every dairy farmer. An indispensable apparatus for cows that cannot get up. The clamps are adjustable to the size of every cow. With a pulley or a hoist you can help the cattle to get up.

Reference	Description
104456	Maximum weight 1500 kg



Prolapse harness

It is used to keep the uterus in place in case of a prolapse. In leather.


Reference	Description
101110	Leather



Nickel - plated prolapse needles

Used to keep the uterus remain in place in case of a prolapse. Nickel-plated. 13 cm

Reference	Description
101113	Without eyelet, by 5
101113A	With eyelet, by 5



SEPTICARE lubricating gel

Lubricating gel ideal for lubricating the arms and hands for rectal and vaginal examinations.

Reference	Description
101212110	1000 ml. Spermicidal
101212120	1000 ml. Non spermicidal



SEPTIJECT

Septiject is a cleaning solution for external use to clean and dry superficial wounds on farm animals. Professional use only.

Reference	Description
002007	Spray 500 ml





Electronic veterinary thermometer with signal

Digital display from 32°C to 43°C. Audible signal to indicate the temperature calculated.

Reference Description

114062

Electronic veterinary thermometer with signal



Digital veterinary thermometer

Measurement from +32°C to +44°C with an accuracy of +/-0.1°C. Automatic shut-offn after 15 seconds. With suspension ring and cord. Supplied in blister pack with manual.

Reference Description

114063

Digital veterinary thermometer



Stethoscope

With 22" (56 cm) PVC tubing. Y shape. Eartips made of polyethylene.

Reference Description

114100

Assorted colors



Universal scissors multi-use

Very good cut multi-use: hair, bands, umbilical cord...

Reference Description

114025

Multi-use



Curved scissors with or without ball tip

Reference Description

109958

Curved scissors without ball tip

109959

Curved scissors with ball tip



Artery forceps

Used when suturing.

Reference Description

114080

Artery forceps

Tétiblué

The TETIBLUE line bases satisfy the most demanding breeders thanks to their special flotation function. The TETIBLUE bases are made of top quality non-toxic materials, both for the synthetic elements and the natural rubber teats, free of nitrosamines. An independent analysis laboratory certifies that our teats comply with the strictest food standards.



- Complying with Directive 93/11 EC concerning the **release of N-Nitrosamines**
- **Food quality**
- **High quality products (teats impermeable to milk and mildew)**
- Product developed to guarantee the best **ergonomics and resistance**

Calf feeder 8 L TETIBLUE

Its concave shape allows almost all of the milk to flow out, which avoids waste. Flat back for a better stability. Very resistant thanks to the plastic reinforcements on the sides and at the bottom of the bucket. Supplied with: 1 teat holder (ref.120 009 610), 1 rubber calf teat, 36 mm diameter (ref.120 009 500).



Reference	Description
120009600	TETIBLUE complete calf feeding bucket 8 L
120003004M	Metal bracket for calf bucket 8 L
120009610	Blue teat holder with 2 washers, by unit
120009620	Washer for teatholder
120009601	Bucket TETIBLUE



Teat for calf bucket TETIBLUE & TETICLEAR

Certified and non-toxic TétiBlue teats have been designed especially for food use. They comply with the conditions for calf feeding. Supplied in pairs. Shore 50.



Reference	Description
120009500	Dimensions: 35 x 100 mm



TETICLEAR feeding bucket 8 litres clear

The new TETICLEAR feeding bucket is **graduated**. High quality transparent plastic. Very resistant. It is equipped with a sloping bottom so that all the milk is consumed. Supplied with handle, teat holder, teat and wall bracket. Food grade plastic, non-toxic. Hygienic, easy to clean. Thanks to the support it can easily be turned over to dry. The transparent plastic allows you to effortlessly check the level of remaining milk. Supplied without cover.



Reference	Description
120009630	TETICLEAR feeding bucket 8 litres clear
120009621	Clear cover for TETICLEAR feeding bucket





Complete universal SMB calf teat

Teat complete with elbow and valve. Together with the « SMB » teat the blend allows to empty almost the whole bucket. Thanks to its anti-return valve you get more efficiency and avoid leftovers on the bottom of the bucket. Supplied by unit.

Reference	Description
120037	SMB calf teat complete
120037002	Bend and valve by 10



Floating calf dummy large TETIBLUE

The characteristic of this base is the ability to float with the teat oriented upwards. With its round form it is very steady and unshakable. It has been specially designed for trough-feeding systems. The stainless steel washer ensures a perfect balance of the base. It is embedded in the valve and can't get in contact with the food. Cleaning and replacement of the base can be done easily and rapidly. Supplied with a teat 120009300.

Reference	Description
120009	Diameter: 120 mm. Height: 130 mm



Floating dummy medium TETIBLUE

Diameter: 80 mm. Height: 130 mm. The characteristic of this base is the ability to float with the teat oriented upwards. The double clamp ring avoids milk permeation, which ensures the sealing and the cleanliness of the base. It is very practical, easy to dismantle and to clean due to its special design. The calf is able to drink all the milk contained in the bucket.

Reference	Description
120009001	Diameter: 80 mm. Height: 130 mm



Sinking dummy TETIBLUE

Diameter: 75 mm. Height: 130 mm. After the milk bucket is filled, this base sinks to the bottom of the bucket. The teat of this sinking base remains constantly facing upwards, thanks to the inclusion of a stainless steel ring in the centre of the valve. The replacement of the teat is practical and quick.

Reference	Description
120009002	Diameter: 75 mm. Height: 130 mm.



Floating calf dummy small TETIBLUE

Diameter: 74 mm. Height: 130 mm. The characteristic of this base is its ability to float with the teat facing down. The plastic part does not contain a balancing element, which forces the calf to look for the teat from the sides. It is extremely practical and easy to disassemble for cleaning.

Reference	Description
120009003	Diameter: 74 mm. Height: 130 mm



FIND OUR VIDEO ON YOUTUBE



Spare teats

Colour: Red. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 42.



Reference Description

120009200 Dimensions: 43 mm x 92 mm



Compatible with:



Spare teats

Colour: Sand. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 42.



Reference Description

120009242 Dimensions: 43 mm x 92 mm

Compatible with:



Spare teats

Colour: Sand. Diameter of hole: 3 mm. Compatible with floating dummy ref. ref.120009. Shore 50.



Reference Description

120009300 Dimensions: 46 mm x 120 mm

Compatible with:



Spare teats

Colour: Sand. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.



Reference Description

120009100 Dimensions: 43 mm x 92 mm

Compatible with:



Spare teats

Colour: Sand. Size: 45 x 96 mm. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.



Reference Description

120009110 Dimensions: 45 mm x 96 mm

Compatible with:





Aluminium calf teat

Aluminium. Shore 50. Sand color. Supplied in pairs.

Reference Description

120006

Aluminium calf dummy x2

120007

Teat for aluminium calf dummy x2

120007001

Spare aluminium base calf dummy, by unit.



Stainless steel chain

Reference Description

120007006

Stainless steel chain. By unit.



Rectangular calf feeder 14 L

A profitable investment. Food grade plastic, strong. The new shape of its base (flaring of the bottom and new teat holder) allows a complete milk outflow. No more milk leftovers on the base. Supplied complete with: 2 rubbers teats. 1 teat holder. 2 brackets for calf buckets. 1 handle. Follow the set up instructions for the holder and the teat to ensure an optimal performance.

Reference Description

120002001

Rectangular feeder 14 L

120002002

White teat holder for calf feeder

120002004

Bracket for feeder. Supplied by 2.

120002005

Spare valve. By unit.

120002010

Waterproof joint for valve. By unit.

120099011

Sand long cylindric teat. Shore 50. Dimensions: 35 x 100 mm, by 2



Feeding bucket 5 L

The «M1» is a convenient feeder for either wall mounting or for hanging on a bucket bracket. Can be nested to make the carrying and storage easier. This feeder has a «SMB» non-leak teat. Capacity of 5 litres.

Reference Description

120061

Capacity: 5 L



Milk train 2 places 10 L

A new idea in calf feeders. The «Milk train» is modular. Stack them together. Join them together to reach your desired length. Easy to carry about with the central handle. Supplied with «SMB» teats. Ten liters total capacity with individual compartments of four litres. Hook suitable for timber or pipe rails. The « Milk train » is a revolution in portable calf feeders. Each «Milk train» is 42 cm long.

Reference Description

120062

Capacity: 10 L

6 teats bucket 20 L

To hang on rails up to 32 mm thick.

Reference	Description
120066	Capacity: 20 L



SMB calf teat

They prevent leaking and assure a good flow so that the calf can suck without any difficulties. The «SMB» teat is suitable for all feeders with a 22 mm teat hole and also for the calf feeding bottle. Supplied in pairs.

Reference	Description
120038	SMB calf teat
120037001	Spare elbow and valve by 10



Plastic calf bucket with handle 5 L

Complete with handle. Plastic, with lid, handle and latex teat.

Reference	Description
120016	5 L complete
120005	Latex teats reinforced x 2



Semi-circular plastic bucket with lid 6 L

The collar ensures that there are no losses. Very good stability thanks to its flat back. This new model has a metal reinforcement around the lid for a better stability of the handle. Supplied without teat.

Reference	Description
120015	6 L
1200241C	Rubber calf teat by 2



Circular plastic calf bucket 7 L

Plastic calf bucket, circular, 7 L. The cone shape allows full flow of milk. To be placed on a circular support for the feeding box. Supplied with: valve, 2 rubber teats (Ref. 120 024 1C) without support.

Reference	Description
120001	7 L
1200241C	Rubber calf teat by 2
120020	White valve by unit





Plastic calf feeder

With handle and teat. Food safe plastic. 250 ml scale. Supplied with rubber teat ref. 120025. Sand colour. Possibility to adapt the teat for grains.

Reference	Description
120025001	2 L complete (bottle + teat)
120035001	3 L complete (bottle + teat)
120025	Sand teat. Length: 10 cm. Supplied by piece.
120025006	2 L bottle holder in metal
120035006	3 L bottle holder in metal



Speedy feeder

"The speedy feeder is a **3 speed** calf feeding bottle. The 3 speeds control the air inlet to the bottle. A teat is mounted low in the cap to empty the bottle contents completely. **THE ORIGINAL!** Graduation every liter."

Reference	Description
120050	2.5L
120056	4L
120055	Lid and teat SPEEDY FEEDER

DID YOU KNOW?

The bottle saves time because drinking is immediate.



Calf rearer

Graduated calf feeding bottle with x-pierced teat. The 3 L model has a handle. Very resistant plastic and easy to clean.

- With scale
- With red -teat
- Large opening
- Self regulating valve

Reference	Description
120017100	1 L
120017200	2 L
120017300	3 L with handle.



Speedy drencher 4 L

The original Speedy Drencher is a drenching bottle for calves with the same characteristics as the Speedy Feeder bottle: 3 feed rates, ergonomic handle, a bottle neck with large opening and a wide base for greater stability. The lid and the drenching probe are suitable for the Speedy Feeder bottle. The length of the probe is 48 cm. Great for colostrum.



Reference	Description
120090	Capacity: 4 L
120091	SPEEDY drencher tip

Colostrum scale

Helps to evaluate the quality of the colostrum.

Reference	Description
124062	With test tube



Colostrum scale

Helps evaluate the quality of the colostrum. Indicates the amount of gamma globulin in the colostrum and its capacity to protect the calf. Minimum weight: 25 g.

Reference	Description
124063	colostrum scale



Colostrum refractometer

Helps to evaluate the quality of the colostrum. Refractometer with automatic temperature compensation between + 10 ° C and + 30 ° C. Scale from 0 to 32 Brix.

Reference	Description
124070	Colostrum refractometer



UKAL'S TIP

The colostrum refractometer: what importance does it have for newborns? Newborns don't have antibodies in their blood, which is a critical factor for the running of the immune system. Colostrum contains large quantities of antibodies and is the main source for the new born. Colostrum reduces the risk of diarrhea and pneumonia and saves lives. Refractometers allow you to verify that the milk given to the new born is healthy. Did you know? Colostrum is the milk produced by the female mammals at the end of the gestation, it is the first milk consumed after delivery.





ANTAHI

Based in the heart of New Zealand, Antahi develops innovative and efficient products. The best start = optimum health and productivity for life. Through our hands-on experience we know how to achieve this best start for your animals and we are here to help farmers and vets achieve top results in a kinder, easier, safer and easier manner, through better equipment. Why Antahi? An = animal and Tahi = first in Maori. If you look after your animals, they will look after you. Our products are designed to work with the animal, achieving the lowest stress and the greatest result, which in turn makes a farmers work and life easier.



TRUSTI TUBER

Designed by a vet, the Trusti Tuber significantly reduces calf stress and discomfort. Flexi Tuber can be held in place with one hand. Large 4 litre capacity bottle. Transparent flexible tube makes it easy to clean and monitor flow. Ergonomic bottle handle. Perfect for large and small hands. Reliable valve. Fast flow even with thick colostrum. Shown in trials to almost halve procedure feeding time. Stopper and calf size markers provide easy guide for tube placement and positioning. **Attachment included with Flexi Tuber for use without hands.**

Reference	Description
120095	TRUSTI TUBER 4 L
120096	FLEXI TUBER 4 L

best seller
UKAL

2 in 1



Antahi feeder with teat



A specially designed bottle for both bottle feeding with the Antahi Suckle Up cap, and tube feeding with the Antahi Tubers. What makes a bottle a better bottle? Well that depends on the user, in this case the farmers and calf rearers, so we asked them: What would you like in a bottle and what makes your job easier? The Antahi Feeder is the result. High quality valve for reliable flow and no leaks. 4 litre or 1 gallon size for less refilling. Wide cap for eas filling and easy cleaning. Clip-on mouthpiece for maintaining hygiene. Ergonomic design for both small and large hands. Broad base for uneven ground.

Reference	Description
120097	4 L



Colostrum bags



Large spout for easy filling and cleaning. Transparent side – see the colostrum contents, see the colostrum level reduce during feeding. Reusable – due to durability and easy to clean design, the Trusti colostrum bag is the only colostrum bag designed to be reused. (Number of uses dependant on cleaning and care of bag). Comfortable handle. Pasteurisation friendly. Large capacity – four litres freezes flat. Quick thawing. Incorporating premium Trusti Tuber and Flexi Tuber oesophageal tube feeders.

Reference	Description
120098100	Box of 10 
120098500	Box of 50 



Complete kit for colostrum



Kit containing colostrum bags, a peach teat and a trusti tube.

Reference	Description
120095100	4 bags + teat + trusti tube
120095200	10 bags + teat + trusti tube



Brush for colostrum bags



Allows an efficient cleaning of the colostrum bags.

Reference	Description
120098	Stainless steel



Pasteurizer for colostrum bags



This pasteurizer is specially designed for pasteurization of colostrum bags. Easy to use, very precise and good value for money. This pasteurizer makes it easy to pasteurize colostrum in Trusti bags, it can keep the number and quality of antibodies in colostrum and avoid bacteriological contamination.

60 ° C = ideal temperature for pasteurizing; for 60 min.
42 ° C = temperature for defrosting.

Heating: depends on the degree of water.
Cooling: approx 30 min.

The technical characteristics:

Plastic material.
Capacity: 2 bags of 4 liters at the same time
Water capacity: 27 liters. Digital screen.

Reference	Description
120098300	Pasteurizer for colostrum bags



Thermal bag for colostrum bag



Insulated bag to keep colostrum warm when feeding or transporting.

Reference	Description
120098400	Thermal bag for colostrum bag





Dutch bowl 16 L

Diameter: 36 cm. Capacity: 16 L.

Reference	Description
122010	Capacity: 16 L. Diameter: 36 cm
122010001	Fixing ring for bowl diameter: 36 cm



Dutch bowl 14 L

Diameter: 32 cm. Capacity: 14 L.

Reference	Description
122011	Diameter: 32 cm. Capacity: 14 L.



Graduated calf plastic bucket

Reinforced bottom. With handle. Litre graduation. The real capacity is at least one litre over the indicated graduation. On special request and for a minimum of 500 pieces you can choose the colour and the buckets can be personalised with a logo or with other advertising labels.

Reference	Description
122013	Capacity: 13 L. Lower diameter: 245 mm. Upper diameter: 340 mm. Height: 200 mm.
122014	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm.
122015	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm.
122018	Capacity: 19 L. Lower diameter: 270 mm. Upper diameter: 370 mm. Height: 230 mm.

DID YOU KNOW?

Customised personalisation service is available. Do not hesitate to contact us for more information.



White calf muzzle without strap

White muzzle for calf without bridle. Very robust.

Reference	Description
120011B	White, high density polyethylene
120011	Grey in high density polyethylene. Limited stock.



Large rigid muzzle

Large model muzzle for fattening calves (heavy breed). Diameter: 18 cm

Reference	Description
120011002	White, high density polyethylene



White calf muzzle with strap

Nylon.

Reference Description

120012 White



EUTRA interlac-pectin

EUTRA

Prevents loss of fluids and electrolytes. Forms a protective layer on the intestinal mucosa and captures pathogenic bacteria which cause disease. 100 % Natural products, contains apple pectin powder.

Reference Description

112540025 2,5 kg

INSTRUCTIONS FOR USE

In case of diarrhoea: mix the powder with food or water: 5 g to 10 g per 10 kg body weight. Prophylactic treatment: use the lowest dose of 5 g per 10 kg body weight.



Milk thermometer in plastic cage

Temperature range from -10°C to 120°C. Easy to clean.

Reference Description

124061 Milk thermometer



Teflon milk warmer

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference Description

120400 Teflon



Aluminium milk warmer

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference Description

120300 Aluminium



POWERHEAT HORIZONT milk heater

Heats up the milk in a minimum of time. Reduced energy consumption. Easy temperature control. Flat heating element with fast heat dissipation. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Aluminium. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomic working height at 90 cm. Ø: 165 mm. Low weight: 2.8 kg.

Reference	Description
120500	Aluminium



Digital POWERHEAT milk heater

Heats up the milk in a minimum of time. Reduced energy consumption. Easily adjust temperature by the degree. Flat heating element with fast heat dissipation. Saves the last temperature. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomically working height at 90 cm. Ø: 165 Reduces germ formation, protects animal health. Digital display easily readable in bad lighting conditions. Teflon PTFE coating.

Reference	Description
120600	Teflon



Milk whisk

Reference	Description	Reference	Description
124070036	Stainless steel milk whisk and handle 35 cm	124070040	Stainless steel milk whisk wooden handle and metal ring 40 cm limited stock
124070037	Stainless steel milk whisk and handle 40 cm	124070041	Stainless steel milk whisk long wooden handle 40 cm
		124070042	Stainless steel milk whisk short wooden handle 40 cm



Ruminal magnet in plastic cage

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. The cage's shape provides maximum protection and enables sharp metal pieces to stay in an optimal position. Length: 100 mm To be used with the magnet introducer ref. 111019.

Reference	Description
111001	Single unit
111001012	Pack of 12




Example of effectiveness

Ruminal magnets

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. To be used with the magnet introducer ref. 111019. Dimensions: 15 x 55 mm.

Reference	Description
111002	Pack of 6
111003	Pack of 12





Metal introducer for magnets

Nickel plated. Retains magnet while guide is being placed.

Reference Description

111019

Length 55 cm - Inner diameter: 35 mm



Multi bolus gun

Stainless steel with aluminium handle which guarantees a good grip. Allows you to introduce 2 magnets or 2 boluses at the same time.

Reference Description

111050100

Length: 46 cm



Bolus gun

Stainless steel. It retains the magnet while placing the guide.

Reference Description

111050026

Diameter: 26 mm



Round cattle trocar

Trocar to pierce the stomach in case of bloating. To be used when the stomach tube is not effective.

Reference Description

111114

Length: 22 cm, diameter 9 (for cattle)

111116

Length: 12 cm, diameter 6 (for sheep)

THE 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger the calf, the easier it is to handle. At this age the veins are found just under the skin.

The Right restraint

A calf that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technique

Clip first to properly locate the horn. Cauterise in 10 seconds without pressing too hard. Make a furrow of 4-5 mm. Cauterisation is not burning.

The Right pain management after dehorning

Apply a cleaning spray that cools the cauterisation. We recommend using Septiject (ref 002007). Treat against flies. Keep under careful observation for the next 48 hours. Avoid putting animals outside in wet weather.



WHY DEHORN ?

For practical reasons :

- Easier access to the fence
- Save space
- Safe Handling

For safety reasons :

- Avoid accidents with the breeder
- Avoid accidents between animals

For economic reasons :

- A damaged skin decreases profitability

Different methods proposed :

- Electric or gas iron

essential
PRODUCT



002007

UKAL presents its new dehorner **netlorn**

NETHORN Gas Dehorner

Wireless, the NETHORN gas dehorner offers a run time of ± 2 hours. Thanks to its power of 350 W and its speedy rise of temperature in less than 2 minutes, this dehorner allows dehorning in 3 seconds per horn. The NETHORN dehorner has no exposed flame and has an automatic piezo ignition for starting up which can be changed without tools in a few seconds. It is indeed a safe device in wet conditions, it can work in all positions and down to -10 ° C. Lightweight 770 g. 19 mm diameter nozzle supplied, **2 propene / propane / butane cartridges included**, Also works for goats (nozzle not supplied).

Reference	Description
103016	Supplied with 2 cartridges

Nethorn gas cartridge

Reference	Description
103016100	60 g propene/propane/butane



ARKOS gas dehorner for cattle

THE PISTOL GRIP - new model. Lightweight: 470 g. No cable/Portable. Works with gas cartridge ref. 103015446. Built-in Piezo ignition. Temp.: 700 °C / 1292 °F, Max temp. reached in less than 3 minutes. Safety: Lock position, Operation position. Easy to handle: Non-slip dual-material handle, Pistol shape for good grip handling. Support stand. Reversible tip internal ø 17 and 19 mm, to best adapt to various calf breeds. Additional tip internal ø 15 mm available on request. Self-maintenance: change the trigger/ Piezo-ignition and gas nozzle without tools. Supplied with one cartridge.

Reference	Description
103015144	Arkos dehorner
1030151420	Nozzle for gas dehorner EXPRESS FARMING Diameter 17/20 mm
103015446	60 g





DAOS gas dehorner

Lightweight: 300 g. Can be used either with the gas cartridge or with a regulator. Ref no. 1030151141 is supplied with a butane/propane/propene cartridge and 1,50 m of hose. Ref no. 1030151442 is supplied with 4.75 m of hose and a 2 bar regulator. Temp.: 700 °C / 1292 °F, Max temp. reached in less than 3 minutes. Support stand. Reversible tip internal ø 17 and 19 mm, to best adapt to various calf breeds. Additional tip internal ø 15 mm available on demand.

Reference	Description
1030151141	DAOS gas dehorner with gas cartridge
1030151442	DAOS gas dehorner with 2-bar regulator



Gas cartridge for dehorner EXPRESS FARMING

Gas cartridge (butane, propene, propane).

Reference	Description
103015446	60 g 



COSMOS dehorner

The Cosmos electric dehorner, with its ø 16 mm tip specifically designed for cattle, is battery-operated making it very mobile and enabling the dehorning of up to 40 animals before recharging. Thanks to its mobility, animal restraint is greatly simplified and ensures total respect for animal well-being. Featuring numerous technological innovations, such as its closed circular heating wire and its built-in charge indicator, it helps operators save time and enables work in complete safety. Dehorning is made simple, with no more endless rotations. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished.

Reference	Description
103017100	Battery dehorner
103017200	Mains dehorner



Restraining cage

This restraint cage for calves is designed specifically for the dehorning of young calves (aged 0 to 4 weeks) in order to ensure effective restraint. It can be transported in a van without being dismantled. It includes the following: A tray to place your spray, dehorner and clipper. The cage is fully galvanised in order to increase its lifespan. Its adjustable restraint ring ensures that there is no risk of strangulation. Front gate with 90° opening. Large wheel to facilitate transport. Non-slip embossed floor mat. **Delivery charges not included.**

Reference	Description
103315001	Restraint cage only
103315002	Mobility kit for restraint cage



COSMOS kit

Become a pro at dehorning with this kit! This kit will allow you to have a good management of dehorning in respect of animal welfare thanks to: EXPRESS FARMING restraint cage for an optimal restraint. HEINIGER clipper to clear the edges. The EXPRESS FARMING mains powered electric dehorner for efficient dehorning; Always ready to use, it heats up and cools almost instantly. Its unique patented system ensures that it informs you as soon as the 10 second dehorning cycle is completed. This guarantees quality dehorning for the breeder, who always knows, in real time, when his action ended. SEPTIJECT spray for good pain management. Delivery charges for the cage not included.

Reference	Description
999KITCOSMOS	Complete kit for dehorning



Dehorning kit

We have brought together 4 leading brands in their fields to offer a complete kit to dehorn calves less than 30 days old.

The objective is to highlight our expertise, but also to spread to farmers the good practices of dehorning.

- The right restraint: the compression ring
- The right moment: between 5 days and 30 days after birth
- The right technique: first trim the area to locate the hornbills and use a gas dehorner to perform cauterization
- Good pain management after dehorning: application of a cleaning spray that cools the cauterization

The kit contains:

- 1 x KAMER restraining ring for calves
- 1 x professional trimming clipper SAPHIR HEINIGER
- 1 x ARKOS gas dehorner for cattle
- 1 x SEPTIJECT spray

Use:

1. I hold the calf properly thanks to the compression ring.
2. I pre-condition the horns with the Saphir mower.
3. I horn with the Arkos dehorner.
4. I apply the Septiject spray.

Reference	Description
999KITECORNAGE	Dehorning kit



THE ALLIANCE OF 4 BRANDS FOR SUCCESSFUL DEHORNING!



www.ukal-elevage.com



Complete electric dehorner 24 V

For calf dehorning. Dehorner tip goes up to 600°C. Supplied complete with a 24 V transformer. Built-in iron holder. 4 m power cord. Power 250W. Tip of 17 mm diameter included.

Reference	Description
103290100	24 V


Tip for dehorner 103290100

Reference	Description
103290110V	Diameter 15 mm
103290105V	Diameter 17 mm



Tip for dehorner 127100025

Reference	Description
103290001	Diameter 13 mm
103290005	Diameter 17.5 mm



Tips for dehorner soldering iron 103301001

Reference	Description
103302015	Diameter 15 mm
103302020	Diameter 20 mm
103302025	Diameter 25 mm



Electric DEWALT dehorning saw

25 mm bore. Diameter 210 mm. To dehorn adult cattle. 2200 W. 6300 rpm.

Reference	Description
103309005	DEWALT dehorning saw without blades
103308001	Spare blade for dewalt saw x1



Mechanical BARNES dehorner

For cutting through the horns of calves. Metallic handle. Not for use on calves over 6 weeks.

Reference	Description
103307002	Diameter 13 mm
103307003	Diameter 17 mm



Horn guide with strap

Made of aluminium. To correct deviations or malformations during the horn growth of young cattle.

Reference	Description
103314	Aluminium



Rubber tourniquet

5 mm diameter. Allows a tourniquet to be made before dehorning.

Reference	Description
103313010	10 m
103313100	100 m



Dehorning pen

For the dehorning of calves younger than 3 weeks. Corrosive substance, to use with caution. Please follow the instructions.

Reference	Description
103305	8 g



Dehorning paste

For the dehorning of calves younger than 3 weeks. In a syringe with scale. Corrosive substance, to use with caution. 1 notch = 1 horn, consult the instructions for use.

Reference	Description
103306	45 g





Swedish dehorning saw wire 10 m

For the dehorning of adult cattle and embryotomy. Veterinary quality.

Reference Description

103310 10 m



Dehorning saw wire 12 m

KAMER

For the dehorning of adult cattle and embryotomy. This wire is extremely resistant. To be used with the dehorning saw wire handles, reference 103312.

Reference Description

103311 12 m



Dehorning saw wire handles

To be used with reference 103311, or with reference 103310. Antislip grooves. Supplied in pairs.

Reference Description

103312 Supplied by 2



Restraining ring for calf

KAMER

Galvanised steel. Fastens with 2 pins onto the vertical tube of a fence. The aim is to immobilise the head orientation of the calf whose snout is engaged inside the ring. Supplied with a rope.

Reference Description

103315 Galvanised steel

KAMER



INSTRUCTIONS



You must proceed by crushing one testicular cord at a time, and make two crushes at 1-2 cm (1/2" - 3/4") distance:

Locate the testicular cord.

Block it with the castrator for 5 minutes.

Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The non-crushed space maintains irrigation and prevents gangrene.

Repeat on the second testicular cord.

Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators.



48 cm



40 cm




34 cm

Bloodless castrator

Articulated with closing stop. Made of high quality forged nickel-plated steel. Supplied with a tightening key. The castration can be performed as soon as the testicles have reached their final firmness (not their final size) and within the first 6 months. The bloodless crushes the testicular cord through the scrotum skin. After use and cleaning the castrator must be stored opened.

KAMER



Reference	Description
102223035	34 cm 11.8"
102223040	40 cm 15.8"
102223048	48 cm 19"

Metal knee pad

Suitable for all the different bloodless castrators.

Reference	Description
102224	By unit





VINK head lift

Vink

It helps to position the head of the animal parallel to its body. In this position the animal is unable to move and it facilitates swallowing without wasting the drenching products or the mineral and vitamin supplements.

Reference Description

104500 VINK head lift



Spiked swingarm calf weaner

Sturdy aluminium weaner with adjustable screw and butterfly adjustment nut. For a semi permanent implementation. The most popular weaner.

Reference Description

104441 Aluminium




Calf weaner with spring adjustment and spikes

KAMER

Aluminium calf weaner with aluminium disc and spring adjustment. Quick and easy to install and remove. With spikes.

Reference Description

104439001 Aluminium



Applicator for calf weaners

KAMER

Double sided: the front is used to attach the weaners. The back is to detach the weaners. Anti-slip handle.

Reference Description

104440 Calf weaner applicator



Metal sucking preventor ring

KAMER

For long term use. Available in 4 sizes: Weaner size, for calves up to 5 months. Heifer size, for calves between 5 and 24 months. Adult size, for adult calves (older than 2 years).

Reference Description

104440000 Weaner size x 5

104440001 Calf size x 5

104440002 Heifer size x 5

104440004 Adult size x 2



Plastic adjustable calf weaner with spikes

Practical, efficient, economical. Weaner with screw adjustment. Avoid nasal injuries. For calves and small animals. Sold in pack of 2, 5 or 12.



Reference	Description
104446000	Small model x 2
104446100	Small model x 5
104200000	Small model x 12
104446001	Medium model x 2
104446101	Medium model x 5
104201001	Medium model x 12
104446002	Big model x 2
104446102	Big model x 5
104202002	Big model x 12

HOW TO CHOOSE THE SIZE OF THE WEANER?



SIZE	XS	S	M	L
MODEL	Weaner	Calf	Heifer	Adult
AGE	Birth	up to 5 months	5 to 24 months	More than 24 months
REFERENCES	104 440 000	104 440 001 104 446 000 104 446 100 104 200 000	104 440 002 104 446 001 104 446 101 104 201 001	104 440 004 104 446 102 104 446 002 104 202 002

Bull holder Harms

The two balls provide a perfect grip in the nose. Length of 19 cm.



Reference	Description
104412	Nickel-plated forged steel - 19 cm
104412S	Stainless steel

Bull holder with chain

Very robust bull holder. Supplied with a chain. The absence of blocking hooks avoids injuries during handling.

KAMER



Reference	Description
104416	Nickel-plated forged steel - 15 cm

Bull holder without chain

Very robust bull holder. Supplied without chain. With two holes which allows use of a tightening rope.

KAMER



Reference	Description
104416001	Nickel-plated forged steel - 15 cm





Bull holder

For a fast animal capture. Handle Length: 44 cm. .

KAMER

Reference Description

104414 44 cm



Bull holder with spiral spring

Allows quick catch and release. Anti-panic system. Very robust. Length of 17 cm.

KAMER

Reference Description

104413 Chrome plated forged steel 17 cm



T-Handle bull lead

With security lock. Epoxy steel. Handle of 1,45 m.

KAMER

Reference Description

104435001 145 cm. Epoxy steel

104436 Fitting garniture without handle. Ø 28 mm. Nickel plated



Nickel-plated steel bull rings

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal in mm. Supplied with break off screw.

Reference Description

104420050 Ø 50 mm


104420060 Ø 60 mm

104420070 Ø 70 mm

104420080 Ø 80 mm

104420090 Ø 90 mm

104420100 Ø 100 mm





Brass bull rings

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal ones and in mm. Supplied with break off screw.

Reference	Description
104421050	Ø 50 mm
104421060	Ø 60 mm
104421070	Ø 70 mm
104421080	Ø 80 mm
104421090	Ø 90 mm
104421100	Ø 100 mm



Self piercing bull rings

Male and female halves. Self piercing. No applicator needed. Different sizes available. Supplied with break off screw.

Reference	Description
104422370	Ø 70 mm external - Ø 54 mm int. Brass
104422376	Ø 76 mm external - Ø 60 mm int. Brass
104422276	Ø 76 mm external - Ø 60 mm int. Stainless steel



Leather bull ring halter

Cowhide leather. Nickel-plated ring. Allows the bull's ring to be raised. Assorted colors.

Reference	Description
104432004	Assorted colors.



Cane

Plastic

KAMER

Reference	Description
104402105	Ø 6 mm. 86 cm.
104402101	Ø 9 mm. 98 cm. Assorted colors.



Anti kick bar US model

Very robust. Hand crank to adjust the opening.

Reference	Description
104410	Anti kick bar





Anti kick bar

Very robust and adjustable anti kick-bar. Supplied in a box with rubber ends and springs. Recommended for every breeder ! It is the safest, easiest, most efficient and most humane way to avoid kicks. Immobilizes both sides and keeps the animal calm during examinations or all other handlings.

Reference Description

104409	Zinc
104409001	Zinc. Supplied assembled.



Premium stainless steel anti-kick bar

KAMER

Stainless steel. Delivered mounted. Good price quality ratio.

Reference Description

104409020	Stainless steel. Supplied assembled. By unit.
-----------	---



Top range stainless steel anti kick bar

Professional quality! 2 years warranty. New system to close quickly. Individually packaged.

Reference Description

104409010	Stainless steel
-----------	-----------------



Anti kick bar kit

For the articles 104 409 and 104 409 001.

Reference Description

104449	2 springs and 2 rubber ends. Black. 6mm
9104450E	2 rubber ends. Blue and red. For ref. 104409010
104450	Rubber ends by unit.



Replacement spring for anti kick bar

Reference Description

104451	By unit. Diameter: 6 mm.
104451006	By 6. Diameter: 6 mm.
104451009	By 6. Diameter: 9 mm.
104448	By 2. For ref. 104409010


Hobbles	104409	104409001	104409010	104409020
Matching springs	104451009	104451009	9104451R (X1) ou 104448 (X2)	104451009



Chain hobble

Avoids kicks during milking. Very quick fastening on two opposite legs.

Reference	Description
104411	Chain hobble



Nylon hobble triple adjustment

Nylon hobble with an adjustment at the strap and another one at the legs. Very high quality.

Reference	Description
104411100	Blue



Leather hobble with chain

Strong and supple leather hobble. The two leather straps are linked by a chain.


Reference	Description
104411200	Leather hobble with chain



Galvanised tail bridle for cows

Prevents the cow from tail slapping during milking by immobilisation of the first caudal vertebrae.

Reference	Description
104442	Tail bridle





PPTex leads

Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description
121115001V	Length: 2,50 m. Diameter: 12 mm. By 12.
121116001	Length: 2,50 m. Diameter: 14 mm. By unit.
121116001V	Length: 2,50 m. Diameter: 14 mm. By 12
121117	Length: 4 m. Diameter: 12 mm. By unit.
121117V	Length: 4 m. Diameter: 12 mm. By 12.
121117001	Length: 4 m. Diameter: 14 mm. By unit.
121117001V	Length: 4 m. Diameter: 14 mm. By 12.



PP/SISAL leads

Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description
121115	Length: 2 m. Diameter: 12 mm. By unit.
121115V	Length: 2 m. Diameter: 12 mm. By 12.
121116	Length: 2,5 m. Diameter: 14 mm. By unit.
121116V	Length: 2,5 m. Diameter: 14 mm. By 12.



PP/SISAL halters

Supplied by 12.

Reference	Description
121111V	Length: 4 m. Diameter: 14 mm. By 12.

PPTex halters

Available in different sizes. Supplied by 12.

Reference	Description
121110001V	Length: 3 m. Diameter: 12 mm. By 12.

Find the whole of our range of carabiners in the chapter dedicated to farm equipment

Quick release hook

Reference	Description
121117102	HONDA Quick release hook



Double adjustment leather halter **KAMER**

Head piece and noseband. Made of **double-thickness leather**. Chrome plated settings.

Reference	Description
121137000	Assorted colors




Nylon halter for cows

KAMER

Very resistant. Two reinforced adjustment loops (headpiece and noseband).

Reference	Description
121107	Yellow and black
121107003	Red
121107006	Blue
121107008	Green - Limited stock.



Cow presentation halter

KAMER

Very robust nylon. Reinforced leather strap. Chinstrap chain and fastening ring. Supplied without lead. Height: 47.5cm, circumference: 64cm, width: 4cm.

Reference	Description
121103	Yellow/black



High quality nylon collar for cows

KAMER

Very robust double thickness nylon collars. Attachment ring. 125 cm x 4 cm. Thickness: 5 mm.

Reference	Description
121161	Yellow and black
121161002	Black
121161003	Red
121161006	Blue
121161008	Green



High quality nylon collar for bulls

Very sturdy nylon collars due to their width and double closure. Leather reinforcement of the loop. Attachment ring. **New color: yellow and black.**

Reference	Description
121126010	Length 1,70 m - Width 7 cm



Non-contractual color



Superior quality nylon collar for cow

The top of the range. Necklace 1.30 m. Leather reinforcement at the adjustment loop. Nice finish.

Reference Description

121128006C Width 4 cm. Loop 6 x 4 cm.



Nylon calf collar

Leather reinforced adjustment strap. Supplied with attachment clip. **80 cm long.** Available in different colours. Pratical to distinguish groups.

Reference Description

121122 Yellow and black

121122003 Red

121122006 Dark blue

121122008 Green

KAMER



best seller
UKAL

Halter for calf

This calf halter is made of high quality nylon. Leather finish. Tightening loop

Reference Description

121139 Blue



Metal collar with hook

3 rings, 1 hook, 1 flat bar. To attach cattle to the Dutch attaching strap.

Reference	Description
117704	83 cm



Dutch type cow strap standard

Made of single-layer nylon. Supplied with an upper and lower metal attaching chain.

Reference	Description
117703	1,85 m



Dutch type cow strap double

High-quality strap. Made of strong and very resistant double thickness nylon. Metal reinforcements at each end. Two lengths available. Supplied with an upper and lower metal attaching chain.

Reference	Description
117702180	1,80 m
117702200	2 m



Nylon collar with chain for calf **KAMER**

High quality, top-of-the-line model. Very strong. Leather reinforced adjustment loop. With safety chain and ring for individual attachment. Nylon stitching. **Exceptional finish.**

Reference	Description
121127	85 cm



Leather collar with attachment clip for calf

Very thick. Complete with attachment clip. Very strong.

Reference	Description
12112	80 cm





One hand hoof cutter

Reference Description

106601 One hand hoof cutter



Hoof cutter articulated

High transmission ratio. Powerful jaws with removable blades. For horizontal attack to the callus. Antislip handle. Total length: 41 cm (16").

Reference Description

106602 41 cm



Rounded hoof cutter 60 cm

Transmission ratio. The «scissors» head shape allows a side cut of the callus. Antislip handle. Total length: 60 cm (23 1/2").

Reference Description

106603 60 cm



Professional hoof cutter

Round head with crossed jaws. Allows a side cut of the callus.

Reference Description

106604 Nickel-plated steel



S hoof rasp 30 cm

Double sided (fine and coarse). For hoof trimming and finish. Length: about 30 cm (11 3/4").

Reference Description

106620 30 cm



Hoof rasp straight with handle

Double sided (fine and coarse). Plastic handle. Length: about 35 cm (13 3/4").

Reference Description

106621 35 cm with handle

106622 35 cm without handle



Traditional hoof scraper

Reference Description

106625 Black painted steel 30 cm



Special hoof disc

Especially for trimming the hooves of cattle. Fits on all current types of electric hoof trimmers. Boring 22 mm. **Supplied in sets of 2.**


Reference	Description
106681215	Ø 115 mm
106681227	Ø 125 mm



Hoof Disc

The granulometry avoids dirtying the disc and heating of the foot. Boring 22 mm.

Reference	Description
106690115	Medium grain Ø 115 mm
106690125	Medium grain Ø 125 mm
106691115	Large grain Ø 115 mm
106691125	Large grain Ø 125 mm
106692115	Double side Ø 115 mm
106692125	Double side Ø 125 mm



DL disc

Lightness and robustness combining cutting efficiency and incomparable life time! No heating of the foot, no dust nor smoke. One blade set treats over 400 cattles. Tungsten blade.

Reference	Description
106695001	Ø 115 mm
106695002	Blade and screw set



DL soft disc

Less aggressive cutting due to the positioning of the blades. Blades can be used on both sides.

Reference	Description
106695101	DL soft disc Ø 115 mm
106695102	Replacement blade x 1
106695102SET	Replacement blade x 7





Professional hoof knife top range

The professional hoof knife! Handle made of exotic wood (bubinga). High cutting quality due to its very sharp blades. The blade is 65 mm long.

Reference	Description
106609001	Wide right blade
106609002	Wide left blade
106609003	Wide double blade



BLACK BLUE hoof knife

Black Blue hoof knives are of high quality. The blade is tempered to allow easy sharpening and also to allowing the blade to stay sharp. Available in several models. The Black Blue knives are very strong. Ergonomic shape. Treated steel blade.

Reference	Description
106609BB1	Wide blade right
106609BB2	Wide blade left
106609BB3	Wide blade double
106609BB4	Thin blade right
106609BB5	Thin blade left



LA PAREUR hoof knife

Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.



Reference	Description
106612001	Wide blade right
106612002	Wide blade left
106612003	Wide blade double



VANADIUM hoof knife

Polished steel blade. Antislip and plastic handle for a better grip. The best price-performance ratio.

Reference	Description
106614001	Wide blade right
106614002	Wide blade left
106614003	Wide blade double

BLACK BLUE ring hoof knife

BLACK BLUE ring hoof knife. Steel blade. Wooden handle. Very nice finish.

Reference	Description
106613BB	BLACK BLUE ring hoof knife



Ring hoof knife

Steel blade. Wooden handle. Good price quality ratio.

Reference	Description
106613	Standard ring hoof knife



Sharpening stone

Essential to sharpen hoof knives, hoof shears and other knives used by shepherds. The very fine grit of the stone allows for precise sharpening of cutting tools for optimal use. 13 cm long.

KAMER



Reference	Description
106616	Sharpening stone



Hoof checker

Shows the ideal shape of the hoof in a fast and safe way. It also allows to check the hoof angle between the base and the upper front part of the hoof. The angle should be between 45° and 50°. The angle of the tester is 50°.

Demotec

Reference	Description
106643020	Hoof checker





DEMOTEC EASY BLOC

Easy, quick, safe and economical. Lameness of cows can lead to significant economical losses due to a reduction of the production and weight loss in the short term. The Easy Bloc makes it possible to treat the lameness in an easy and economical way even for unexperienced users. It can be used on all kinds of hooves. **Packaging: box of 4 or 12 treatments.**

Reference	Description
106643004	Box of 4 treatments
106643010	Box of 12 treatments
106643011	250 ml liquid
106643012	500g liquid



Blocks for DEMOTEC EASYBLOC

Reference	Description
106643013 D/2	Right x 2
106643013 G/2	Left x 2
106643013 DG2	2 right, 2 left



DEMOTEC 90

The DEMOTEC 90 mixture produces a very fluid (liquid) paste. After 2 to 3 minutes this mixture gets thicker and more pasty. Now it can be spread on the put it on the healthy hoof and on the wooden block. **7 to 8 minutes later the DEMOTEC 90 is completely hardened.**

Reference	Description
106645002	2 treatments
106645011	Liquid 500 ml
106645012	Powder 1 kg



DEMOTEC 95

The DEMOTEC 95 mixture gives you immediately an adhesive paste ready to spread on the healthy hoof and the wooden block. **6 to 7 minutes later the mixture is completely hardened. Box of 14 treatments.**

Reference	Description
106644010	14 treatments



Septicare®

HOOF GLUE SEPTICARE II BOND EXPRESS



**SINGLE-USE SYRINGE,
PERFECT FOR 1 HOOF!**



SEPTICARE II BOND EXPRESS

Sku. 106652005

Unchanged formula, same efficiency, more practicality!
Applied in **3 minutes**, Stick in **30 seconds**,
the cow is released in 3 minutes.



- **Significant time and cost savings:**
the glue is applied in only 3 seconds, bonds in 30 seconds thanks to a very quick thermic reaction between the 2 components. The cow is thus released in only 3 minutes.
- **A glue with unequalled efficiency:**
the glue dries even under extreme conditions. It can be applied and stored from 0°C to 40°C and even in wet environments, but it must not have a temperature lower than 0°C for application.

- **Very easy to use:**
no need to be preheated, the cannula makes the 2 component optimal mixture for a maximal bonding and the glue doesn't flow even by applying vertically.
- **Comfort for the breeder and the cow:**
the breeder saves 15 seconds per treated cow, the cow is less stressed and the treatment has no impact on the milk production.

**AVAILABLE IN 250ML
SEPTICARE II BOND
EXPRESS XL**
Sku. 106652001



BOX OF 10 KITS

Each kit contains one 25 ml syringe + 1 cannula
+ 1 pair of gloves, individually wrapped



3 700393 919718

www.septicare.eu

Order on our Webshop
→ www.ukal-elevage.com





1 cartridge 25ml
= 7 Hoof

SINGLE USE



SEPTICARE II BOND EXPRESS

Discover the new packaging of our SEPTICARE II BOND EXPRESS !

Sold in boxes of 10 kits, a kit is composed of:

- 1 single-use syringe 25 ml
- 1 cannula
- 1 pair of gloves

Single use is more practical, safe and convenient for the breeder.

Glue cartridge with 2 components for hoof care. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because viscosity isn't affected by the temperatures.

Nevertheless, the glue has to be at a temperature above 0°C to be used correctly.

Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied.



Reference	Description
-----------	-------------

106652005	Kit of 10 monodose 25 ml
-----------	--------------------------



FIND OUR VIDEO ON YOUTUBE



Glue 250 ml SEPTICARE II BOND EXPRESS XL

Our best seller glue SEPTICARE II BOND EXPRESS is now available in a new 250 ml format. Glue cartridge with 2 components. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because its viscosity isn't affected by the temperatures. Nevertheless, the glue has to be at a temperature above 0°C to be used correctly. Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied. Supplied by box of 12 without cannulas.



Reference	Description
-----------	-------------

106652001	By 12
-----------	-------



SEPTICARE XL KIT

1 x 250 ml glue cartridge / 1 x application gun / 10 x wood blocks / 10 x mixing cannulas / 1 x pair of gloves / 1 x instructions paper.



Reference	Description
-----------	-------------

106652010	Kit
-----------	-----



SEPTICARE II BOND EXPRESS XL cannulas

A cannula specifically adapted to the cartridge 250 ml of SEPTICARE BOND EXPRESS glue. Its specially designed shape allows easy extrusion of the glue as well as an optimal mix between the 2 components.



Reference Description

106652002 By 10

SEPTICARE II BOND EXPRESS XL gun

Application gun for glue SEPTICARE -II-BOND EXPRESS, size XL. Good grip, High quality.

Reference Description

106652003 SEPTICARE II BOND EXPRESS XL gun



Wooden blocks

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Reference Description

106645013002 By 2 / 11 cm

106645013020 By 20




Wooden blocks XL

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Reference Description

106645014 XL 13 cm. By piece.





Leg splint for calves

Specifically designed for calves suffering from flexion of the pasture joints. The joint attachment allows the calf to be held and the calf to stand upright on the front legs and move freely. Leave in place for 2 to 4 weeks minimum. Durable washable nylon and durable molded ABS material. Internal padding. Velcro® safety fasteners. Treatment without plaster and bandages. Fully adjustable and reusable. Length: 22 cm.

Reference Description

101125 By piece



Adhesive hoof tape

Adhesive and very resistant tape. Ideal for bandaging hooves of cattle and horses.

Reference Description

106646 25 m x 5 cm

106646050 50 m x 5 cm



Tar bandage «Certoplast»

To bandage and apply protection bandages on large animals

- Adhesive on both sides
- Aluminium packaging
- Black

Reference Description

106646100 25 m x 4,5 cm



Clay bandage «Corotex»

- Fabric tape
- Breathable
- Adhesive on one side
- Black

Reference Description

106646200 25 m x 5 cm



Cohesive flexible bandage for compression



Quick and easy application. Beginning easy to find. Strong fabric, can be torn by hand. Size stretched: 10 cm x 4 m. Size unstretched: 10 cm x 2,5 m. Contains latex.

Reference Description

106700 18 cohesives bandages assorted fluorescent colours

106710 18 cohesives bandages assorted classic colours

106710102 Black - By 18

106710103 Red - By 18

106710106 Blue - By 18



Cattle hoof care portico

Vink

This restraining unit can be easily adapted to all kinds of cattle stalls. Using this frame, you can always treat the cattle without help from another person and in their own environment. Equipped with a self locking winch.



Reference	Description
106900	

Premium hoofmat

The "Premium Hoofmat" uses a 31 mm foam encased in a premium quality blue outer fabric. To optimise treatment, place the mat at the entrance to the milking platform. After milking, hang the hoofmat over a rail and hose it down. The "Premium Hoofmat" lasts over 100 000 cow passes. Contains up to 35 litres of hoofbath remedy. Top up the mat after 80 cow passes. Size: 180 x 90 cm.



Reference	Description
113001	180 x 90 cm



SEPTICARE cattle hoof mat

Disinfecting foam for building entrances. Perfect for the passage of animals. Large and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 120-160 liters.



Reference	Description
113100001	Large size 180 x 90 x 10 cm

KAMER tendon clamp

KAMER

Avoids kicks during hoof treatments. To be placed in the hollow of the animal's knee. Works by pinching the tendon. Very efficient and strong model.



Reference	Description
106652	Tendon clamp





Norwegian fine hoof tar

Hoof tar is made of natural wood tar. This natural tar protects and nourishes the hoof. Available also for hunting.

Reference Description

000020	1 kg
000025	5 kg



Septicare®



Beech hoof tar

Beech Tar. Protects hooves and nourishes the hoof horn. Available also for hunting. **Very good price-quality ratio.**

Reference Description

000030	1 kg
000035	5 kg





Thermic depilator

Depilates udder hair in a secure way and without causing pain by a cold flame. It does not pose a danger to people nor animals. Appreciated for its fast action. Depilate approximately 40 to 50 animals. Supplied with: a 750ml propane gas cartridge (99%)ref. 103400001, a 2 bar regulator, a flexible tube (20 bar) of 2 meters, a 80 cm spray nozzle, an ergonomic handle with 2 plugs and a belt clip.



Reference	Description
103400	Thermic depilator
103400001	Propane gas refill for thermic depilator. Cartridge 750 ml of propane (99%).



TERRA portable hair remover - thermic depilator

Promoting udder hygiene before milking avoids germs, bacteria, mastitis and lost time. EASY: Set up in less than 2 minutes. FAST: Hair removal in less than 4 seconds per cow. SAFE: Easy and safe hair removal due to the long curved burner. PAINLESS: Thanks to the soft flame, the animal feels only a sensation of warmth. PRACTICAL: Cartridge weight 340 g with duration of 2 hours. EFFECTIVE: Reduces the spread of germs and risk of mastitis. Faster cleaning of the udder before milking. Easier teat identification for automated milking. Improved milk quality. ECONOMICAL: Avoids multiple processing of milk. Compatible with gas cylinder/cartridge. Handle + angled burner: 500 g. Burner length: 1000 mm. Keep the flame at a distance of approximately 10 to 20 cm while drawing an "eight" for 2 to 4 seconds.



Reference	Description
103401655	Curved "milking parlour"
103401656	Straight "milking parlour"



Butane/propane cartridge

More powerful than a butane cartridge. For the thermic depilator. Not advised for dehorner.



Reference	Description
103401556	340 g





Please, find our range of sprayers in the Farm Equipment Chapter



Double tissues

For udder cleaning. Very resistant to water washout. Do not shrink.

Reference	Description
112131	Dimensions: 2 x 35 x 32 cm. By 10.



Septicare Tissues

Non-woven tissues made of 80 % viscose and 20 % polypropylene. Conform to food standards. Do not contain formaldehyde. Used to wash the cow udders. Much softer than woven tissues. They ensure an excellent cleaning and a better wiping of the teat due to the non-woven composition. Equal weight, absorb twice as much water than woven tissues. Machine washable, also in very hot water. By 25.



Reference	Description
112131001	Dimensions: 34 x 37 cm. Weight: 240 g/m2. Bag of 25.

NEW



Mastitis detector

New version of the online mastitis detector. Easy to install and clean, usable on 16 mm milk hoses, wide vision of milk flow. By unit.



Reference	Description
112221	Mastitis detector

NEW



Non return dip cup

Dip cup with non-return system which makes it hygienic, practical and safe. Avoids the risks of cross contamination.



Reference	Description
112130001	Non return dip cup



Teat dip cup

For soaking the teat prior to milking.

Reference Description

112130 Teat dip cup



AMBIC non-return dip cup

Allows you to dispose of new product each time you soak it. Avoids the risk of cross-contamination.

Reference Description

112130002 Non-return dip cup



AMBIC foam dip cup

Produces a dense foam. Increases the contact surface and efficiency of foaming products.

Reference Description

112130003 Foam dip cup



Manual teat sprayer

Manual sprayer with rotary nozzle directional jet, facilitates spraying.

Reference Description

112126 Hand sprayer 680 ml



Teat sprayer

With 20 cm adjustable extension. For spraying after milking.

Reference Description

112127 Pump spray





Plastic milking cup

With strainer.

Reference	Description
-----------	-------------

124070046	1 L
------------------	-----



Conical plastic milking cup

Conical strainer with tab to remove the strainer easily.

Reference	Description
-----------	-------------

124070047	1 L
------------------	-----



Transparent dosing cup

Food safe plastic.

Reference	Description
-----------	-------------

124064	1 L
---------------	-----

124064003	3 L
------------------	-----



Bromothymol Mastitis indicator test paper

The use of reactive paper helps to detect rapidly milk acidification caused by increased number of cells. The mastitis touches rarely the whole teat. That's why it is important to check and compare the 4 quarters. Supplied in bag of 25 pieces.

Reference	Description
-----------	-------------

112219	Mastitis indicator test paper
---------------	-------------------------------



Septicare®

Mastitis detection kit

For mastitis detection of reactive liquid. The kit contains: 1 paddle, 1 dosing bottle, 1 liter of reactive liquid, 1 teat wipe, 5 Velcro ankle straps, test report leaflet.

Reference	Description
112137	Complete kit



Septicare®

Reactive liquid

For the test to detect mastitis. This test gives information about the situation of the quarters before any changes in appearance are visible (inflammation of mammary tissue, lumps, water and blood, etc.). To be used with the test paddle. Consists of anionic surface-active agent and bromocresol purple.

Reference	Description
112134	1 L 



Dosing bottle for reactive liquid

Ensures precise dosing of the liquid in each quarter on the paddle. 1 ml for each dose.

Reference	Description
112136	Dosing bottle




Mastitis test paddle

Test to detect mastitis. Each section corresponds to one quarter of the udder. To be used with SEPTICARE liquid.

Reference	Description
112132	Test paddle






Catheter

Ogival catheter. Used for intra-mammary injections in the lactiferous sinus (antibiotic depletion). Used with a metal or plexi DERMAPLAST syringe. Luer lock end. By 5.

Reference	Description
112205/5	8 cm - Ø 2 mm
112206/5	10 cm - Ø 2 mm



Catheter

Solution flows through 2 lateral openings of the catheter. Stainless steel catheter and chromed brass base. Luer Lock end. By 5.


Reference	Description
112210001/5	38 mm - Ø 2 mm
112210002/5	63 mm - Ø 2 mm



Catheters

Stainless steel catheters. Length: 14 cm. Diameter 3,6mm.

Reference	Description
112217001	14 cm



Plastic catheter

Supplied by 10.

Reference	Description
112204	By 10



Organic milking grease

EUTRA

The first ORGANIC milking fat! **Ideal for organic farming.** This new organic milking grease, MADE IN FRANCE, is formulated with beeswax and sunflower oil. It facilitates milking thanks to its lubricant properties. It protects and helps to heal udders by creating a protective layer.

No preservatives, no disinfectants, no perfumes, no dyes.

White color.

Reference	Description
112503	500 ml 



EUTRA milking grease

EUTRA

Milking grease is for protecting and caring for teats and udders. Made from high-quality refined mineral oils, it facilitates milking due to its lubricating properties. Helps to protect and care for the udders by creating a protective layer and helps the healing of small wounds. **Swiss original formula.** No preservatives, no disinfectant, no fragrance substances, no colorings. Composition: Paraffinum liquidum, Petrolatum. Color: white. **Can not be used on organic farms.**

Reference	Description
112500002	250 ml 
112500005	500 ml 
112500010	1 L 
112500020	2 L 
112500030	3 L 
112500050	5 L 
112500100	10 L 



EUTRA semi-liquid milking grease

EUTRA

Milking grease for protecting and caring for teats and udders. Its multi-purpose nature means that it has various applications like facilitating milking and ensuring teats and udders care and as a universal lubricant, in particular for threading cables, connecting pipes, forming seals in cases of severe moisture, screwing, and protecting metal parts from corrosion. Composition: Paraffinum liquidum, Petrolatum. **Can not be used on organic farms.**

Reference	Description
112501005	500 ml 
112501010	1 L 





EUTRA

EUTRA Balsam

Natural balm containing eucalyptus and lavender extract. **Stimulates the milk flow.** Makes milking easier, protects and cares for udders and teats. Prevents the development of wounds and cracked skin. Hanging bottle with anti-leak valve for optimal dosage. **Can not be used on organic farms.**

Reference Description

112521005 500 ml



EUTRA

EUTRA Gel

Gel made of Menthol and tea tree extract to protect and take care of the teats. **Cooling effect.** Effective cleaning thanks to the antiseptic properties of the plants extracts. **Can not be used on organic farms.**

Reference Description

112520005 500 ml



CREMAPIS Milking Grease

High-quality milking fat. **Necessary for a good softening** and moisture of the teat tissue. Aseptic. Color: yellow.

Reference Description

112160005 500 ml

112160010 1 L

112160030 3 L

112160050 5 L



TRAYBAIN Milking Grease

Facilitates milking and maintains healthy and soft teats. **Protects from cold and draughts.** Color: green

Reference Description

112170001 1 L

112170005 5 L

Rubber milking tube

Roll of 20 m.

Reference	Description
112413	Dimensions: 14 x 25 mm



Twin rubber air tubing

Food safe. Roll of 20 m.

Reference	Description
112402	Dimensions: 7 x 13 mm



Teat plug for milking liners

Closes a milking liner when a teat is not working or if a teat does not exist.

Reference	Description
112390002	By 2



Non-woven disk filters BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. Box of 200.

Reference	Description
124075170	170 mm
124075180	180 mm
124075200	200 mm
124075230	230 mm





B&S
Melkhygiene
Bosch &
Schörle GmbH

Non-woven filters BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow . Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. No thread = no hole = better filtration. Box of 250.



Reference	Description
124064250	250 x 125 mm
124064570	570 x 44 mm
124065250	250 x 58 mm
124065320	320 x 58 mm
124065465	465 x 58 mm
124065500	500 x 58 mm
124065530	530 x 58 mm
124065620	620 x 58 mm
124068455	455 x 80 mm
124068600	600 x 80 mm
124068620	620 x 80 mm
124068640	640 x 80 mm
124068800	800 x 80 mm
124069610	610 x 95 mm

DID YOU KNOW?

Milk filters are used for safety and health reasons. They are put on the milking machines to filter milk from dirt and bacteria. The filter size must be chosen according to the milking machine.



FIND OUR VIDEO ON YOUTUBE



Oil for milking machine

UKAL

The special oil for milking machine is designed for the lubrication of vacuum milking machine pumps. Used in summer and winter. Suitable for all types of vacuum pumps. Viscosity: to 40°C: 46 cst, to 100°C:7,6 cst

Reference	Description
11260005	5 L 



Control cover without seal

Without seal.

Reference	Description
112601	Control cover without seal



Control cover seal

For control cover (ref. 112601)


Reference	Description
112601001	Control cover seal



Quarter milker

For the milking of a teat which is sick or under treatment. Avoids mixing with healthy milk.

Reference	Description
112129	8 L





Available in
2 sizes



Stainless steel milking pail

Robust and very durable. Very easy to clean. Without lid. Food grade quality.

Reference	Description
124008025	Height: 42,5 cm. Ø base 33,5 cm Ø opening 18 cm
124008030	Height: 49 cm. Ø base 33,5 cm Ø opening 18 cm



Stainless steel milk can for transport

Really robust, made in stainless steel. Food grade quality.

Reference	Description
124009030	30 L. H 50 cm. Ø 33,5 cm



Milk can with aluminium lid

Made of aluminum, robust and very resistant to impacts. Does not pick up odors and easy to clean. Food grade quality.


Reference	Description
124100010	With handle 10 L. H 32 cm. Ø 25 cm
124100020	Without handle 10 L. H 32 cm. Ø 25 cm



Milk funnel & aluminium grills

Sold with cones set, lower disc, strainer and circlips. Food grade quality. Fits on milking pots for optimal filtration.

Reference	Description
124020030	Ø 300 mm



Aluminium milk sampler dipper

Can measure and collect the milk.

Reference	Description
124063010	1 L



Aluminium buckets 12 L with spout

Aluminum bucket with spout. Capacity: 12 L.

Reference	Description
120003012	Capacity: 12 L





Special dairy brush

Can be boiled. Food grade nylon bristles. Very robust. Bristles length: 40 mm. Weight: 270 g.

Reference Description

124001 L 195 x W 60 x H 60 mm



Scrubbing brush

Can be boiled, robust. Food grade nylon bristles. Weight: 260 g.

Reference Description

124002 L 195 x W 60 x H 60 mm



Milk tank brush

Food grade nylon bristles. Can be boiled. To use with a handle. Supplied without handle. Very robust. Bristles length: 40 mm. Weight: 280 g.

Reference Description

124003 L 90 x W 55 x H 115 mm



Cleaning brush

Food grade. Supplied without handle. Width: 26 cm.

Reference Description

124004 26 cm



Brush with short handle

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference Description

124006 L 260 x W 172 x H 55 mm



Brush with long handle

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference Description

124007 L 400 x W 45 x H 55 mm



Handles

Length: 1,20m.

Reference	Description
124000M	White lacquer metal handle
124000P	Polypropylene handle



Squeegee

ABS support. White polypropylene socket. Length of fibres: 20 mm. Weight: 520 g.

Reference	Description
124015	L 525 x W 20 x H 60 mm



Rotary brush

Rotary brush used to clean milking liners. Can be used with all brands. Food grade nylon bristles.

Reference	Description
124010	Food grade nylon bristles



4 brushes kit


Reference	Description
124011	4 brushes teat, a bulk tank outlet brush, a separator brush and an angle brush.



Straight brushes

Straight brush used to clean milking tubes. Food safe nylon bristles.

Reference	Description
124010001	L 40 cm - Ø 10 mm
124010002	L 100 cm - Ø 15 mm





Metal cattle curry comb

Nickel-plated comb with metal handle. Flat body with coarse teeth, mane and tail comb.

Reference Description

123302 Nickel-plated comb with handle 21 x 17,5 cm



Square curry comb with comb

Coarse teeth, flat body, equipped with a mane and tail comb, nickel-plated metal. Plastic handle

Reference Description

123303 22 x 24 cm



Square curry comb flat body

Coarse teeth, flat body, made of nickel-plated metal. Plastic handle. 7 rows.

Reference Description

123305 14,5 x 22,5 cm



Curry comb

Also known as the « American model » with reversible blades. 2 heights of teeth depending on the animal's sensitivity. Doesn't get dirty.

Reference Description

123306 14 x 27 cm



Half-round metal curry comb

Galvanized. Resistant plastic handle.

Reference Description

123304 2 rows



Nylon and wood brush

Hard nylon bristles. Leather strap

Référence	Description
123301	Wood



Natural fiber brush

Référence	Description
123307	220 X 55 X 700 mm - Big model



Wooden carder

Size: 120 x 170 mm.

Reference	Description
151010	120 x 170 mm



Pneumatic carder

Size: 120 x 170 mm.

Reference	Description
151030	120 x 170 mm






Large scraper

- For all types of animals
- Safe and efficient way for cattle to scratch
- No harmful effects on the skin, face and eyes
- Sustainable quality over time
- Flexible pins for comfortable scratching
- Easy mounting flat on the walls
- Size: 63 x 28 cm

Reference	Description
-----------	-------------

123345	Polyethylene
--------	--------------



Cow brush

Zinc coated metal. Very strong spring. Supplied with 2 brushes with plastic back and nylon bristles. The cow brushes are essential elements of hygiene and comfort in a cattle's life in a shed. Avoids injuries caused by rubbing against concrete and metal parts of the shed.

Reference	Description
-----------	-------------

123315	Cow brush in zinc coated metal
--------	--------------------------------

KAMER




Spare brush

For shed brushes ref. 123315 and 123325. Plastic back. Nylon bristles. Size: 50 x 10 x 10 cm.

Reference	Description
-----------	-------------

123316	Spare brush for shed brushes
--------	------------------------------

KAMER



VINK cow brush

Special nylon brush for livestock. Horizontal moveable brush. Solid spring suspension.

Reference	Description
-----------	-------------

123325	VINK nylon cow brush
--------	----------------------

Vink

UKAL'S TIP

There is no doubt that good cow comfort results in a happier, healthier and more productive herd.



Round brass bell

Clapper available on request. Please consult the list in the price list and on the website.

Reference	Description
121803100	Diameter: 100 mm. Loop: 50 mm. Height: 77 mm
121803110	Diameter: 110 mm. Loop: 50 mm. Height: 77 mm
121803120	Diameter: 120 mm. Loop: 70 mm. Height: 84 mm
121803130	Diameter: 130 mm. Loop: 70 mm. Height: 91 mm
121803140	Diameter: 140 mm. Loop: 70 mm. Height: 98 mm
121803150	Diameter: 150 mm. Loop: 70 mm. Height: 105 mm
121803180	Diameter: 180 mm. Loop: 82 mm. Height: 126 mm
121803225	Diameter: 225 mm. Loop: 82 mm. Height: 157 mm
121803300	Diameter: 300 mm. Loop: 82 mm. Height: 210 mm



Round steel bell

Round steel bell for cattle. Brass colour. Clapper available on request.

Reference	Description
121805105	Diameter: 105 mm. Loop: 50 mm. Height: 76 mm
121805125	Diameter: 125 mm. Loop: 50 mm. Height: 90 mm
121805145	Diameter: 145 mm. Loop: 82 mm. Height: 105 mm
121805165	Diameter: 165 mm. Loop: 82 mm. Height: 120 mm
121805185	Diameter: 185 mm. Loop: 82 mm. Height: 134 mm





Black blue steel bell

Steel bell for sheep and goats. Nice tone. Clapper available on request. (réf. 1218069064 et 1218069088). Please consult the list in the price list and on the website.

Reference	Description
121806064	Diameter: 64 mm. Loop: 50 mm. Height: 64 mm
121806088	Diameter: 88 mm. Loop: 50 mm. Height: 115 mm
121806104	Straps width: 75 mm. Height: 104 mm. Diameter: 104 mm. Material: Steel
121806120	Straps width: 82 mm. Height: 120 mm. Diameter: 120 mm. Material: Steel
121806144	Straps width: 82 mm. Height: 144 mm. Diameter: 144 mm. Material: Steel



Brown leather collars

Soft chrome-tanned leather. Ideal for bells. Different sizes available: 6 or 8 cm wide. Length: 120 or 135 cm.

Reference	Description
121162126	120 x 6 cm
121162128	120 x 8 cm
121162136	135 x 6 cm
121162138	135 x 8 cm



Black leather collars

Ideal to hang bells. Buffalo leather.

Reference	Description
1211747090	47 mm x 90 cm
1211747125	47 mm x 125 cm
1211760125	60 mm x 125 cm



Revolving leather punch

To readjust leather, straps, etc.

Reference	Description
129200	Revolving leather punch

SHEEP AND GOATS



LAMBING

74

FEEDING

75

CLIPPING

78

DEHORNING

79

CASTRATION

80

RESTRAINING

81

HOOF CARE

85

BELLS

86



Ewespoon with ties

The ewespoon is a simple and economical way to control gestation problems. It is used for ewes and goats to keep the uterus in place in case of a prolapse. His model is made of plastic with two ties and is heat resistant. **Supplied in pack of 4.**

Reference	Description
101112	Sheep ewespoon with ties

USE OF THE EWESPOON

There are several reasons of uterus prolapse by ewe:

- mineral deficiency,
- traumatic (caught up in a rush during feed distribution),
- obstetrical (early contractions).

For ewes, the uterus prolapse is before the lambing. The ewespoon, must be placed after cleaning and placing the genital tract in its original place. Use always disposable gloves, and obstetrical gel. To keep the ewespoon in place, attach it to the wool, or attach a tie of the ewespoon to the ewe straps. The ewespoon must be released while lambing. Pay careful attention to ewes with a ewespoon to avoid any problems with lambing and delivery.



Sheep ewespoon in nylon

Helps to keep the uterus in place in case of an prolapse. Heat-proof plastic.

Reference	Description
101110002	By piece



Prolapse needles

Length : 8 cm used in supporting the uterus after prolapse. Nickel pins. **Supplied by 5.**

Reference	Description
101114	Without eyelet. Size : 8 cm
101114A	With eyelet. Size : 8 cm



Milk train feeder

This four-place feeder uses the EXCAL LMB teats with EXCAL intake elbows. Total capacity is 4 liters (with splash space to spare) with individual chambers of 750 ml each. These feeders join together to make an 8 or 12-places feeder as required. Feeders nest with teats on, for convenient movement and storage. Replaceable rail-hooks secure the feeder to most pipe or wood rails up to 38 mm thick. Is also available without rail hooks for use with regular wall mounting brackets.

Reference	Description
120074	4 places feeder



Lamb feeder bucket 20 L

This 10-places lamb and kid feeding rail bucket is a big strong bucket with a 20-litre capacity. The teats are LMB (ref 120071), with intake elbows, giving easy milk flow but without leaking, even when the bucket is full.

Rail hooks will suit any rail up to 40 mm (1½") thick. For new born lambs we recommend starting on a bottle for a few days before transferring to the LMB teats.

Reference	Description
120070	10 places feeder



anti-leak
SMB SYSTEM

Lamb teat LMB

Leakproof teat. To be used without valve. For Reference 120074 and 120070.

Reference	Description
120071002	Supplied by 2



anti-leak
SMB SYSTEM

Latex lamb teat

With hole.

Reference	Description
120004006	Supplied by 6
120004412	Supplied by 12



DID YOU KNOW?

Latex is made from the sap of rubber trees and offers a easier sucking thanks to its softness and flexibility.

Lamb feeder 11 L

Multi-bottle twin compartment placed on rack or board. Comes complete with teats and the corresponding valves. With the new flared shape of each of the two compartments, the flow of milk is total. No more waste or loss of milk.

In addition, it is very robust due to the reinforcement of the central part. High Density Polyethylene (HDPE) grade. The traditional one! Comes with 6 natural rubber lamb teats ref. 120004 and 6 valves ref. 120022.

Reference	Description
120008006	11 L



UKAL
exclusivity

Complete set for lamb feeder

It consists of 6 natural rubber teats for lamb ref. 120004 and 6 valves. For multi-bottle feeder ref. 120008006.

Reference	Description
120008007	Complete set for lamb feeder





Complete lamb feeder, 6 rubber teats 12 L

Nursing trough for lambs without handle. Ideal for 6 lambs. Plastic with steel hook. Supplied with 6 natural rubber teats and aluminum valve. Dimensions: 38.1 x 30.5 x 25.4 cm Capacity : 12 liters.

Reference Description

120008002 12 L



Natural rubber lamb teat for lamb feeder 11 L

Very flexible natural rubber teats. A collar. X shaped hole. For lamb feeder bucket ref 120008006.

Reference Description

120004 Supplied by 6



Valve for lamb teats

For lamb teat ref. 120004. Supplied in bag of 6.

Reference Description

120022 Aluminium



Latex teat for bottle

Pierced. Really supple.

Reference Description

120019042 Supplied by 6



Natural rubber lamb teat for bottle

Pierced. Supple.

Reference Description

120019 Supplied by 6.



Lamb Feed Bottle Anti-Vacuum



Polycarbonate bottle complete with teat and collar. 38 mm extra wide neck for easy filling, with a strong plastic collar to ensure secure fixing of the teat. Extra tough to prolong life and calibrated for accurate feeding. Sterilize by boiling. Supplied with one flexible teat. 500 ml.

Reference Description

120008100 500 ml

Spare teat for bottle

NET TEX

Specially designed isoprene teat with unique moulded in vacuum release valve. Bulbous teat end encourages more rapid acceptance by lambs. Hollow cone tip allows flow of milk to be regulated. For ref.: 120008100.

Reference	Description
120008101	Supplied by 6



Colostrum feeder

NET TEX

Suitable for feeding the correct amount of colostrum to large lambs without risk of choking. Positive pressure can be applied to save time. Supplied with bottle and tube. Length of tube: 33 cm.

Reference	Description
120008110	250 ml bottle + tube



Trusti Feeder for lamb and goat

ANTAHI

A specially designed Trusti Tuber ANTAHI rehydrator for lambs with a specific mouthpiece and a flexible and transparent tube. Simple to use with one hand, very practical and easy to hold. Ergonomic and stable shape allowing a good flow by gravity and not under pressure, safer and easy to control. Capacity: 240 ml.

Reference	Description
120008200	TRUSTI FEEDER for lamb and goat






Hand sheep clippers

KAMER

Reference Description

100337 1-hand sheep clippers

100337101 Comb blade set



Double bow sheep shears

KAMER

Double bow, red painted handle sheep shears comes with straight blades. The handle and blades are one piece of forged steel. Used for parts which are difficult to reach or for shearing the whole sheep. Available in two sizes.

Reference Description

100339 Size : 34 cm. Length of the blade : 16.5 cm

100339001 Size : 29 cm. Length of the blade : 14.5 cm



Curved blade shears

KAMER

Reference Description

100339003 Size : 29 cm / blades of 14.5 cm

100339005 Size : 24 cm / blades of 9 cm



Nickel-plated sheep shears

KAMER

Very nice finish in nickel-plated steel. This nickel plated straight blade sheep shears is great for small sheep. Easy clipping. Single bow. High quality cutting. Exists in two sizes.

Reference Description

100339002 Size : 29 cm / blades of 14.5 cm

100339004 Size : 25 cm / blades of 10 cm



Black Blue sheep shears right-handed


KAMER

The black blue sheep shears are incontestably the finest shears in our range. Made from hardened and tempered steel, they are equipped with rubber stoppers to smoothen the shearing. Strong and long lasting.

Reference Description

100351 Size : 34 cm / blades of 16 cm

100350 Size : 29 cm / blades of 16 cm



Professional yellow sheep shears

KAMER

Professional yellow sheep shears. One piece handle and blades / double bow for intensive use. Its manufacturing quality and 16.5 cm blades allow you to shear your sheep easily.

Reference Description

100360 Size : 34 cm / blades of 16.5 cm



ARKOS gas dehorner for goats

THE PISTOL GRIP - new model for goats. Lightweight: 470 g. No cable/ Portable. Works with gas cartridge ref No. 103015446. Built-in Piezo ignition. Temp.: 700 °C / 1292 °F. Max temperature reached in less than 3 minutes. Safety: "Lock" position, "Operation" position. Easy to handle: Nonslip dual-material handle, Pistol shape for good grip. Support stand. **Tip internal Ø 15 mm**. Self-maintenance: change the trigger/ Piezo-ignition and gas nozzle without tools. Supplied with one cartridge.



Reference	Description
103015147	ARKOS dehorner for goats
103015145	Spear for gas dehorner
103015446	Gas cartridge butane, propene, propane 60 g



COSMOS electric dehorner for goats



The Cosmos electric dehorner with its Ø 14 mm tip specifically designed for goats, is mains-operated for extreme ease-of-use. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished.

You no longer need to worry about the power supply as its 6-metre mains cable offers superb handling for high-quality dehorning.

With numerous technological innovations, such as the ceramic head with integrated circular heating wire and a built-in power supply indicator, it helps operators save time.

Features:

- Weight: 560 g
- Heating temperature: 700 °C

Reference	Description
103017300	COSMOS electric goat dehorner



THE 4 R's OF DEHORNING

The **R**ight moment

As soon as possible and before 4 weeks: the younger they are, the more they are easy to handle. At this age the veins come just under the skin.

The **R**ight restraints

A lamb that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The **R**ight technique

Shear prior to properly locate the horn. Cauterize in 10 seconds without pressing too hard (10 seconds max). Make a furrow of 4-5 mm. Cauterization, not a burn.

The **R**ight pain management after dehorning

Apply a cleaning spray that cools cauterization. Treat against flies. Keep under careful observation the following 48 hours. Avoid putting animals outside in wet weather.





23 cm



30 cm

Bloodless castrator

KAMER

Articulated with closing stop. Made of high quality nickel-plated. The castration can be performed as soon as the testicles have reached their final firmness (not their final size). The bloodless castrator allows the testicular cord to be crushed through the scrotum skin. **You must proceed by crushing one testicular cord at a time**, and make two chrushes at 1-2 cm (1/2" - 3/4") apart.

- Locate the testicular cord.
- Block it with the castrator for 5 minutes.
- Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The noncrushed space maintains irrigation and prevents gangrene.
- Repeat on second testicular cord.
- Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators. After using and cleaning the castrator must be stocred opened.

Reference	Description
102223023	23 cm
102223030	30 cm



Metal knee pad

Suitable for all bloodless castrators.

Reference	Description
102224	By unit



Steel emasculator

Makes a clean cut and stops the blood by crushing the blood vessels.

Reference	Description
102209	Straight 19.5 cm

CASTRATION ADVICE

3 TECHNIQUES:

1. Place a rubber ring. It will interrupt the blood irrigation of the testicle, leading to necrosis and the testicle fall. Place the ring, only once the testicle are down in the scrotum. This method is used only for lambs before 3 weeks. Disinfect the wound of castration.

2. Hemostatic emasculator, bloodless castrator to cut the testicle cord, and crush the blood vessels, to avoid bleeding. Use this kind of equipment only on young lambs (before 3 weeks) Use clean and disinfected material. Disinfect the wound of castration.

3. Bloodless castrators crush the testicle cord. Technique without wounds, to be used after testicle maturation. **WARNING !** Castration by means of bloodless castrator does not always inhibit the procreation reflexes. In case of any doubts, isolate the animal and repeat the castrating process.





Rubber ring applicator

KAMER

With a wide opening for an easy application and with a high gear ratio. Made of nickel-plated forged steel. Very resistant. High-quality model! Can also be used for tailing.

Reference	Description
102201	Nickel-plated forged steel.



Standard rubber rings applicator

Economical model.

Reference	Description
102200	Steel



Elastrator rubber rings



Quality rubber rings. For castration and tailing of lambs, goats and calves. The younger the animal the better. Elastrator rings are designed to be used on calves no older than two weeks, and lambs and goats no older than three weeks. Use after this period is not recommended.

Reference	Description
102150100	Box of 100
102150500	Box of 500



Classic orange rubber rings

KAMER

Rubber used for tail docking and castration. Premium quality, rolled rubber. Please check the safety instructions before use. Keep away from children. Professional use only.

Reference	Description
102202100	By 100
102202500	By 500





Shepherd leg crook

With a fixed and a movable handle.

KAMER

Reference Description

104452 0,95 m



Nickel plated steel catch hook

Made of nickel-plated steel. Use with a 28 mm diameter handle.

KAMER

Reference Description

104452100 Ø 28 mm



Aluminum catch hook

Made of aluminium. Use with a 21 mm diameter handle.

KAMER

Reference Description

104452200 Internal Ø 21 mm




Shepherd stovel

Made of nickel-plated steel. Use with a 20 mm diameter handle.

KAMER

Reference Description

104452500 Internal Ø 20 mm



Head gate for sheep/cattle

Ideal for preparations for shows, shearing, styling, tattooing, identification, hoof care, replacing of a prolapse, difficult lambing or dosing. Robust and solid design. To fix on barriers, fences, grills or any other rails. Height adjustable by the slidable headpiece. Supplied with lanyard. Locking closure. Very practical to carry. For all sizes of animals. It only weighs 7.5kg! Structure of zinc-plated steel, ensures a long life time.

KAMER

Reference Description

106901 Minimum height 36 cm





Restraint system for goats

This restraint system for kids can be used on any type of fence or gate. It is very easy to install and effectively holds the animal's head in place. User-adjustable to fit the size of the kid's head, the animal's body is fully restrained. Express Farming has designed this product with ease-of-use in mind as it is reversible (for use on the left or right-hand side).



The restraint system for kids includes a tray to place all of your dehorning equipment (clippers, dehorner, spray)

- Weight (kg) : 4.5
- Dimensions (cm): 51 x W44 x H31
- Material: galvanized steel
- Area of application: Goats restraint < 15 days old.

On request.

Reference	Description
106902	L 60 cm x H 30 cm

Ram apron

Prevents unwanted mating. Fastening strap made of nylon. Clip closing. Adjustable strap length. Width 60 cm and height 30 cm. Depending on availability.

Reference	Description
104452700	L 60 cm x H 30 cm



Ewe and ram leather halter

Chrome cowhide leather. Adjustment strap.

Reference	Description
121145	Chrome cowhide leather





Sheep hoof shears

Large 6 cm replaceable blades. Lightweight and resistant. Thick aluminium handle for a better grip. The hoof shears of professionals!

KAMER

Reference Description

106607 Non serrated

106607001 Serrated



Sheep hoof shears

Nickel-plated steel. Short or long blades, serrated or non serrated. Very resistant. Very nice finish.

KAMER

Reference Description

106605 Non serrated 6 cm

106605001 Serrated 6 cm

106606 Non serrated 8 cm



Premium sheep hoof shears

Non-serrated high-carbon steel blades - heat treated to cleanly cut even hard hooves. Does not rust, padded handle protects hand and joints. Easy action, one-handed locking device. Quality product, practical and lightweight shears for daily use.

Reference Description

106605002 Premium sheep hoof shears



FELCO hoof shears

They improve considerably the working conditions for the breeder. Increased efficiency due to the easy handling and exceptional cutting performance.



Light forged metal handle. Lightweight and resistant. Xylan coated blades for better hygiene. Closing with rubber shock absorber. 2 models available : with a fixed handle and with a rotating handle (for an intensive use and saves effort).

Reference Description

106608001 Rotating handle

106608002 Fixed handle





Sheep hoof knife

Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.



Reference	Description
106612	Double blade



BLACK BLUE hoof knife

High quality. One piece blade and handle. Black handle. Ergonomic shape. Treated steel blades. Available in different versions.


Reference	Description
106609BB4	Right fine blade
106609BB5	Left fine blade



Shepherds knife

KAMER

Reference	Description
128300	1 x 6cm blade
128301	1 x 6.8cm blade
128302	2 blades 8cm and 5.5cm



VICTORINOX shepherd's knife

VICTORINOX

Original Victorinox Folding Knife, Length: 100mm, Swiss quality.

Reference	Description
128303	Straight blade 55 mm
128304	Curved blade 51 mm



Wrapping set

The essential kit for wrapping the legs of lambs and goats. Contains 2 strips of plaster 2 m x 10 cm and a jersey sock 2 m x 3 cm.

Reference	Description
106608100	Complete kit





Round cast brass bell

Alpine type bell for sheep. Clapper available on request.

Reference	Description
121800050	N°5 Diameter: 50 mm. Loop: 30 mm. Height: 35 mm
121800057	N°6 Diameter: 57 mm. Loop: 30 mm. Height: 40 mm
121800067	N°7 Diameter: 67 mm. Loop: 35 mm. Height: 50 mm
121800075	N°8 Diameter: 75 mm. Loop: 45 mm. Height: 55 mm
121800090	N°9 Diameter: 90 mm. Loop: 45 mm. Height: 65 mm




Please contact us for spare parts.

Round steel bell

Bronze colour. Traditional alpine and Jurassic bells for sheep and goats, type redon. Clappers available on request.

Reference	Description
121801045	Diameter: 45 mm. Loop: 30 mm. Height: 60 mm
121801055	Diameter: 55 mm. Loop: 38 mm. Height: 75 mm
121801060	Diameter: 60 mm. Loop: 42 mm. Height: 90 mm
121801080	Diameter: 75 mm. Loop: 42 mm. Height: 110 mm



Straight steel bell

Bronze colour.

Reference	Description
121802055	Diameter: 55 mm. Loop: 35 mm. Height: 60 mm
121802065	Diameter: 65 mm. Loop: 43 mm. Height: 75 mm
121802075	Diameter: 75 mm. Loop: 50 mm. Height: 85 mm
121802090	Diameter: 90 mm. Loop: 60 mm. Height: 100 mm



Black Blue round steel bell


Steel bell for sheep and goats. Very nice tone. Clappers available on request. (ref. 1218069064 and 1218069088)

Reference	Description
121806064	Diameter: 64 mm. Loop: 50 mm. Height: 64 mm
121806088	Diameter: 88 mm. Loop: 50 mm. Height: 115 mm

Copper plated steel bell

3 types of traditional bell for cattle and goats.

Reference	Description
121807030	80 x 90 mm
121807020	80 x 95 mm
121807001	50 x 50 mm. 9 mm loop.
121807010	120 x 130 mm. 17 mm loop.



Leather collar for sheep

Buffalo leather.

Reference	Description
1211727055	27 mm x 55 cm
1211747055	47 mm x 55 cm



PIGS



FEEDING

90

CASTRATION

90

TOOTH CUTTING

91

RESTRAINING

92

PRODS

93

CARE

95



Fish oil with 50% cod liver oil

UKAL

High quality nutritional supplement naturally rich in omega 3, in AD3E vitamins and essential fatty acid. Blends with traditional foods. Use daily or as a cure. Contains 50% cod liver oil, as well as fish oil. Only for animal consumption. Our new formula contains winterized oil, much more digestible. Wintering consists of the cold filtration of oils.

Reference Description

000100	1 L
000500	5 L



KAMER

Scalpel handle no.4

Accepts all scalpel blades for fixed handle no. 4. Sterilizable. Delivered by unit.



Reference Description

102204	Fixed handle
102205	Foldable Handle

KAMER

Scalpel blade no.22

Delivered in pack of 10.



Reference Description

102206022	Box of 10
-----------	-----------



Scalpel blades

KAMER

Blade individually packed. Delivered in pack of 100.

Reference Description

102206120	No.20 / Box of 100
102206121	No.21 / Box of 100
102206122	No.22 / Box of 100
102206123	No.23 / Box of 100
102206124	No.24 / Box of 100



Nickel-plated tooth cutting nipper KAMER

Reference	Description
105520	Length: 13 cm Nickel plated. Cut length: 16 mm



Stainless steel tooth cutting nipper KAMER

Reference	Description
105521	Length: 13,5 cm. Stainless steel. Cut length: 20 mm



Super pro tooth cutting nipper

Slip-resistant handle. The shape of the blades prevents gum injuries.

Reference	Description
105523	Stainless steel. Cut length: 16 mm



Pig holder 60 cm, self-locking

Heavy and very robust model. Self-locking loop. Reinforced loop and end. Cable easy to replace. 60 cm.

Reference	Description
105509001	Nickel-plated metal and steel cable
105509002	Pig catcher 60 cm, self locking



Mini aluminium pig catcher

Mini catcher. Molded aluminium handle. Safety device on restraining cable.


Reference	Description
105509005	Aluminium



Pig holder 60 cm

Restrains pigs by the snout. Both hands are needed to maintain the tension. Reinforced loop. Made of nickel-plated metal. With steel cable. No self-locking.


Reference	Description
105509	Nickel-plated



Pig catcher with slip knot

Steel cable. Large rubber handle that ensures a good grip. Not very cumbersome. 80cm.

Reference	Description
105510	Nickel-plated





Pig staples applicator

Aluminium screw to adjust the opening. Used to place the wire pig staples no. 3 (ref. 105 504 003) and no. 4 (ref. 105 504 004).

Reference	Description
-----------	-------------

105507	Aluminium
--------	-----------



Triangular pig staples

Stop pigs from foraging on the ground. To be used with applicator ref. 105 507. Two sizes available. Delivered in pack of 100.

Reference	Description
-----------	-------------

105504003	3 cm - Box of 100
-----------	-------------------

105504004	4 cm - Box of 100
-----------	-------------------



Pig ring applicator

For rings ref. 105 502. Nickel-plated steel. High quality. Robust.

Reference	Description
-----------	-------------

105503	Nickel-plated steel
--------	---------------------



Nickel-plated steel pig nose rings

High quality. Keeps a perfect circular shape after application. Self-locking. To be used with applicator 105503. Pack of 10.

Reference	Description
-----------	-------------

105502	Box of 10
--------	-----------





Electric prod Magic Shock

Battery consumption is reduced to a minimum- The electronics are protected against dirt, dust and aggressive fumes.- Maximum voltage of 6900 V - Does not store energy at the metal ends after releasing the push button- One-piece moulded housing- Unbreakable polycarbonate rod- Total length 55cm.

Reference	Description
104403010	Magic Shock 200 prod



Hot Shot Plus powermite

- Effective electric shock
- Cuts off after 2 seconds in accordance with the latest animal protection law
- Long life expectancy
- Can also be operated with an extension handle (Part no. 30202)
- For 2 x 1.5 V mono cells (not included in delivery)
- 5000 V max. voltage.

Reference	Description
104405020	Hot Shot Plus powermite



Electric prod Ranger Plus

With buzzing and very high power. High quality plastic material for long life span Cuts off after 2 seconds.

Reference	Description
104403	Ranger Plus prod



Guide paddle

With rattling noise. For guiding animals in an animal-friendly way. PVC handle and rubber arm.

Reference	Description
105511	110 cm

Sorting panel XL

Light weight (4.1 kg)

- Easy to handle and apply
- Lower risk of injuries from overworking
- No cracks on sorting panel
- No slots, thus minimising risk of knee injuries
- Plastic, durable and UV resistant.

Reference	Description
105512	80x92 cm



Ukadex Spray

UKAL

The strong smell repels animals. Moreover, it covers all the other odors, preventing antagonism in animals. Contains cinammon.

For which species ?

- Poultry (chickens, ducks, pheasants, turkeys, partridge): prevents pecking.
- Young bulls, calves, pigs: prevents the animals sucking or licking (wounds).
- Pigs: calms pigs and prevents them from fighting and biting (cannibalism, consolidation, transportation, etc.).

Reference	Description
000640	500 ml



ScratchnAll™ pad

- Offers wellness for all kind of animals
- Safe and effective way of self-scratching
- No danger to skin, face and eyes
- Durable quality
- Flexible nubs for comfortable scratching
- Unique interlocking design
- Adjust the grooming surface as large as needed
- Mounted individually or in groups flat on walls or around a corner
- Can be folded on a 90° angle on corners
- Size: 12.7 x 15.24 cm

Reference	Description
123340002	12,7 x 15,24 cm



ELECTRIC CLIPPING



ELECTRIC CLIPPING

98

CARE


113



Heiniger is the world number 1 in animal shearing. Founded in 1946, Heiniger quickly established a good reputation as a manufacturer of quality products and agricultural services. Following the great success of exports, the product range and sales were widened. Worldwide, millions of animals are shorn with Heiniger products. Heiniger instruments are designed for precise shearing, clean and fast. Each shear corresponds to a type of animal so that all clippings, even the most difficult, can be easily accomplished with the right tools. Discover the range, perfect for shearing your horse, cattle, sheep with a 2 year warranty provided by UKAL Livestock France.



Made in



SWISS



Electric cattle XPERIENCE 240 V



The XPERIENCE clipper is the perfect balance between power and lightness. It will fulfil all your shearing needs for horses and cattle. Thanks to its unique ergonomic design, it ensures a perfect grip making for fatigue-free working. The innovative connecting system between the cutting head and the reinforced body, coupled with a powerful engine, ensure a long-life use. Light, sleek and silent. The XPERIENCE clipper will satisfy your needs of quality, style and precision. Supplied in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23 teeth combs set.**

Reference

Description

100272

Power: 250 W. Weight: 1180 g. Noise: 79 dB. Motor speed rpm: 2500 rpm. Power supply: 240 V



XPERIENCE Electric clipper 2 speeds 240 V



The XPERIENCE clipper is the perfect balance between power and lightness. It will fulfil all your shearing needs for horses and cattle. Thanks to its unique ergonomic design, it ensures a perfect grip making for fatigue-free working. The innovative connecting system between the cutting head and the reinforced body, coupled with a powerful engine, ensure a long-life use. Light, sleek and silent. The XPERIENCE clipper will satisfy your needs of quality, style and precision. Supplied in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23-tooth comb set.**

Reference

Description

100272001

Power: 250 W. Weight: 1180 g. Noise: 68 db(A) Motor speed: 2600/2900 rpm. Power supply: 240 V. Supplied with 21 and 23-tooth blade set/screwdriver/brush/oil.

THE PRODUCT +:
QUIET AND POWERFUL



Cordless cattle XPLOERER

Heiniger

The new Xplorer accumulator clipper is the latest technological innovation. The perfect tool for cattle and horse clipping. Wireless, it has up to 2 hours run time and offers more flexibility thanks to its wireless system. Practical thanks to LED charging indicator. No disturbing air output. No power loss due to the development of the dual pinion drive. Strong and durable thanks to its fibreglass reinforcement. The Xplorer clipper meets all requirements in the field of shearing horses and cattle. **2600mAh Li-Ion battery with no memory effect.** Li-Ion high performance 3-cell. Safety certification: CE/electrosuisse. Delivered in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23 teeth combs set.**

recommended
BY UKAL

Reference	Description
100264	Power: 35 W. Weight: 990 g. Noise: 65 dB. Motor speed rpm: 2450 rpm. Supplied with blade set 21 and 23 teeth/screwdriver/brush/oil.
100264001	Battery for cordless clipper

Cattle clipper 180 W DELTA 3

Heiniger

A weight and power performance never seen before! Integrating the shearing head in the case avoids the animal hair piling up in the machine and improves the maintenance of the clipper. Reduced noise considerably decreases the stress for operator and animal. It makes shearing more comfortable and safer for sensitive parts. The design of the cooling air duct evacuates the air behind the clipper and avoids the hair being blown up towards the shearer's face. The air filter can be removed without tools and cleaned simply and rapidly. Motor technology and modern electronic system. Light, robust and quiet. Supplied in a carrying case with a clipper and **21 and 23-tooth comb set**, a screwdriver, a brush and a bottle of oil.

3
speeds

Reference	Description
100270	Power: 180 W. Weight: 1320 g. Noise: 72-75-78 dB. Motor speed: 2100-2800-3200 rpm. Power supply: 220-240 V. Supplied with 21 and 23-tooth blade set/screwdriver/brush/oil
9H100270	Maintenance kit for cattle clipper DELTA 10 control points.





Made in

SWISS



Fast clipping

Reference Description

100246SET Blade set 18 and 23 teeth



Special blade set charolais

Reference Description

100242SET Blade set 18 and 15 teeth

100247015 Cutter 15 teeth



All-round blade set for cattle

Reference Description

100244SET Blade set 21 and 23 teeth

100246 21-tooth comb

100245 23-tooth cutter



Blade for veterinary use

Reference Description

100241SET Blade set 53 and 23 teeth

100241053 Comb 53 teeth

100245 23-tooth cutter

**Heiniger**

Shearing 240 V XPERT

The newest machine by Heiniger, Xpert is a combination of a powerful, yet still ergonomic and light machine. The unique and innovative stable connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing. Silent. This shearing machine will amaze anyone who shears. Supplied in a very resistant carrying case including comb set, screw driver, oil bottle, brush and user's guide. Manufactured in Switzerland. Fitted with OVINA PREMIUM comb set.

**THE PRODUCT +:**
ERGONOMIC AND RELIABLE

Reference	Description
100279	Weight: 1180 g. Noise: 79 dB (A). Power supply: 240 V / 200W

Heiniger

XPert shearing 240 V 2 speeds

The latest machine by Heiniger, Xpert is a powerful, yet still ergonomic and lightweight machine. 2 speeds. The unique, innovative, stable connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing. Silent. This shearing machine will amaze anyone who shears. Supplied in an extra-strong carrying case including a set of combs, screw driver, oil bottle, brush and user manual. Manufactured in Switzerland. Fitted with OVINA PREMIUM comb set.

**2**
speeds

Reference	Description
100279001	Weight: 1180 g, noise: 79 dB (A). Power supply: 240 V / 200W. Motor speed: 2500/2800 rpm.

Heiniger

Sheep clipper XTRA 320 W

Large head, powerful engine. Equipped with an exclusive clipping system. Less vibrations. The motor consists of a 320 watts and 2400 cycles per minute. The sheep clipper is equipped with a large head and comes with Ovina Premium. This powerful electric HEINIGER sheep clipper is supplied in a case.



Reference	Description
100280	Weight: 1530 g. Noise: 80 dB (A). Power supply: 220-240 V.
100281	Shearing head only
100145	Motor only
9H100280	Maintenance kit for sheep clipper XTRA 10 control points

Heiniger

Battery sheep clipper 160 W

To connect to a car battery. The Heiniger 12 volt clipper is equipped with a power motor equal to a 200 Watt machine and achieves around 2300 rpm. Supplied in a carrying case and with comb and cutter. Light and easy to handle. Consumption: 10 A/h.



Reference	Description
100278	Weight: 1230 g. Power: 220 W. Motor speed: 2300 rpm.



PIN DRIVE



WORM DRIVE



ONE professional shearing plant 300 W



Ideal for shearing big herds. Thanks to its new ICON handpiece the ONE shearing plant is very compact and easy to handle. The powerful electric motor allows you to shear sheep and goats. Supplied with a flexible shaft of 200 cm and ICON handpiece. Available in WORM DRIVE or PIN DRIVE. Color non contractual.

Reference	Description
100123001	ONE professional shearing plant 300 W WORM DRIVE
100123002	ONE professional shearing plant 300 W PIN DRIVE
100123005	Wall mount



ICON handpiece for professional shearing plants



Quality handpiece provides top professional shearing. New ergonomic form for a better grip or handle. Supplied without comb and cutter. Color non contractual.

Reference	Description
100122030	PIN DRIVE
100122031	WORM DRIVE



PIN DRIVE



WORM DRIVE



EVO professional shearing plant 300 W



The new HEINIGER professional shearing plant is the only one in the world equipped with an electrical safety device with an international ratification certificate. 3 speeds: 2700, 3200 and 3500 rpm. An autoadjustable belt ensures the transmission. It is protected by a very sturdy case made of synthetic material reinforced by fiberglass. Color non contractual. Noise: 70dB. On demand.

Reference	Description
100124100	EVO professional shearing plant 300 WORM DRIVE
100124200	EVO professional shearing plant 300 PIN DRIVE
100124101	Flexible shaft WORM DRIVE
100124201	Flexible shaft PIN DRIVE



UKAL RECOMMENDS THE WORM DRIVE TIP FOR MORE SECURITY

EVO professional shearing plant with rigid shaft



Comes with rigid shaft WORM-DRIVE and ICON handpiece. 3 speeds: 2700, 3200 and 3500 rpm.

Reference	Description
100124300	EVO with shaft
100122020	Shaft only



Fine wool and dense fleece

Specially designed for shearing animals with fine wool or dense fleece such as sheep or goats. 13 high-quality teeth for easy shearing. Used by experienced shearers.

Reference	Description
100255SET	13 and 4-tooth blade set
100256	13-tooth comb
100253	4-tooth cutter



Classic shearing & Premium

For Heiniger sheep clippers. Classic shearing and fine wool and dense fleece. The Ovina Premium comb set is equipped with the new LG2 technology.

Reference	Description
100252SET	13 and 4-tooth blade set
100254	13-tooth comb
100253	4-tooth cutter
100253SET	Ovina Premium blade set



Especially for cattle

Heiniger clipper comb, specially designed for shearing cattle. 25 and 4 tooth blade set. **Only works on sheep clippers.**

Reference	Description
100257SET	25 and 4-tooth blade set



Especially for Merino wool

Reference	Description
100261SET	13 and 4-tooth blade set



Especially for camelids

Reference	Description
100256SET	13 and 4-tooth blade set





Combs for winter shearing Box of 2 combs.

PRO BLIZZARD comb



Reference Description

100100018 Size: 94,5 mm

HIGHLANDER comb



Reference Description

100100042 Size: 98 mm

ISOBAR comb



Reference Description

100100041 Size: 98 mm

CRUSADER comb



Reference Description

100100043 Size: 94,5 mm

Cutters Box of 10 combs.

XTREME cutter



Reference Description

100100106 Size: 3,7 mm

PRO JET cutter



Reference Description

100100100 Size: 4,4 mm

STORM cutter



Reference Description

100100107 Size: 4,6 mm

DIAMOND cutter



Reference Description

100100102 Size: 3,7 mm

EDGE cutter



Reference Description

100100108 Size: 4,4 mm



**Heiniger****Combs for broad wool** All professional combs are supplied in box of 5 pieces.**CHARGER comb**

Reference	Description
100100016	Size: 93,5 mm. Right hand
100100017	Size: 93,5 mm. Left hand

SUPER CHARGED comb

Reference	Description
100100006	Size: 93,5 mm

WARRIOR comb

Reference	Description
100100001	Size: 96 mm

QUANTUM comb

Reference	Description
100100012	Size: 95 mm. Right hand
100100022	Size: 95 mm. Left hand

QUAZARD comb

Reference	Description
100100005	Size: 95 mm

CONDOR comb

Reference	Description
100100024	Size: 98 mm

CALIBRE comb

Reference	Description
100100044	Size: 93,5 mm

XLR-8 comb

Reference	Description
100100039	Size: 98 mm

Combs for fine wool All professional combs are supplied in box of 5 pieces.**PRO AWESOME comb**

Reference	Description
100100010	Size: 92 mm

XPRESS comb

Reference	Description
100100009	Size: 93,5 mm

FREESTYLE comb

Reference	Description
100100036	Size: 96 mm. Right hand
100100046	Size: 96 mm. Left hand

HUGE comb

Reference	Description
100100029	Size: 96 mm





Combs for fine wool All professional combs are supplied in box of 5 pieces.

PRO REBEL comb



Reference Description

100100032 Size: 92 mm

BAD comb



Reference Description

100100004 Size: 95 mm

FREAK comb



Reference Description

100100034 Size: 94,5 mm

B-EVIL comb



Reference Description

100100002 Size: 94,5 mm

Universal comb All professional combs are supplied in box of 5 pieces.

PRO RAPIER comb



Reference Description

100100021 Size: 86 mm

REFLEX comb



Reference Description

100100037 Size: 94 mm

PRO LEGEND comb



Reference Description

100100014 Size: 92 mm

PROFLEX comb



Reference Description

100100038 Size: 94 mm

PRO OVINA comb



Reference Description

100100025 Size: 77 mm

OVINA PREMIUM comb



Reference Description

100100028 Universal purpose shearing comb with LG2 technology. Ovina Full thickness. 77 mm wide / Medium Bevel

TOPAZ comb



Reference Description

100100030 Size: 84,5 mm



Cordless professional trimming clipper SAPHIR

For small animals and veterinary care. Up to 90min clipping time per battery with high performance lithium-ion technology. Additional battery pack and less than 60min charging time for continuous clipping. The perfect clipping machine for trimming cattle or for Cow-Styling. Detachable Saphir blade system compatible with clippers from Andis, Moser, Oster and Wahl. **Supplied with clipping blades, 2 batteries, charger unit, oil, brush and instruction manual.**

Reference	Description
154400	Power: 35 W. Weight: 440g. Motor speed: 2650 rpm. Dimensions: 204 x 50 x 41 mm

2 batteries



THE PRODUCT +:
BATTERY WITHOUT MEMORY EFFECT, SILENT, SHORT CHARGING TIME

SAPHIR STYLE cordless professional trimming clipper

For small animals and veterinary care. Low-noise and high-performance 35 W permanent magnet motor. High performance battery with the latest lithium-ion technology for continuous clipping. Over 90 minutes of clipping time with less than 60 minutes of charging time. High-quality charger with additional charging dock for 2 batteries and with charging indicator. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl. **Supplied with clipping blades, two batteries, charger unit, oil, brush and instruction manual.**

Reference	Description
154405	Power: 35 W. Weight: 440g. Motor speed: 2650 rpm. Dimensions: 204 x 50 x 41 mm

2 batteries



SAPHIR CORD professional clipper

For small animals and veterinary care. The latest technology coupled with a new design. A clipper with exceptional technical qualities specifically developed for shearing small animals. A wide selection of interchangeable cutting heads. A powerful and innovative clipper that is quickly becoming an essential tool for the professional shearing of small animals. Operates on mains power, with 3 m of cable.

Reference	Description
154410	Power: 35 W. Weight: 330g. Motor speed: 3200 rpm. Dimensions: 204 x 50 x 41 mm. Operates on mains power with 3 m of cable.



Professional trimming clipper SAPHIR BASIC

For small animals and veterinary care. Up to 90 minutes clipping time per battery with high performance lithium-ionic technology. The perfect clipping machine for the trimming of cattle and horses or for cow-Styling. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl. Supplied in a resistant and practical case, with clipping blades, 1 battery, oil, brush and instruction manual.

Reference	Description
154415	Puissance: 35W. Weight: 440g. Motor speed: 2650 rpm. Dimensions: 204x50x41mm. Noise: 63dB(A)

NEW

1 battery



WIRE less



NEW



WIREless

Cordless battery clipper OPALE



The Opal is extremely quiet. It is also impressively powerful and equipped with two speed levels. With 3100 oscillations per minute in fast mode (and 2600 in slow mode), this clipper works smoothly and quickly even through dirty and thick fur and hair. The latest lithium-ion battery technology ensures cordless clipping for 240 minutes. It takes just one hour for a full battery recharge. Thanks to the built-in battery level indicator, it is always possible to check the remaining battery time. Opal has a cutting-edge ergonomic design and fits perfectly in the hand. Moreover, this clipper is particularly small and lightweight. Professionals can thus work effortlessly – whether for grooming, veterinary applications or dog, horse and cow styling.

Reference Description

154420

- Specifications:
- Speed: 2600/3100 db/min
 - Dimensions LxWxH: 204 x 50 x 44 mm
 - Weight incl. battery: 415 g
 - Battery voltage: 7,2 V
 - Battery capacity: 2850 mAh

Heiniger
quality + swiss made

New!

OPAL

BRILLIANT IN
PERFORMANCE
& QUIETNESS

Li-Ion
Technology

240min

www.heiniger.com



SAPHIR clipper heads

Swiss quality.

Made in
SWISS

Heiniger



Reference Description
100282 Comb 1,5 mm



Reference Description
100283 Comb 0,25 mm



Reference Description
100284 Comb 0,5 mm



Reference Description
100285 Comb 0,8 mm



Reference Description
100286 Comb 1,2 mm



Reference Description
100287 Comb 1,5 mm



Reference Description
100288 Comb 2,0 mm



Reference Description
100296 Comb 2,3 mm



Reference Description
100289 Comb 2,8 mm



Reference Description
100290 Comb 3,2 mm



Reference Description
100291F Comb 3,2 mm



Reference Description
100292 Comb 6,3 mm



Reference Description
100293F Comb 6,3 mm



Reference Description
100294 Comb 9,5 mm



Reference Description
100295F Comb 9,5 mm

Battery STYLE MINI trimmer

Heiniger

For small animals and veterinary care. Ideal clipper for ultra-precise and fine trimming. Equipped with a 30 mm precision steel adjustable head. The Style Mini Trimmer trims quietly and with precision. The adjustable snap-on comb allows a cut length of 3 to 6 mm. This trimmer is ideal for the final styling of the dog. After trimming the trimmer head can easily be removed and cleaned. It offers an operating time of 80 minutes, with battery charging in 60 minutes.

Reference	Description
154700	Weight: 120 g. Motor speed: 2750 rpm. Size: 146 x 30 x 38 mm. Operating time: up to 80 minutes.
154700100	MINI trimming head



Battery STYLE MIDI trimmer

Heiniger

This trimmer is used for the part trimming of the dog and the contours of the dog's head, legs, belly and tail. The continuously adjustable cutting head allows variable cutting lengths between 0.5 - 2.5 mm. The package also includes 5 snap-on combs in the most common cutting lengths 4, 8, 12, 16 and 20 mm. Furthermore, the supplied cable adapter allows trimming any time on the 230V mains. Light with low-noise and precise cut, the new Heiniger Style Midi Trimmer glides through the dog's coat with ease.

Reference	Description
154710	Weight: 240 g. Motor speed: 2400 rpm. Size: 175 x 46 x 50 mm. Operating time: up to 100 minutes
154710100	MIDI trimming head





LORDSON trimmer LA9600

Equipped with 2 large capacity Lithium batteries that can be replaced at any time to allow the clipper to be used continuously. 2 cutting heads made of stainless steel and ceramic clippers head for a very effective and resistant cutting edge. Uses a 3.7V continuous motor. 5 adjustable cutting length levels. Fast charge of 2 hours for an exceptional operation time of 280 minutes. Low vibration in operation. 4 clipper comb guide of 3, 6, 9 and 12mm.

Reference	Description
154640	214 G, 4 clipper comb guides, USB or sector charge
154640001	Clipper heads for LORDSON



LORDSON professional trimmer LA9010 2 speeds

Robust and reliable: The motor drives the head directly which gives maximum power. **Mains powered** (cable provided). Easy change of the cutting head. Supplied with cutting head n°10 - 1.5 mm, 110 ml bottle of oil, a replacement oscillator. Cable length 3 m. The cutting heads are compatible with the following brands: Andis, Moser, Oster A5, Aesculap Favorita, Heiniger Saphir.

Reference	Description
154600	Power: 30 W. Weight: 428 g. Voltage: 230-240 V 50-60 Hz. Cutting speed/min: 3200-4000 rpm. Size: 205 x 45 mm
154600001	Clipper heads for LORDSON pro



LORDSON professional cordless trimmer 2 speeds

Robust and reliable: the motor drives the head directly which gives maximum power. Ultra light. **Rechargeable and mains powered** (cable provided). Easy change of the cutting head. Supplied with cutting head n°10 - 1.5 mm, 100 ml bottle of oil, a replacement oscillator. The cutting heads are compatible with the following brands: Andis, Moser, Oster A5, Aesculap Favorita, Heiniger Saphir. 5 hours operation time.

Reference	Description
154630	Power: 30 W. Weight: 428 g. Voltage: 230-240 V 50-60 Hz. Cutting speed/min: 3200 rpm. Size: 205 x 45 mm
154600001	Clipper heads for LORDSON pro



LORDSON Mains and rechargeable trimmer

Powerful and ultra-light trimmer ideal for the contours of the legs, ears and muzzle, with or without cord. **Mains powered rechargeable** trimmer.

Reference	Description
154650	Voltage: 100 - 240 V. - Speed & Power: 5,600 oscillations/min, 7 watt. - Cutting length: 0.5 to 7mm. Cutting width: 28mm. Accessories supplied with the trimmer: 3 combs 1,5; 3 and 4.5mm; 1 adjustable comb 3 to 7mm; cleaning brush; oil bottle; trimmer support base; Adapter. Charging time: 8 hours (approximately). Battery life: 45 min. Dimensions (L x W x H): 145 x 32 x 35mm. - Weight: 100 grams (without cutting head). - Standards: CE certified. - Adaptable cutting head: TC81



Professional clipper L888AN 1 speed/3 combs



High quality steel cutting head: resistant to wear and corrosion. **Mains powered.** Vibrator motor: power and longevity of use. Adjustment of the cutting length of 0.8 to 2 mm with blocking button per notch. Supplied with 3 combs for different lengths of cut: 3, 6, and 15 mm, cleaning brush, bottle of oil, scissors. Cable length 2m.



Reference	Description
154620	Power: 15 W. Weight: 462 g. Voltage: 220 V / 50 Hz. Size: 175 x 69 x 50 mm
154620001	Clipper heads for LORDSON pro

1-speed/4-comb L702 clipper



Polarised oscillating armature motor for continuous operation. Mains lead. The powerful pivot motor vibrator is particularly silent therefore suitable for nervous and sensitive animals. Cutting length can be adjusted from 0.1 to 3 mm (5 positions) with the side lever with blocking button.



Reference	Description
154610	Power: 15 W. Weight: 590 g. Including 2.5 m cable. 4 combs (3, 6, 9, 12mm). Warranty: 2 years

Clipper MOSER MAX45

MOSER®

An extremely robust clipper for the professional. Ergonomic design, powerful 45 Watt motor, ideal for daily use. With replaceable cutting head made of high quality ground and hardened special steel. Delivered with 3mm cutting head, cleaning brush and lubricating oil. Different cutting heads for different applications. Easy to clean and replace blades at the touch of a button. "Two speed system " Level 1: low noise level for face shaving and finishing. Level 2 for fast body work. Power: 45 Watts. **Cutting head and combs available on request.**



Reference	Description
154032	Clipper MOSER MAX45

Clipper MOSER REX

MOSER®

With low-noise oscillating armature motor,- Rated power of 15 watts. Adjustable from 0.1 to 3 mm (5 possibilities), Supplied complete with cleaning brush, oil and two combs of 6 and 9 mm. **Cutting head and combs available on request.**



Reference	Description
154033	Clipper MOSER REX



NEW



Complete clipper kit MOSER 1400

MOSER®

With low-noise oscillating armature motor with a rated power of 10 watts, adjustable from 0.1 to 3 mm. Supplied complete with cleaning brush, oil, scissors, comb and four combs for a cutting length of 4.5 mm, 9 mm, 15 mm or 18 mm. Ideal for shearing dogs and horses.

Reference	Description
154034	Complete clipper kit MOSER 1400



TAILWELL MK2

The use of Tailwell 2 facilitates shearing cows tail hair to ensure optimum hygiene of the cattle. Silent, fast and safe shearing. Works with 14V cordless screwdrivers, 1250 rpm. Supplied with the cutting head, 1 bottle of lubricant for the blades and 1 syringe for the lubricant. Supplied without screwdriver.

Reference	Description
D100500	Tailwell 2 MK2





Curved blade scissors

It is used for the finishing of the mane but also to prepare the animals for the shearing (for dirty or matted parts). They also allow the shearing of small areas before a surgical operation. The curved blade avoids pricking or cutting into the animal skin.

Reference Description

100338 18 cm

100340 20 cm



Vaseline oil

The use of oil is needed for proper operation of the clipper.

Reference Description

100141 100 ml

UKAL



Cool spray for comb 500 ml

Cooling spray for clippers, combs and blades. This product cools, lubricates and cleans. Therefore it improves shearing and keeps the combs sharp. It prevents dirt accumulation, which optimizes the performance of your shears and ensures perfect hygiene. It is also suitable for hair clippers, beards and electric razors. Clean the combs with a brush or a dust remover spray, then apply the cooling spray.

Reference Description

100143 500 ml

UKAL



Special clipper oil

Specially developed non toxic clipper oil increases performance, reduces friction and enhances blade life...

Reference Description

100142105 100 ml

100142102 500 ml

Heiniger



HEINIGER special comb brush

Ideal for removing grease (from sheep) from combs.

Reference Description

100142202 480g

Heiniger



Sharpening paste N°1

The very fine grain n°1 sharpening paste is suitable for finishing or cutting heads for dog/rabbit..

Reference Description

100121001

Sharpening paste N°2

Sharpening paste n°2 is suitable for all types of combs and counter combs of Heiniger electric clippers or others. For sharpening bovine, ovine or equine combs. Standard quality.

Reference Description

100121002



IDENTIFICATION



EARTAGS

116

COLLARS AND ANKLE STRAPS

119

TEMPORARY MARKING


122

PERMANENT MARKING

125




HOW TO APPLY THE EARTAG CORRECTLY:



Always make a new hole. Dip the male tag into antiseptic or disinfectant solution. Make sure the male part is on back of ear. Avoid penetrating cartilage and blood vessels.

1 Super Maxi + Button




UKAFLEX MAXI + MAXI eartags


Available in 8 sizes and 5 colors. Supplied in pack of 20 pairs. Can be marked with our different markers. For cattle, we recommend the size Maxi or Super Maxi. Metal pin. For more information, please have a look at the chapter on identification.

Type	Dimensions	Plain eartag white	Plain eartag red	Plain eartag blue	Plain eartag green	Plain eartag yellow	Printed laser 1 side	Printed laser 2 sides
1 Super Maxi + Button	99 x 74 mm	108068001	108068003	108068006	108068008	108068010	Upon request	Upon request
2 Maxi + Maxi	71 x 63 mm	108060001	108060003	108060006	108060008	108060010	108060100	108060200
3 Maxi + Button	Female part: 71 x 63 mm Male part: Ø 27 mm	108061001	108061003	108061006	108061008	108061010	108061100	108061200
4 Large + Button	Female part: 63 x 55 mm Male part: Ø 27 mm	108062001	108062003	108062006	108062008	108062010	108062100	108062200
5 Wide + Wide	45 x 55 mm	108063001	108063003	108063006	108063008	108063010	108063100	108063200
6 Wide + Button	Female part: 45 x 55 mm Male part: Ø 27 mm	108064001	108064003	108064006	108064008	108064010	108064100	108064200
7 Medium + Button	Female part: 50 x 42 mm Male part: Ø 27 mm		108065003	108065006	108065008	108065010	108065100	108065200
8 Small + Small	45 x 55 mm Plastic pin	108066001	108066003	108066006	108066008	108066010	108066100	108066200
9 Button + Button	Ø 28 mm	108067001	108067003	108067006	108067008	108067010	-	-

2 Maxi + Maxi




3 Maxi + Button







④ Large + Button




⑤ Wide + Wide




⑥ Wide + Button




⑧ Small + Small



⑨ Button + Button



Reference	Description
UKAFLEX MAXI + MAXI EARTAGS	
108060001	White x 20
108060003	Red x 20
108060006	Blue x 20
108060008	Green x 20
108060010	Yellow x 20
UKAFLEX MAXI + BUTTON EARTAGS	
108061001	White x 20
108061003	Red x 20
108061006	Blue x 20
108061008	Green x 20
108061010	Yellow x 20
UKAFLEX LARGE + BUTTON EARTAGS	
108068010	Yellow x 20
108068001	White x 20
108068003	Red x 20
108068006	Blue x 20
108068008	Green x 20





Applicator for UKAFLEX eartags

Complete with 2 universal pins. Can be used with most cattle eartags on the market. Can be used to apply Ukal-Flex, Kelflex and Allflex eartags.

Reference	Description
108000	Applicator with 2 universal pins
108000002	Universal pin x 2



essential
PRODUCT

Black marker

Smear proof markers to mark sheep collars, neck tags, ankle straps and all kinds of eartags. Reistant to contact with organic matter, bases and acids.

Reference	Description
108280001	Fine tip
108280003	Round tip



best seller
UKAL

UKALTAG eartags

Ukaltag eartags are made of high quality nylon (nylon 6-6). The standard version of the eartags is available in several U.V. resistant colours. Dimensions: 3 x 1 cm. Special printings can be made on request. Tags can be printed on both sides as follows: - consecutive numbers. - 8 fixed numbers. - 8 fixed characters (letters, numbers). Supplied by 100 pairs.

Type	White	Red	Blue	Green	Yellow
Printing from 1 to 100	109922001	109922003	109922006	109922008	109922010
Printing from 101 to 200	109922101	109922103	109922106	109922108	109922110
Plain eartags	109922501	109922503	109922506	109922508	109922510
Laser printing 1 or 2 sides	109922701	109922703	109922706	109922708	109922710



UKALTAG applicator

Can be used with most sheep eartags available on the market.

Reference Description

109925 Metal



Plastic collars for sheep

Very solid and resistant to chemicals. With safety catch fastening. Can be marked with marking pen. **Sold in set of 5.** Length: 57.5 cm.

Reference Description

121151010 Yellow x 5


121151003 Red x 5

121151019 Orange x 5

121151002 Black x 5

121151006 Blue x 5

121151008 Green x 5



Nylon collar for sheep

Adjustable. With D-ring to put a lanyard. Very sturdy and reinforced leather, they are suitable for all types of sheep. Length about 65 cm.

Reference Description

121152006 Blue

121152008 Green

121152010 Yellow



Self-adhesive ankle straps for cows

Very resistant and easy to apply. Better hold due to a plastic loop. Allows a fast identification of the cow and udder (1 leg = 1 teat). Facilitates implementation of colour codes in case of any treatment. Dimensions: **2,5 x 34 cm.**

Reference Description

108700 Red x 5

108700006 Blue x 5

108700010 Yellow x 5





Self-adhesive fluorescent ankle straps

Very resistant and easy to put on and remove. Better hold due to a plastic loop. Allows a fast identification of the cow and udder (1 leg = 1 teat). Facilitates use of colour coding in case of any treatment. Fluorescent colours for a very good visibility. Long. Sold in bag of 5 ankle straps. Dimensions: **3,8 x 41 cm**.

Reference	Description
108701008	Fluorescent Green x 5
108701010	Fluorescent Yellow x 5
108701019	Fluorescent Orange x 5
108701021	Fluorescent Pink x 5



Plastic strap

Special plastic. No writing. For cattle or cow marking. Approx. **340 mm long**. In pack of 10.

Reference	Description
108810003	Red x 10
108810006	Blue x 10
108810008	Green x 10
108810010	Yellow x 10



Nylon cow collar

Can be used with strap digits. Nice finish.

Reference	Description
121160	Yellow and Black
121160003	Red
121160006	Blue
121160008	Green

KAMER



Plastic identification strap digits

Fits on most collars, halters, straps. Each digit is 4 cm - 2" high. Printed with 1 digit.

Reference	Description
108905050	0- By unit
108905051	1- By unit
108905052	2- By unit
108905053	3- By unit
108905054	4- By unit
108905055	5- By unit
108905056	6- By unit
108905057	7- By unit
108905058	8- By unit





BOVI LINE marking Spray

Formulated specifically for marking cattle. Non aggressive formula. Box of 12. 500 ml.

Reference Description

10831003	Red
10831006	Blue
10831008	Green



MULTI LINE marking Spray

Livestock spray marker specifically formulated for short-haired animals. Non aggressive formula. Box of 12. 500 ml.

Reference Description

108312103	Red
108312106	Blue
108312108	Green



OVI-LINE Marking Spray

High quality formula specifically for marking wool, long or short. Long lasting (2 months). **Composition: contains lanolin.** The Ovi-line spray meets the highest standards of the wool industry. The quality of the paint and lanolin-based marker allows for legible and long-lasting marking (2-3 months). The Ovi-line spray is the only spray which allows the mother and lamb to be marked at lambing with a quantity comparable to paint marking. To mark a number with the spray, hold the tip 5-6cm from the fleece and write the number by moving the can like a marker. 500ml. Delivered in box of 12.

Reference Description

108316003	Red
108316006	Blue
108316008	Green



PORCI-LINE marking spray

Livestock spray marker specifically formulated for pig marking. Without aggressive substance for the skin, non irritating. Supplied by box of 12. 500 ml.

Reference Description

108311003	Red
108311006	Blue
108311008	Green





RAIDEX marking spray

Specifically formulated for marking cattle, pigs, and short-haired animals. Delivered in box of 12. 500 ml.



Reference Description

108307003	Red
108307006	Blue
108307008	Green



Marking Spray RAIDEX for sheep



RAIDEX sheep marking spray is suitable for marking sheep and lambs. It is an advancement of the established RAIDEX sheep branding fluid and offers improved drying and washability. It contains harmless, light-fast pigments, mildly-odorous solvent, lanolin grease and natural resins. This composition achieves good drying and removal during the wool wash. 500 ml. Supplied by box of 12. Reference 108308003 to 108308021. The markings/numbers are applied by spraying from a distance of 10-15 cm. RAIDEX sheep branding fluid dries within 4 to 8 hours depending on ambient temperature and consistency of the dye. As these fluids take several hours to dry, care must be taken to prevent contact with the dye and hence smudging. The dye markings wash out if conventional wool washing is employed. The dye markings should be left on the animal for approx. 4-6 weeks in order to guarantee washability. Ensure that the markings are applied to sheep in an appropriate place, e.g. head or legs.

Reference Description

108308002	Black
108308003	Red
108308006	Blue
108308008	Green
108308010	Yellow
108308019	Orange
108308020	Purple
108308021	Pink



RAIDEX marking stick



Sticks made of special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The sticks are set apart by effective writing capability on hide, temperature stability, colour intensity and high luminance. The ingredients are harmless for humans or animals. By 3 (108303003 to 108303020), by 10 (108304002 to 108303020) and by 50 (108305021). Packaging and any unused materials can be discarded with residual waste. The marking remains visible on the upper back of cattle and sheep for approx. four weeks. Please note that markings on sheep are impossible or difficult to wash out. They should therefore be applied in a more suitable place, e.g. head or legs.

Reference Description

108303003	Red x 3
108303006	Blue x 3
108303008	Green x 3
108303010	Yellow x 3
108303020	Purple x 3
108303100	Red blue green
108304002	Black x 10

Reference Description

108304003	Red x 10
108304006	Blue x 10
108304008	Green x 10
108304010	Yellow x 10
108304019	Orange x 10
108304020	Purple x 10
108305021	Pink x 50



Block for harness

RAIDEX

RAIDEX wax blocks consist of high-quality special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The ingredients are harmless for humans or animals. RAIDEX wax blocks can be used at any temperature without any problem. To be stored between 5 and 25 degrees. For cattle and sheep.



Reference Description

108601002	Black
108601003	Red
108601006	Blue
108601008	Green
108601010	Yellow
108601019	Orange



SUPER BLUE harness for rams

The new Super blue harness has been specially designed by animal breeders. Easy to use and to adjust. Very resistant. Easy maintenance. Padded straps prevent cuts and chafing. Nylon.



Reference Description

108605006	Nylon
-----------	-------

Leather marking harness for rams

The harness is placed on the underside of the animal.



Reference Description

108600	Leather
--------	---------

Ram marking harness

The harness is placed on the underside of the animal.



Reference Description

108605	Nylon
108606	Cotton



Bull marking harness

Leather bull marking harness. Used for marking the back of the cow after mounting. To be fitted on the animal's neck.

Reference Description

108598 Leather



Marking numbers 0-9

Only to be used with Master laine sheep marking fluid. Made of aluminium (ref. 108455003, -006, -008). Set of 9 number from 0 to 9 (6 and 9 are the same). Available in 2 sizes.

Reference Description

108430 8 cm

108440 10 cm



Sheep marking fluid

To be used with marking numbers (ref. 108430-440). Specific composition which respects the wool. Completely washable, leaves no residue in the wool. 4 kg container.

Reference Description

108455003 Red

108455006 Blue

108455008 Green



Ear notcher

Nickel-plated steel. Very sharp for a neat cutting. Available in 5 shapes.

Reference Description


108400010 10N

108400011 11N

108400012 12N

108400013 13N

108400014 14N



KAMER



Black tattooing paste

Veterinary quality paste. Can be applied with finger. Massage areas to be tattooed with paste. Black.

RAIDEX



Reference	Description
-----------	-------------

109175090	60 g tube
-----------	-----------

109175600	600 g jar
-----------	-----------

Black tattooing ink

High quality tattooing ink, intense black. Apply with a small brush on area to be tattooed or used in the ink pad for pig tattooing hammers. Ready to use. Density 1,24/1,25g/litre.

UKAL



Reference	Description
-----------	-------------

109946100	1 L
-----------	-----



Roll-on black tattooing ink

Veterinary quality tattoo ink. Massage ink onto area to be tattooed. Black colour. Roll-on applicator.



Reference	Description
-----------	-------------

109947	60 ml
--------	-------

Handle for pig tattooing

Reference	Description
-----------	-------------

91084	Metal
-------	-------



Rectangular ink pad

Nicely finished. Essential when using pig tattooing hammers.



Reference	Description
-----------	-------------

108428	Felt
--------	------

VACCINATION AND DRENCHING



DEMAPLAST

128

SOCOREX

133

NJPHILIPPS


136

NEEDLES

137

ACCESSORIES

138





VACCINATION STRATEGY

The link between vaccination strategy and herd size is clearly visible. 80% of farms with more than 100 cows routinely vaccinate in order to ensure good health of the herd without the cost and time taken by other preventative approaches. In smaller herds, vaccination strategies are less homogeneous: 1 out of 2 breeder does not vaccinate, preferring other preventive strategies more easily permitted by herd size.




How to choose the syringe and needle ?

The choice of a syringe (manual, automatic or revolver) depends on the product to be injected, the injection volume, the repetition of gesture or on the urgency of the injection.

The choice of the needle depends on the type of injection (subcutaneous, intramuscular, intravenous) and the product viscosity. There is a sizing convention. For example, a needle 15/10 = 15 mm length / 10 mm in diameter.

- **Subcutaneous injection:** under the skin for slow diffusion due to low blood supply.
- **Intramuscular injection:** in muscle (thigh or neck) for rapid dissemination through the strong blood supply.
- **Intravenous injection:** in the jugular for immediate action. However, please be aware of shocks. You must use this method only in severe cases.



- subcutaneous
- ★ intramuscular
- ▼ intraperitoneal
- ⊕ Intraruminal
- ◆ intravenous
- intradermal
- retromammary
- ▲ intramammary

EXAMPLES OF APPLICATION CATTLE

Intramuscular	Subcutaneous	Intravenous
30/15, 30/20, 40/20	15/20, 20/20	60/20

EXAMPLES OF APPLICATION SHEEP

Intramuscular	Subcutaneous	Intravenous
20/15, 30/15	10/10, 15/10	20/15, 30/20

EXAMPLES OF APPLICATION PIGS

Intramuscular	Subcutaneous	Intravenous
30/20, 40/15, 40/20, 50/20 10/18	10/10, 15/13, 15/10	40/20

HOW TO CHOOSE THE RIGHT NEEDLE?

INTRAMUSCULAR		SUBCUTANEOUS		INTRAVENOUS	
Piglet	10/10 - 15/10	Lamb	20/10	Sheep	30/20 - 40/20
Sow	40/15 - 50/20	Sheep	20/15	Cattle	60/20
Poultry	10/15	Cattle	20/20 - 25/15 - 30/15	For oily product	diameter 15 or 20
Lamb	15/15				
Sheep	25/20				
Cattle	30/20 - 35/15 - 40/20				



Veterinary quality. DEMAPLAST offers a wide range of products for vaccination (manual, semi-automatic or automatic syringes) and for the drenching (dosing syringes, drenchers). The products are manufactured in Europe. They are known for their quality and their very good value for money.



MATIK revolver syringes

Semi automatic gun with adjustable dosing. Strong and durable instrument made with long lasting material. Ergonomic plastic handle for a better grip. Indelible graduation printed on the barrel by laser. Luer lock tip.

Available in 3 different models:

- Capacity 10 ml, dosing: 0,25, 0,50; 0,75; 1; 1,25 ml.
- Capacity 25 ml, dosing: 0,5; 1; 1,5; 2; 2,50 ml;
- Capacity 50 ml, dosing: 1; 2; 3; 4; 5 ml



Reference	Description
110007010	10 ml
110007025	25 ml
110007050	50 ml

DEMAPLAST plexi syringe

Economical syringes. Multi-purpose. Can be boiled or cold sterilized. **Plastic piston, cover and handle.** Wash thoroughly after use. Rinse thoroughly with clean water. Lubricate with vaseline oil ref. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.



Reference	Description
110004005	5 ml tip luer lock - Ref. washer: 9DE005
110004010	10 ml tip luer lock - Ref. washer: 9DE010
110004020	20 ml tip luer lock - Ref. washer: 9DE020
110004030	30 ml tip luer lock - Ref. washer: 9DE030
110004050	50 ml tip luer lock - Ref. washer: 9DE050
110004100	100 ml tip luer lock - Ref. washer: 9DE005
110005010	10 ml tip propeller - Ref. washer: 9DE010
110005020	20 ml tip propeller - Ref. washer: 9DE020
110005030	30 ml tip propeller - Ref. washer: 9DE030
110005050	50 ml tip propeller - Ref. washer: 9DE050



Luer lock





DEMAPLAST metal syringe with luer lock fitting

Can be boiled or sterilized at high temperature. Plastic piston, cover and handle. Wash thoroughly after use. Rinse in clear water. Lubricate with vaseline oil ref. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.



Reference	Description
110001005	5 ml - Ref. washers: 9DE005
110001010	10 ml - Ref. washers: 9DE010
110001020	20 ml - Ref. washers: 9DE020
110001030	30 ml - Ref. washers: 9DE030
110001050	50 ml - Ref. washers: 9DE050
110001100	100 ml - Ref. washers: 9DE100



PRIMA automatic syringe

Professional instrument. Automatic syringe. Body made of nylon and the barrel a specific polymer. Ergonomic handle for a better grip. Precise and reliable dosing thanks to the valve. Supplied with spare part kit.



This model is supplied with vial holder.

Reference	Description
110040201	1 ml vial holder
110040202	2 ml vial holder
110040205	5 ml vial holder
110040210	10 ml vial holder
110040250	0,5 ml vial holder

+ PRODUCTS

- High quality
- Effortless, high throughput vaccination
- From small to large animals
- Suitable for most liquids and suspensions
- Operate under any climatic conditions
- Easy disassembly and maintenance
- All components are treated against corrosion

This model is Supplied with feeding tube. (not pictured)

Reference	Description
110040101	1 ml feeding tube
110040102	2 ml feeding tube
110040105	5 ml feeding tube
110040110	10 ml feeding tube
110040150	0,5 ml feeding tube



Drenching gun

Very robust ABS grip and ergonomic handle. Transparent acetate barrel. Resistant to chemical attack. Dose adjustment by screw. Comes with a 125 mm (9AL125) cannula for 35 ml and 70 ml pistols. Original design. Made in Europe.



Reference	Description
107035	In acetate - 35 ml
107070	In acetate - 70 ml

Drenching gun

Very robust and ergonomic ABS grip. Transparent acetate or polypropylene barrel. Resistant to chemical stress. Calibration through distal screw. Comes with a 200mm (9AL200) cannula for 200 ml and 300 ml pistol. Made in Europe.



Reference	Description
107200	Acetate barrel - 200 ml
107200S	Drenching gun polypropylene cylinder - 200 ml
107300	Polypropylene transparent barrel - 300 ml
107035A	Automatic dosing gun - 35 ml
107070A	Automatic dosing gun - 70 ml
107805	Service kit for drenching gun - 300 ml 

Automatic drenching gun bravo + hose

The valve and the tank are resistant to chemical attack. Dosage adjustment using the wheel behind the barrel. Ergonomic handle. Supplied with nozzle, suction hose, Luer Lock and spare parts (washers). Can be used with tank ref. 107900 (sold separately).

Reference	Description
107430	30 ml
107460	60 ml





Metal drenching syringe

Metal piston and handle. Plexi transparent barrel. Complete, delivered with 250 mm cannula (9AL 250).



Reference Description

107630 300 ml

107645 450 ml



Plexi drenching syringe

Drenching syringe. Cellulose acetate. Very resistant to shock and to chemical stress. Delivered with cannula.



Reference Description

107700100 100 ml

107755 250 ml

107700300 300 ml

107700600 600 ml



luer lock



FEMALE



MALE

Cannula for syringes

To be used with metal and plexi DEMAPLAST syringes.

Reference Description

107760 LUER LOCK Length: 120 mm

107761 Female screw Length: 120 mm

107762 Male screw Length: 120 mm



3 L tank set for automatics guns

1 plastic backpack with 3 liter capacity.

Reference Description

107900 3 L



SOCOREX is a Swiss brand .They manufacture a wide variety of high precision instruments used for reliably measuring, dosing, transferring, dispensing and injecting liquids in a large number of applications. Each precision instrument bears its own serial number and passes a strict performance control attested by an individual QC certificate. Discover the automatic syringes from SOCOREX.

Automatic syringe with vial holder SOCOREX



Most commonly used, the automatic vial feeding syringe is perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions. Enables tight fitting of any 20 mm neck diameter vaccine vial. (needle not included).

Reference	Description
110050011/5	0,5 ml
110050011	1 ml
110050012	2 ml
110050015	5 ml
110050020	10 ml



Automatic double syringe with feeding tube Socorex



This syringe combines efficiency and reliability, allowing a simultaneous and precise injection of 2 different vaccines. Solid construction. Easy to use. Ergonomic shape. You can adjust each cylinder independently. Autoclavable at 121°C. Fully assembled.

Reference	Description
110050031	2 x 1 ml





Automatic syringe with feeding tube **SOCOREX**



Automatic Syringe supplied with aspiration and vent cannulas, sinker and silicone tubing (1 metre), spare part kit and operating instructions (needle not included).

Reference	Description
110050001	0,5 ml
110050001/5	1 ml
110050002	2 ml
110050005	5 ml
110050010	10 ml



Tube feeding syringe with fixed-dose syringe **SOCOREX**



These syringes with fixed dose are commonly used and perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions.

- Superior, long lasting quality
- Effortless, high throughput vaccination
- From small to large animals
- Suitable for most liquids and suspensions
- Operate under any climatic conditions
- Easy disassembly and maintenance
- Economical parts, all interchangeable

Reference	Description
110050042	0,2 ml
110050043	0,3 ml
110050045	0,5 ml
110050041	1 ml



Vial feeding syringe with fixed-dose syringe SOCOREX



These syringes with fixed dose are commonly used and perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions.

- Superior, long lasting quality
- Effortless, high throughput vaccination
- From small to large animals
- Suitable for most liquids and suspensions
- Operate under any climatic conditions
- Easy disassembly and maintenance
- Economical parts, all interchangeable

Reference	Description
110050052	0,2 ml
110050053	0.3 ml
110050055	0.5 ml
110050051	1 ml



Micro-range tube feeding syringe ultra 1810 SOCOREX



The ultra 1810 syringe line delivers highly precise doses, setting new standards in micro volumes injections. Extremely robust, yet light in weight, the instruments **extend the range of volume selection** from 0.02 mL to 0.5 mL (0.2 cc to 0.5 cc).

Intended for applications among various animal species such as (but not limited to) fish, pigeons, rabbits, chicks, ducks, poultry, geese and piglets. Supplied with 1m feed tubing, sinker, feed needle, vent cannula, spare bag with barrel O-ring, plunger O-ring and guide (except 0.5 mL), operating instructions. Autoclavable fully assembled.

Reference	Description
110050601	0,1 ml
110050602	0,2 ml
110050603	0,3 ml
110050605	0,5 ml





Plastic drenching gun

Metal cannula. Plastic body. Ideal for sheep. Lightweight. Easy to clean. 25 ml.

Reference Description

107830 25 ml



Metal oral drencher 20 ml

Light weight, well balanced, robust design. Easy access to piston and valves for servicing. Simple dose adjustment system. High-flow, blockage resistant valves. Highly chemical resistant cylinder with moulded graduations. **Dosage from 1 to 20 ml.** Delivered with a sheep cannula. Service kits available.

Reference Description

107820020 20 ml

107815020 20 ml with backpack



Semi automatic plastic syringe

Comfortable handle. Easy choice of 5 fixed dose settings. Ergonomic fingertip action reduces hand strain.

Reference Description

110010050 50 ml

110010025 25 ml



Semi automatic metal syringe


Comfortable handle. Administers a variety of vaccines. Easy to clean and maintain. Fixed settings for ease and speed of use.

Reference Description

110013050 50 ml

110013025 25 ml

USP:
METAL HANDLE



Triple bevel needles

Luer Lock hub. Triple edge sharpening ensures better penetration. Box of 12 needles.



Reference	Description
110180	Length: 10 mm. Diameter: 8
110190	Length: 10 mm. Diameter: 10
110190008	Length: 8 mm. Diameter: 10
110200	Length: 15 mm. Diameter: 10
110201	Length: 20 mm. Diameter: 10
110201025	Length: 25 mm. Diameter: 10
110201030	Length: 30 mm. Diameter: 10
110202040	Length: 40 mm. Diameter: 12
110205	Length: 15 mm. Diameter: 13
110205013	Length: 13 mm. Diameter: 13
110207	Length: 15 mm. Diameter: 15
110207010	Length: 10 mm. Diameter: 15
110210	Length: 20 mm. Diameter: 13
110215	Length: 20 mm. Diameter: 15
110216	Length: 25 mm. Diameter: 15



Reference	Description
110217	Length: 25 mm. Diameter: 13
110218	Length: 25 mm. Diameter: 20
110220	Length: 30 mm. Diameter: 13
110221	Length: 30 mm. Diameter: 15
110225	Length: 40 mm. Diameter: 15
110230	Length: 50 mm. Diameter: 15
110247	Length: 15 mm. Diameter: 20
110250	Length: 20 mm. Diameter: 20
110255	Length: 30 mm. Diameter: 20
110260	Length: 40 mm. Diameter: 20
110265	Length: 50 mm. Diameter: 20
110270	Length: 60 mm. Diameter: 20

Delvo veterinary needles

High quality veterinary needles. Triple bevel sharpening. LUER LOCK hub. Box of 12 needles.

Reference	Description
110300	Length: 10 mm. Diameter: 10 mm
110301	Length: 15 mm. Diameter: 10 mm
110305	Length: 10 mm. Diameter: 15 mm
110307	Length: 15 mm. Diameter: 15 mm
110315	Length: 20 mm. Diameter: 15 mm
110321	Length: 30 mm. Diameter: 15 mm
110347	Length: 15 mm. Diameter: 20 mm
110350	Length: 20 mm. Diameter: 20 mm
110355	Length: 30 mm. Diameter: 20 mm
110360	Length: 40 mm. Diameter: 20 mm
110365	Length: 50 mm. Diameter: 20 mm





Intravenous set

Allows perfusion for intravenous treatment. Rehydration fluid, minerals, glucose, etc.



Reference Description

110600 Silicone

110601 PVC

For a longevity of the equipment, it is essential to clean and rinse after use. Then oil the barrel and the piston with vaseline oil.



Vaseline oil

UKAL

Lubrication of materials and various equipments. Jelly oil is essential for the operation of the syringes and the clipper. Non toxic. Doesn't irritate the skin.

Reference Description

110039 50 ml

100141 100 ml



Weightband KAMER

KAMER

For an approximate evaluation of the weight in kg of living animals. Not allowed for commercial transactions.

Reference Description

129040



HEATING



HEATING

140



3 wires

Infrared protectors - 250 W

interHeat

Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR lamps from **100 to 250W** and quartz reflectors. Ideal for keeping your chicks, calves, piglets and other animals warm under all circumstances. Delivered with attachment chain. 3 wires. Screwed sockets E27. Meets CE standards. 2 cable lengths available. Box of 10.

Reference	Description	
116602	Simple infrared protector 5m of cable	
116602001	Simple infrared protector 2.5m of cable. Unassembled.	



3 wires

Infrared protector with dimmer switch - 250 W

interHeat

Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR lamps from **100 to 250W**. Ideal for chicks, lambs, piglets etc. Delivered with attachment chain. 3 wires. E27 screw socket. Meets CE standards. Equipped with a dimmer switch and 5m cable. Box of 10.

Reference	Description	
116601	IR protector with dimmer switch 5m of cable	



IR lamp Interheat

interHeat

Experience shows that their life expectancy is greater than traditional infrared light bulbs. Infrared heating bulb, **captive screw base**, guaranteed for life. Provides a regular warmth and improves the conditions of breeding for young animals. Available in PAR glass.

Reference	Description	
116622150R	IR lamp red Interheat - 150 W by 2	
116622175B	IR lamp red Interheat - 175 W by 2	
116622175R	IR lamp red Interheat - 175 W by 2	
116622250B	IR lamp red Interheat - 250 W by 2	
116622250R	IR lamp red Interheat - 250 W by 2	
116623100R	IR/PAR lamp screw red Interheat for energy saving - 100W by 2	
116623175B	IR/PAR lamp screw red Interheat for energy saving - 175W by 2	
116623175R	IR/PAR lamp screw red Interheat for energy saving - 175W by 2	



2 wires



IR protector IPX4 - 175 W

Aluminium lamp holder. Cable length: 2,5m. Chain length: 2m. This infrared protector meets CE standards. **For lamps up to 175W**. Delivered in a box, unassembled.

Reference	Description	
116605	IR protector	
116605001	IR protector with dimmer switch	



IR protector IPX4 - 250W

With ventilation slots for optimum air circulation. For normal or energy-saving infrared lamps up to **250 Watts**.

Aluminium protection cage ø 21 cm with galvanised grid.

Supplied with 2 m galvanised chain and ceiling hook (minimum suspension capacity 20 kg) GS/CE approved for more safety.

Conforms to EN standard Splashproof (IPX4) with safety insulation E27 cap with silicone gasket.

Reference	Description	
116610	IR protection 2,5m - 175W	
116610001	IR protection 2,5m - 175W with dimmer switch	
116611	IR protection 5m - 175W	
116611001	IR protection 5m - 175W with dimmer switch	



IR protector IPX4 - 175W

For normal or energy-saving infrared lamps with a maximum output of **175 Watts**.

Rubber cord.

Reference	Description	
116613	IR protection 5m - 175W	
116613001	IR protection 5m - 175W with dimmer switch	




**LIGHT BULB
INFRARED
HORIZONT
AVAILABLE IN 2021**



Philips IR light bulb

PHILIPS

Incandescent infrared Philips reflector lamps are designed for the toughest environments: farms, bathrooms, kitchens. They offer a reinforced structure through the use of hard glass. Their compact form and base of universal cawling allows them to be used with any adaptive equipment. Thermal lamps are a great way to produce warmth. They provide direct warmth without draught to animals, people and food. Tungsten filament lamps for instant response, with an average lifetime of 5,000 hours. Available in classic or PAR glass.

Reference	Description
116400100C	Philips IR light bulb 100 W - white
116400150C	Philips IR light bulb 150 W - white
116400150R	Philips IR light bulb 150 W - red
116400250C	Philips IR light bulb 250 W - white
116400250R	Philips IR light bulb 250 W - red
116401100C	Philips IR light bulb 100 W - PAR - white
116401100R	Philips IR light bulb 100 W - PAR - red
116401175C	Philips IR light bulb 175 W - PAR - white
116401175R	Philips IR light bulb 175 W - PAR - red



90%

Advantages

- 90% of the energy is redistributed in infrared.
- Average lifetime of 5,000 hours.
- Instantly controllable radiant heat.
- Easy installation.



Interheat Carbon Protector

interHeat

Carbon fibre heating. Environmentally friendly, they neither emit harmful gas nor carbon dioxide. Reduces respiratory diseases and mortality in hens. Allows increase in productivity, the hens weight varies less and they grow better. These protectors retain the warmth evenly and over a large area. They have a large heating radius to be used with filament lamps. **This heating is a really good alternative to gas heating.**

Reference	Description
116650100	Interheat Carbon Protector 600 - 900 W
116650200	Interheat Carbon Protector 1,200 - 1,500 W



Interheat Carbon fiber lamp

interHeat

Carbon fiber heating. Environmentally friendly, they don't discharge harmful gas or carbon dioxide. To be used with carbon protectors 116650100 and 116650200.

Reference	Description
116650101	600 W - Diameter 75 mm
116650102	900 W - Diameter 90 mm
116650201	1200 W - Diameter 130 mm
116650202	1500 W - Diameter 150 mm

HYGIENE AND PROTECTION OF THE BREEDER



GLOVES

144

PROTECTION

147

HYGIENE

150



Examination gloves with shoulder protection

Single use examination gloves. For a better fit, they cover the shoulder and armpit. Won't slip along the arm. 100 % polyethylene, very resistant. Supplied in a practical distribution box. CE standard. Box of 50 pieces.

Reference Description

101119 Box of 50



5 finger orange calving gloves

92 cm (35.5"). CE standards: EN 374-1 (1994) and EN 420 (1994). One size.

Reference Description

101117100 Box of 100



Calving gloves

90 cm (35.5"). CE standard. Bag of 50. 28 microns.

Reference Description

101120 Bag of 50



Polyethylen calving gloves

These gloves protect against micro-organisms in accordance with directive 89/686/ECC on personal protective equipment. Single use only. For search, calving and autopsy. 90 cm (35.5"). CE standard. Box of 100. The most resistant ! 28 microns.

Reference Description

101116 Box of 100





SEPTICARE calving gloves

87 cm (34.3"). Thin but strong. These gloves provide protection against micro-organisms in accordance with directive 89/686/EEC on personal protective equipment. Box of 100. 20 microns. Best quality-price ratio.



Reference Description

101121 Box of 100



Biodegradable calving gloves

The first entirely biodegradable, compostable glove. Natural material permeable to air, for fewer skin irritations or rashes. Very tactile, perfect for a precise touch and a better placement with high resistance to perforation. High protection against viruses and bacteria. 21 microns. 92cm.



Reference Description

101116200 Box of 100



DID YOU KNOW ?

Latex gloves, made of natural rubber, are the most used for their excellent property of elasticity and resistance to chemicals. They allow precise movements and great dexterity through a flexible and thin material.

Vinyl gloves are less elastic than latex or nitrile. They should not be used in case of exposure to chemicals. The advantage of this material is that fewer users are allergic. Vinyl contains no vulcanization accelerator, and is resistant to punctures and cuts.

Nitrile gloves are an alternative to latex gloves, they have high resistance and good protection against chemicals and bacteria. These gloves are suitable for individuals with latex allergies.





Nitrile gloves

Nitrile gloves are flexible and ideal for the animal care. Available in different sizes. Rolled edges. Ambidextrous. **Powder free.** No latex. In accordance with 93/42/EEC and 89/686/EEC.

Reference Description

101115301	M / Box of 100 / Blue
101115302	L / Box of 100 / Blue
101115303	XL / Box of 100 / Blue
101115402	M / Box of 100 / Black
101115403	L / Box of 100 / Black
101115404	XL / Box of 100 / Black



Vinyl gloves

Vinyl gloves are very thin, flexible and very robust. Available in different sizes. Rolled edges. Ambidextrous. **Powdered.** No latex. Compliant with NF EN 455-1 and 2.

Reference Description

101115001	M / Box of 100
101115002	L / Box of 100
101115003	XL / Box of 100



Latex gloves

Latex gloves are soft and ideal for the animal care. Available in different sizes. Rolled edges. Ambidextrous. **Powdered with corn starch.** Compliant with 93/42/EEC and 89/686/EEC.

Reference Description

101115101	M / Box of 100
101115002	L / Box of 100
101115003	XL / Box of 100





Visitor's kit

Practical, complete and compact. The visitor kit includes a gown, overboots ; a mask and a hairnet. Ideal for all livestock farms visits. **For single use only.**

Reference Description

101115900 Sold singly



Blue hairnet

Blue mob cap in polypropylene. Latex free elastic. Diameter 48 cm. **For single use only.**

Reference Description

101115800 By 100By 100 By 100



Anti-odour cap

The anti-odour cap helps to eliminate bad odours smells during each visit to your farms. Allows you to protect your hair against weather and dirt. 100 % Polyester



Septicare®

Reference Description

101115810 S-M

101115815 L-XL



Anti-odour turban

The anti-odour turban eliminates bad smells during each visit to your farms. Helps protect hair against weather and dirt. **Ideal for long hair.** 100% Polyester.



Septicare®

Reference Description

101115820 S-M

101115825 L-XL



Dust mask

Metal nose clips to fit individual facial contours. Does not impair breathing, voice and vision. Prevents the risk of saliva projection.

Reference Description

129115 Supplied by 5





Disposable overboots

Polyethylene overboots with elastic for a better hold. Supplied in a bag of 25 pairs. **For single use only.**

Reference Description

101140 By 25

Disposable overalls

Zip fastening. With hood but without overshoes. **For single use only.**

Reference Description

101115912V L

101115913V XL

101115914V XXL



Blue disposable overalls

Zip fastening. With hood but without overshoes. Blue. **For single use only.**

Reference Description

101115917 L

101115915 XL



Calving gown

Cotton coated with PU. Resistant to common cleaning agent. Available in navy blue. Used in the food processing industry. Back fixation with a stainless steel hook and elastic. Diameter: 13 mm. Thickness: 500 microns.

Reference Description

101121010 M

101121011 L

UKAL



Dairy apron

UKAL

Very appreciated by the breeder ! Resistant ! With neck strap, closing stainless steel hook in the back with elastic. Can be used with liquid up to 50°C. Thickness : 350 microns. 475 gr/m². Dimensions 90 x 115 cm.

Reference	Description
124080001	White



CLEANING:
Cleaning is done by washing with water at 30 ° C maximum, added a neutral disinfectant without acid, followed by a water rinse Claire. The apron must be extended for drying without spinning. The apron should be stored dry and must be changed as soon as the leaf presents signs of wear.

Dairy apron

UKAL

Polyurethane. Adjustable neck strap. Back closing by stainless steel hook and elastic. Can be used with liquid up to 60°C. Thickness 500 microns. 380 gr/m². Dimensions 90 x 115 cm.

Reference	Description
124080010	Blue



Neoprene protection sleeves

Waterproof protective dairy sleeves. They keep your forearms warm, dry and also protected. They are made from quality 3mm neoprene. Simply pull them on over your wrist and take them off when you want! Can be used in farms, dairy farming and also gardening. In pairs.



Reference	Description
124087100	M
124087200	L
124087300	XL
124087400	XXL



Dairy sleeves

Blue polyurethane dairy sleeves with wrist and forearm tightening. Neoprene at the wrists and elastic at the biceps. Resistant to common cleaning products.

Reference	Description
124086002	By 2 / 40 cm





EUTRA

Eutra hand and body cream NATURA

Dermatologically tested body care, **98% of ingredients from natural origin:** Grape seed oil, Tahitian Monoï appellation of origin, beeswax, without dye, without preservative. Non-irritating, natural milking grease 150 ml, moisturizing care, emollient and protector of dry and damaged skin. Made in France.

Reference Description

112505140 150 ml



EUTRA

Eutra hand and body cream

Eutra Cream 150 ml, moisturizing, emollient and **protector of dry and damaged skin.** Milking fat hypoallergenic formula, without fragrance, without dye, without preservative. Non-Irritating and dermatologically tested, Made in France.

Reference Description

112505150 150 ml



EUTRA

EUTRA vaseline

EUTRA Vaseline is a naturally pure and additive-free multi-purpose treatment. It protects and nourishes deeply all the dry, damaged and rough areas of the body. The petroleum jelly is neutral and is suitable for both humans and all animal species. Pure petroleum jelly; Ideal for hand care. Tube 75 ml.

Reference Description

112505007 75 ml



EUTRA

EUTRA universal soap

Cleans and washes all type of surfaces, objects and textiles. Made of easily degradable natural fatty alcohols. Effective and deep cleaning and washing. Contains no phosphate, formaldehyde, silicate, carbonate, sulphate, bleaching agents or other harmful chemical. Gentle on the skin. Lemon scent. Extremely economic, concentrated formula.

Reference Description

112522010 1000 ml



Hydro-alcoholic gel

This hydro-alcoholic gel is very practical for disinfecting hands and protecting against viral infections. It contains glycerin for more comfort. The contact time on the skin of the gel is longer and therefore more effective than that of the solution which is very liquid. Supplied without pump. Sanitizes and protects hands.



Reference	Description
000608001	1L - Box of 6
000608003	3 L



Hydro-alcoholic solution

This hydro-alcoholic solution is very practical for disinfecting hands and protecting against viral infections. Liquid formula, ideal for disinfecting surfaces. 3 L container. Supplied without pump. Sanitizes hands and surfaces. Hydro-alcoholic solution for antiseptics of hands and surfaces, recommended by WHO



Reference	Description
000608103	3 L





SEPTICARE hoofmat

Small and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 21 liters.

Reference	Description
-----------	-------------

113100002	Dimensions: 90 x 60 x 4 cm
-----------	----------------------------



Boot cleaner

KAMER

In order to ensure hygienic working conditions, you must start with caring for your boots. Cleans effortlessly. Stainless steel. Automatic. The brush is triggered as soon as the boot is put on. Delivered assembled.

Reference	Description
-----------	-------------

132910005	5 bushes
-----------	----------



Wooden boots remover

Remove your boots easily after a long day of work! Can be used also for riders. Non slip.

Reference	Description
-----------	-------------

132902	Dimensions: 32 x 12 x 12,5 cm
--------	-------------------------------

FARM EQUIPMENT



DRINKERS	154
SMART FARMING	160
FEEDERS	162
HAY RACKS	165
BROOMS	166
FORKS	168
SHOVELS	170
SCRAPERS	173
SHAFTS	175
CLEANING	176
SCALES	177
THERMOMETERS	179
RAIN GAUGES AND WALL BELLS	181
VARIOUS	182
HOOKS	183
SPRAYERS	187



Water pump kit with solar panel 60W



The complete meadow pump kit allows you to supply water to your pasture tank, avoiding water contamination by animal excrements but also stopping erosion of river and stream banks by cattle. An easy, reliable and autonomous way to provide water to livestock when watercourses are fenced off. This maintains water quality at a high level and preserves the healthy growth of local flora and fauna.


The complete prairie pump kit includes:

- 1 control box with compartment for 12V battery. BATTERY NOT INCLUDED.
- 1 30 m hose with submersible pump
- 1 float switch
- 1 solar panel 60W INCLUDED

Its solar panel provides constant autonomy for this meadow pump kit. The polypropylene battery compartment is very weather resistant and can hold a 12V/85 Ah battery (not included). For optimal operation of your meadow pump, we recommend the use of an 85 Ah battery. Farmers increasingly need to keep their livestock away from waterways. The European Water Framework Directive (WFD) establishes a framework for the protection of inland waters, transitional waters (estuaries), coastal waters and groundwater. River fencing provides protection against bank erosion. Solar battery-powered meadow pump kits can be integrated into all common drinking troughs. The solar pump provides the animals with their water needs without having to change or recharge the battery (depending on storage density, weather conditions, etc.). These kits are simple 12V pumping systems based on water pump technology to allow the transfer of large quantities of water. The kit is equipped with a float that activates the submersible pump when the water level drops. The pump is connected to a 30m long hose that leads directly from the water source to the tank. The set is powered by a 12V battery (not included in the kit) located in a weatherproof housing. We recommend an 85 Ah battery. The water requirements of the animals are very different and are influenced by temperature, humidity and type of feed, among other things. The majority of grazing animals are herd animals and want to drink together, so the size of the drinking trough should allow for this. By increasing the height, the pumping capacity is reduced. At a height of 10 m the pump is running at about 65% of its maximum performance. The charging times of the solar energy vary according to the weather conditions. Keep in mind that in summer the water needs of the animals increase. The water requirements are indicative. Make sure to follow the instructions for use.



Reference	Description
119150	Water pump kit with solar panel



FIND OUR VIDEO ON YOUTUBE



Water pump kit with hose and float



The box kit with hose and float for meadow pump allows you to supply water to your pasture tank avoiding contamination of the water by animal droppings but also stopping the erosion of river and stream banks by cattle. An easy, reliable and autonomous way to provide water to livestock when watercourses are fenced off. This maintains water quality at a high level and preserves the healthy growth of local flora and fauna.

The complete prairie pump kit includes:

- 1 control box with compartment for 12V battery. BATTERY NOT INCLUDED.
- 1 30 m hose with submersible pump
- 1 float switch

For optimal operation of the meadow pump, it is ESSENTIAL to integrate a 60W solar panel (Ref.119150002) or 2 x 30W solar panels (Ref.125340), as well as a battery with a sufficient capacity of 85 Ah (Ref.119150004). We strongly recommend the following additional products to ensure proper functioning of the equipment. Farmers increasingly need to keep their livestock away from waterways. The European Water Framework Directive (WFD) establishes a framework for the protection of inland waters, transitional waters (estuaries), coastal waters and groundwater. River fencing provides protection against bank erosion.

Solar battery-powered meadow pump kits can be integrated into all common drinking troughs. The solar pump provides the animals with their water needs without having to change or recharge the battery (depending on storage density, weather conditions, etc.). These kits are simple 12V pumping systems based on water pump technology to allow the transfer of large quantities of water. The kit is equipped with a float that activates the submersible pump when the water level drops. The pump is connected to a 30 m long hose that leads directly from the water source to the tank. The set is powered by a 12V battery (not included in the kit) located in a weatherproof housing. We recommend an 85 Ah battery. The water requirements of the animals are very different and are influenced by temperature, humidity and type of feed, among other things. The majority of grazing animals are herd animals and want to drink together, so the size of the drinking trough should allow for this. By increasing the height, the pumping capacity is reduced. At a height of 10 m the pump is running at about 65% of its maximum performance. The charging times of the solar energy vary according to the weather conditions. Keep in mind that in summer the water needs of the animals increase. The water requirements are indicative. Make sure to follow the instructions for use.

Reference	Description
119150001	Water pump kit with hose and float



Solar panel 60W with support

This 60W solar panel with support is suitable for the meadow pump kit. This element allows to gain autonomy and to ensure a permanent water supply in the pasture tank. A real economic gain! Highly efficient crystalline solar module. Adjustable aluminium support. Developed for connection to the meadow pump kit - without charge controller. Use the power of the sun - for a clean water supply for your animals in the pastures! The 60-watt solar module is equipped with highly efficient crystalline solar cells and therefore uses the sun's energy even in low light conditions. It is used in combination with the meadow pump kit and thus guarantees independent watering on the pasture. This solar module allows you to reliably supply your animals with fresh water even without a power supply. By using solar energy, you are independent and environmentally friendly. The adjustable aluminium bracket is included in the purchase of the solar module without charge controller and allows a quick and easy installation of the panel.

Technical specifications:

Nominal voltage (Vmp): 17.5 V DC, Nominal current (Imp): 3.49 A., Open circuit voltage (Voc): 22 V, Short circuit current (Isc): 3.97 A., Operating temperature: -40 to + 85°C, Maximum system voltage: 1,000 V DC, Dimensions: 685 x 670 x 35 mm, Weight: 5.3 kg, Approximately Watt-hours/day based on 6 hours maximum daily sun exposure: 360 W, Approximately Ampere hour/day based on 6 hours maximum daily sun exposure: 20.94 A.

Reference	Description
119150002	Solar panel 60W with support




Battery 85Ah for meadow pump

Battery 85Ah ideal for meadow pump. Ready to use. It ensures maximum power for the entire duration of their use. Liquid electrolyte battery for energizers and solar installations. Very low self-discharge. Excellent resistance to charge and discharge cycles. With carrying handle.

Technical specifications:

Capacity: 85 Ah, Length: 26 cm, Width: 17.2 cm, Height: 22.5 cm, Weight: 16.10 kg

Reference	Description
119150004	Battery 85Ah for meadow pump





Pasture drinker «Polypump»

For water delivery out of wells and surface waters. For up to 15 animals. Modern design combined with extreme durability. Drinking bowl made of plastic and upper part made of cast aluminium. Smooth-running thru perfect lever transmission.

- Weight approx. 12 kg
- Special membrane for suction depths up to 7 m
- 1" connection for pipes and pasture tubes
- Cleaning and draining plug for fast and easy cleaning

Reference	Description
-----------	-------------

119140	Plastic and aluminium
--------	-----------------------



Ideal drinking bowl model 61

Enameled cast bowl made of cast iron. Smoothly running pipe valve for a calm water flow. 1/2" water supply from the top or the bottom. For pipe or wall mounting. 4-hole fixation. Approximate water flow quantity of 6 l/min (at 5 bar water pressure).

Reference	Description
-----------	-------------

119160	Cast iron
--------	-----------



Plastic drinking bowl model 10P

High quality plastic drinking bowl. Smoothly running pipe valve for a calm water flow 1/2" water supply from the top. For pipe or wall mounting. 2-hole fixation. Approximate water flow quantity of 6.5 l/min (at 5 bar water pressure).

Reference	Description
-----------	-------------

119170	Plastic
--------	---------



Floater drinking bowl

Solid plastic bowl and cover. With resistant float valve. 1/2" water supply from on the side. Easy adjustment of water level. Approximate water flow quantity of 10 l/min (at 5 bar water flow).

Reference	Description
119165	Plastic



Drinking bowl with pipe valve

Double powder coated bowl made of cast iron. Smoothly running pipe valve for a calm water flow. 1/2" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 12 l/min (at 5 bar water flow)

Reference	Description
119180	Cast iron



Drinking bowl with pressure tongue made of cast iron, enlarged mode

Double powder coated big size bowl made of cast iron. Exchangeable brass valve 1/2" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 8-10 l/min (at 5 bar water flow).


Reference	Description
119185	Cast iron



Drinking bowl with pressure tongue

Double powder coated bowl made of cast iron. Exchangeable brass valve. 1/2" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 8-10 l (at 5 bar water flow).

Reference	Description
119190	Cast iron - stainless steel tongue
119195	Cast iron





Light green epoxy bucket 12L

Galvanized + epoxy coating With spout.

Reference Description

120003013 Light green



Aluminium bucket 12 L

With spout.

Reference Description

120003012 12 L



Water bucket

Galvanized.

Reference Description

120003014 10 l capacity, ø 28 cm

120003015 12 l capacity, ø 30 cm

120003016 15 l capacity, ø 32 cm



Green plastic bucket

Plastic. Extremely durable and shatterproof due to the high wall thickness. Extra stable handle for everyday use. With inner scal.

Reference Description

122016 7 L

122020 12 L

122021 17 L



Frost-protection heating cable with transformer 230 V / 12 V

With 1.5 m power cord. Useful for all kinds of water pipes. Plug- and play for an easy mounting installation. Reliable. Fit heating cable with insulating tape to the water pipe and connect the plug to the socket. Ready-for-use. Keeps your water pipe without fail frost-free. Can be installed within spitting distance to animals CE approved for more safety. In combination with an additional insulation the frost-protection is effective for maximum protection down to -35° Celsius. Attention: The cable can't be cut! On demand.

Reference Description

119200001 2.2 m - 23 W

119200002 2.7 m - 28 W

119200003 3.2 m - 33 W

119200004 3.7 m - 39 W

119200005 4.7 m - 47 W

119200006 4.9 m - 49 W

119200007 5.8 m - 58 W

119200008 7.2 m - 72 W

119200009 7.9 m - 79 W

LUDA FARM

Farm Cam IP2

LUDA FARM

FarmCam IP2 is a smart camera specially developed for farming. FarmCam IP2 is the first smart camera, designed to work with the platform. Delivering stunning HD video wirelessly to your phone, tablet, or computer, FarmCam IP2 packs an impressive range of features. Rugged, water-resistant design, motion detection and night vision, FarmCam IP2 is made for life on a farm. FarmCam IP2 can send alarms and notifications to the farmer, co-workers, and neighbours when it spots suspicious movement outside of normal working hours.

Key benefits:

- FullHD 1920 pixels
- Watch live video in the My.Luda.Farm app on your phone, tablet, or computer
- Connects through WiFi and installation takes just 10 minutes
- Motion detection alarms sent to farmer, co-workers, or neighbours
- Rugged, water-resistant design (IP66) and a 3-year warranty with online registration
- The safety of knowing that your cameras watch your farm 24/7

Reference	Description
LUD1075	Farm Cam IP2



IP66
water proof

WIFI

+50°
-20°

App
on Google play

Rec

Zoom

3 Year
Warranty

85°
Wide angle
lens

Night Vision


Motion Alarm

FullHD
1080

Sound




* with subscription on the website www.luda.farm



1250 m

Portée maximum avec vue dégagée



* with subscription on the website www.luda.farm



Farm Cam HD

LUDA FARM

A wireless camera system that works out of the box - interference-free, instant high-quality video transmission, and installation takes minutes. View the video on screen, or connect to your internet connection to view video on your smartphone, tablet or computer through the FarmCam app. Check in on your animals from the cab of your harvester, record* movement around your parked machines, or view the feed troughs from your own breakfast table. Connect up to 4 cameras, view and zoom on your screen, or watch all 4 cameras at the same time in split screen view. The FarmCam app makes it easy to switch between different camera views or get an overview of several cameras. With night-vision, FarmCam monitors your farm both day and night. The camera features motion-detection, records* both video and sound, and can send notifications and alarms directly to your email if it detects movement outside your working hours. Rugged design, built to last, water-resistant, and comes with a 3-year warranty**. **THE COMPLETE VIDEO MONITORING SOLUTION FOR FARMERS**

- Complete camera system High-quality video
- Wireless that works! (max. range 1250 m)
- View on screen or through the FarmCam app on your smartphone, tablet, or computer
- Connect up to 4 cameras
- Motion detection and night-vision
- Alarms and notifications directly to your email
- Recording
- Sound
- Rugged, water-resistant design (IP66)

INCLUDED IN THE BOX:

- 1 FarmCam HD Camera (full HD 1080- IP66) incl., Long range Antenna with wall mount with screws, Antenna Coaxial Cable 9m, Power adapter (IP44) 12V, 1A, Power adapter cable 18m
- 1 Video Box (NVR) for FarmCam HD incl., Internal Drive (HDD) 500GB, HDMI cable for TV or PC, 2m, Indoor power adapter 12V, 1A, USB Mouse, Router cable (Ethernet) 2m, Long range Antenna with wall mount with screws
- Extras: 3 Indoor antennas, for short range, 1 extra antenna Coaxial Cable extender 9m, 2 «Video Surveillance 24/7€» sticker

Reference	Description
LUD1073	Farm Cam HD

Additional FarmCam HD Kit - Luda Farm

The kit contains: FarmCam HD Camera, long range antenna with wall bracket and screws, 9m coaxial antenna cable, adapter (IP44) 12 V, 18 m power cable, indoor antenna, short throw, retractable tube.

Reference	Description
LUD1074	Additional camera for FARMCAM HD

Perfect for TV and computer (no internet access)





Farm Cam Mobility 4G

LUDA FARM

Through its 3G/4G connection and rechargeable battery you can place FarmCam Mobility wherever there is mobile network coverage. Works Anywhere – Anytime. FarmCam Mobility is the perfect surveillance solution in places where you don't have power or Wi-Fi connection. Thanks to the rechargeable battery and SIM-card, you can monitor your property, machines, animals, etc. in remote areas. As long as you have mobile network coverage, you can setup the camera wherever you need it. Used together with the SolarCharger FCM you will not even have to think about recharging the battery. In other words, a truly mobile surveillance camera. The Smart Motion Sensor will register and record activities that appears in front of the camera. When the camera registers an activity, you will be informed through a notification in your smartphone or by e-mail. By distinguishing warm objects from tree branches that move in the wind, rain, flies, etc. the Smart Motion Sensor eliminates false alarms and ensures you are alerted to genuine situations. Other useful features that come with the camera are Zoom, Night Vision, Alarm and Two-Way Audio (mic/speaker). If the camera detects trespassers, you can act by talking to them directly or scare them off by triggering the Alarm function of the camera.

Features:

- Use it wherever you have 3G/4G network coverage.
- Rechargeable battery, lasting up to 2 months depending on usage.
- SIM-card that automatically chooses the strongest network included. No settings needed: just Plug-n-Play.
- Rain/sun, day/night - place the camera wherever you want without worrying about the weather.
- Smart heat and movement sensor ensures you are alerted to genuine situations and eliminates false alarms.
- SD-card included for recording of motion events which you access through the FarmCam 2.0 App in your smartphone
- Built-in microphone & speaker allows you to listen to what's going on and talk back.
- True 1080p (1920*1080) gives you clear and sharp images/videos, day and night.
- Built-in speaker can trigger when motion is detected to discourage unwanted visitors.
- Allows you to trigger your SmartPlug* when motion is detected.
- 3 Year Warranty, subject to registration on the Luda Farm website

Reference	Description
LUD1086	FarmCam Mobility 4G
LUD1091	Luda SolarCharger FCM



Luda SolarCharger FCM

Machine Cam mobility HD NEW HD VERSION

LUDA FARM

The Machine Cam Mobility HD camera accompanies you throughout your working day with its new larger and better quality screen! Machine Cam Mobility HD is a truly portable technology: it can be carried like your smartphone. You now have a single video surveillance system per operator, instead of several cameras on different machines. The camera and battery are attached to the machine with powerful magnets. You don't have to worry, the whole thing won't fall down or move around. Moving it from one machine to another takes only a few seconds.

The Machine Cam Mobility HD comes in a sturdy case that's easy to carry, you'll find:

- The cameraThe 7» monitor with its HD screen + a monitor standOne USB power cable + one 12V IGC adapterCamera power cablePowerBank 8700 + one chargerThe Powerbank allows the camera to operate for 15 hours with a charging time of 4 hours. At the end of the day, plug in and charge the PowerBank battery directly from the case.
- The Machine Cam Mobility HD transmits video without interference via Wi-Fi.
- The camera and battery are waterproof, IP69K rated.

3-year warranty* (*Subject to product registration on LudaFarm website). Translated with www.DeepL.com/Translator (free version). Need help choosing your camera? Let us help you by consulting https://ludafarm.typeform.com.

Reference	Description
LUD1096	Machine Cam Mobility HD
LUD1045	Additional camera
LUD1064	POWERBANK LUDA GM battery
LUD1084	POWERBANK LUDA PM battery



Additional camera

POWERBANK LUDA GM battery



Luda Fence Alarm

LUDA FARM

Luda.Fence is a fence guard that displays the voltage level of your electric fence right on your phone and warns you if the voltage suddenly drops. Luda.Fence can be used in any location with GSM coverage.

Using your phone, you can now monitor your fence 24/7 year round. With the Alarm+ option, you will receive an alarm immediately in case the voltage drops in addition to a convenient voltage graph to help you determine whether the voltage drop is due to animals or shrubs/rain.

These features are grouped in the same app as your other Smart Farming products to provide an instant overview of key areas on the farm right on your mobile phone. When combined with Luda.SmartPlug*, you can also switch the power to your fence on and off without having to go to the power supply when it is time for maintenance. (*SmartPlug requires an IP 20 protected environment.)

Included in package: Luda.Fence fence guard, 220 V outdoor charger, Ground pin, 12 V outdoor charger, Fence clamp, Earth clamp, 3-year warranty

1. Luda.Fence can be connected at any point on your existing fence. The unit can be powered for 2 months with the rechargeable battery, or it can be constantly supplied with 220 V or 12 V. 2. The voltage is measured by connecting the red fence clamp to the fence and the green ground clamp to the ground pin. 3. The voltage level of the fence is sent to My.Luda.Farm through the built-in SIM card, which always selects the operator with the strongest signal (i.e. operator-independent). 4. You can check the fence status on your mobile whenever you want without having to physically visit the fence in the field to measure the voltage. Alarm+ warns you immediately if the fence voltage drops and it also gives you access to the handy Fence Voltage Graph. If the unit does not report for 48 hours or if the battery level becomes too low, you will automatically receive a notification from My.Luda.Farm on your mobile phone. There is no monthly fee for checking the most recently measured voltage (updated every 48 hours). For enhanced functionality, Alarm+ is also available as described below. A 12 months trial of Alarm+ is included.

Reference	Description
LUD1072	Luda Fence



Luda Farm Solar Charger LUDA FARM

Luda.SolarCharger 3W - The solar panel that charges the battery for you! With the solar panel SolarCharger 3W connected to your FenceAlarm your battery will always be fully charged. This means that you no longer have to mount down and bring home your FenceAlarm unit for charging. Why not save time and energy using the sun rays? Natural energy at its best!

Reference	Description
LUD1085	Luda Farm Solar Charger



Smart Plug

LUDA FARM

The Luda.SmartPlug connects your electric equipment to the My.Luda.Farm app and turns ordinary machines into smart farm equipment. The Luda.SmartPlug connects through the normal phone network for complete coverage, free of charge, and comes equipped with a temperature sensor for an expanded range of functionality. Turn equipment on/off from your phone or tablet, monitor temperature and power consumption in simple graphs. With the extended Control+ package the Luda.SmartPlug packs a range of advanced timer and climate control functionality. With the extended Alarm+ package you receive alarms when power fails, or when power or temperature moves outside your set alarm range. Save time and money by being able to fix problems when and where they happen. SmartPlug connects any electrical equipment to the My.Luda.Farm app. Turn your important electric equipment on/off using your phone, tablet or computer, wherever you are. Monitor temperature and power consumption in simple graphs directly on your phone. Receive alarms in your phone or by email when there is a power failure. Receive alarms when temperatures fall outside your set range or when they change very fast. Receive alarms when power consumption falls outside of your set range, combine monitoring functions with advanced timers, turn power on/off at sunset and sunrise, or in response to the room temperature. Please check the need of adaptors for your country Front Type F (Schuko) Backside Male Type E (French)

Reference	Description
LUD1071	Smart Plug



Derby-corner manger

Made of very high impact resistant plastic with rounded eggs. Shock -and shutterproof. Complete with bitin lip. 24 litres capacity. Width approx. 63cm.

Reference Description

122204 24 l



Universal manger with grasp

Made of very high impact resistant polypropylene with rounded edges. With carrying handle 13 litres capacity. Dimension: width x height x depth = 36.5 x 38 x 28cm.

Reference Description

122205008 Green **NEW**

122205002 Black



Feed bucket without handle

Plastic with steel attaching hools perfectly adapted for boxes doors. Very resistant Dimensions: 38.1 x 30.5 x 25.4 cm.

Reference Description

122202002 Black

122202006 Blue

122202008 Green

122202020 Purple



Portable manger, 13.5 liters

Made of very high impact resistant polypropylene with rounded edges With mounting brackets and carrying handle 13.5 litres capacity Dimension: width x height x depth = 36 x 37 x 31cm.

Reference Description

122203002 Black

122203006 Blue

122203008 Green

122203009 Kaki

122203020 Purple



Corner manger

Made of very high impact resistant polypropylene. Long lasting and optimum housing of calves.

Reference Description

122204100 16 l



Manger with suspension

Made of very high impact resistant polypropylene. Portable. Useable for group housing of calves.

Reference Description

122204200 50 l





Square feeder

Made of robust and very high impact plastic. Capacity approx. 10 liters. With rounded edges. The special design prevents tipping.

Reference	Description
122204300	50 l



Manger with hook and handle

Very solid. Perfect for transport. Approx. 14 liters capacity. Several colors are available.

Reference	Description
122206001	White
122206002	Black
122206003	Red
122206006	Blue
122206007	Light green
122206008	Green
122206020	Purple
122206022	Turquoise



Universal manger

Made of very high impact resistant polypropylene with rounded edges. 12 liters capacity. With inner scale 41 x 34 x 35 cm.

Reference	Description
122207002	Black
122207008	Green



Calf and sheep feeder

Made of very high impact resistant polypropylene with rounded edges. 8.5 liters capacity. Foal manger insert also fits with this feeder. Dimension: width x height x depth = 35 x 22.5 x 28 cm.

Reference	Description
122208002	Black
122208008	Green



Foal manger


With adjustable bars. Made of very high impact resistant polypropylene with rounded edges. 8.5 litres capacity. Thanks to the adjustable bars only the foal can take up the feed. Easy, quick and flexible adjustment to suit growing animals. Dimension: width x height x depth = 35 x 22.5 x 29 cm.

Reference	Description
122209002	Black
122209008	Green

Corner hay rack

Depth: 60 cm. Grill type: fine rack. Height: 83 cm. Width: 53.0 cm.

Reference	Description
119400001	33 x 60 x 53 cm



Heavy duty corner hay rack

Depth: 53 cm. Grill type: 12mm diameters bars. Height: 83 cm Width: 53.0 cm.


Reference	Description
119400002	83 x 53 x 83 cm



Hay rack large model

Depth: 70 cm. Height: 45 cm. Width: 70 cm.

Reference	Description
119400003	Big model 70 x 70 x 45 cm
119400004	Little model 50 x 35 x 21 cm



Half-round hay rack

Hay rack form: Half-round. Depth: 42 cm. Height: 62 cm. Width: 73.0 cm. Material: Zinc-plated steel.

Reference	Description
119400005	73 x 62 x 42 cm



Salt lick holder

The plastic salt lick holder helps to avoid animal dung waste and pollution of mineral supplements. Helps to control the animal salt consumption. For round and square lickstones up to 10 kg. Solid design, plastic. Anti-bite edge. UV-resistant

Reference	Description
119300002	Black
119300004	Brown
119300006	Blue
119300008	Green
119300021	Purple




Salt lick holder

For 2kg lickstones; Solid design. Foodsafe. Anti-bite edge. UV-resistant

Reference	Description
119300204	Marron





PVC broom

Height: 90 mm, Width: 70 mm, Length: 400 mm, Material: PVC. Ideal to use when the ground is rough. For big sweeping jobs (wet or dry). Delivered without handle. Exists in 3 sizes.

Reference Description

129300040 40 cm

129300060 60 cm

129300080 80 cm



Green range brooms

A high quality range. Without shaft. Suitable shafts: 129007002 and 129007003.

Reference Description

129300100 Scrubbing broom - 29 cm

129300120 Universal - 40 cm

129300140 Large - 40 cm



Südharzer-farmers broom


Plastic shaft holder (24 mm). Dustbinding, moisture resistant and very robust due to Arenga / Elaston bristles. Ideal for high load. Without shaft. Suitable shafts: 31166, 31034. .

Reference Description

129300160 40 cm

129300180 50 cm

129300200 60 cm



Hall broom

With saddle wood and shaft hole (24 mm). With red and moisture resistant PVC bristles. Without shaft. Suitable shafts: 129007002 and 129007003.

Reference Description

129300220 40 cm

129300240 50 cm

129300260 60 cm



PVC roadman broom 32 cm

Height: 130 mm, Width: 70 mm, Length: 320 mm, Material: PVC. For small sweeping jobs, dry or wet. Delivered without handle.


Reference	Description
129310	L 320 mm L 70 mm H 130 mm / Rouge



Yard broom

With saddle wood and shaft hole (24 mm). Very durable due to extra strong plastic bristles made of Elaston. Without shaft. Suitable shafts: 129007002 and 129007003.

Reference	Description
129310100	32 cm
129310200	40 cm



Pavement broom in rice straw

Also known as «the Paris broom». To wet sweeping of leaves, straw and other light waste. Delivered without handle. Assorted colors.

Reference	Description
129312001	Without handle



Rice straw broom 30 cm

Broom in rice straw. Length of the handle: 94 cm, Length of the broom: 139 cm Width of the broom: 30 cm, Weight of the broom with handle: 0.7 KG.

Reference	Description
129312003	



Wooden handle 28 mm

Can be used with ref. 129300040-060-080, 129312, 129312001. Diameter: 28 mm.

Reference	Description
129390	Ø 28 mm





Shaving fork with handle

Metal fork with 120 cm handle. Intended for box stalls with wood shavings. Width of the fork: 35 cm.

Reference Description

129480100 120 cm



Manure fork, 4 teeth

Fork 4 teeth ideal for manure. With ash handle 135 cm. Height of the teeth: 22 cm. Width of the teeth: 31 cm. Anti-corrosion protection, the fork is lacquered.

Reference Description

129480600 Gold lacquering

129480300 Silver lacquering



Hay fork, 3 teeth

Hay fork with 3 teeth and ash handle 135 cm long. Anti-corrosion protection. Height and width of the fork head: 30 cm

Reference Description

129480400 Gold lacquering

129480500 Silver lacquering



Forks with spring socket

Without shaft. 1/2 gold and 1/2 silver lacquered. Suitable shafts 129007008 and 129007010.

Reference Description

129480510 26 x 20 cm - 3 teeth

129480610 26 x 20 cm - 4 teeth

129480620 26 x 20 cm - 6 teeth



Aluminum handle for fork

Length 123 cm. Without shaft. Suitable shaft:129480201.

Reference	Description
129480200	Polycarbonate



Shaving fork with extra high side parts

No lateral falling down of muck. Without shaft. Suitable shaft:129480201.

- Solid plastic
- 17 prongs
- Prong length approx. 35 cm
- Fork width approx. 40 cm.

Reference	Description
129480202	Shaving fork



Aluminum handle for fork

Length 123 cm. For ref 129480200 and 129480202.

Reference	Description
129480201	Polycarbonate



Shaving fork «Original Swedish»

Extrem durable, flexible, virtually unbreakable plastic with a high rate of polycarbonate. Extra angular prongs for easy gathering of shavings and manure. Without shaft.

- 18 prongs
- Fork width approx. 40 cm

Reference	Description
129480102	Grey
129480106	Blue
129480108	Green
129480120	Pruple



Shaft for shaving fork «Original Swedish»

Incl. bolts. Approx. ø 26 mm. 115 cm long. Aluminium with plastic handle.

Reference	Description
129480112	Grey
129480116	Blue
129480118	Green
129480121	Pruple





Stablemate

- Complete set with shovel and rake
- Ideal for partial resistant cleaning.

Reference	Description
-----------	-------------

129480205	Complete
-----------	----------

129480206	Shovel
-----------	--------

129480207	Rake
-----------	------



Effluent ladle with socket

Plastic. Without shaft. Suitable shaft:129007013.

Reference	Description
-----------	-------------

129007	DIA 23 NM
--------	-----------



Hay rake

- Solid high quality plastic for a long durability
- Approx. 64 cm wide
- Delivery without shafts
- Suitable shaft: 129007003

Reference	Description
-----------	-------------

129481	16 teeth
--------	----------



Scoop in galvanized sheet metal 1.5 L

Grain scoop in galvanized sheet metal. Plastic sleeve.

Reference	Description
-----------	-------------

129010100	Little model 1,5 L
-----------	--------------------

129010150	Middle model 2 L
-----------	------------------



Plastic shovel

Plastic feeding shovel. Easy to use and to clean. Non toxic. 1,5kg. Available in 4 colors.

Reference	Description
-----------	-------------

129011003	Red
-----------	-----

129011010	Yellow
-----------	--------

129011019	Orange
-----------	--------

129011002	Grey
-----------	------





Plastic feed scoop

Colour: White Material: Plastic Size: 1 L Form: small feed plastic scoop. Non-toxic.

Reference	Description
129012	1 L
129012015	1,5 L
129012020	2 L



Round aluminium scoop

Thanks to this high-quality aluminum round loading shovel, you can easily feed your animals. Its aluminum construction offers an incomparable resistance as well as a lightness that you will appreciate! The round aluminum shovel is also available in 1.6 and 2.5 kg.

Material: Aluminum. Round shape: Small.

Reference	Description
129010003	0,750 kg
129010004	1,6 kg
129010006	2,5 kg



Flat aluminium scoop

Flat feeding scoop in aluminium. Sustainable quality.

Reference	Description
129010001	1 kg
129010002	1,6 kg
129010005	2,5 kg



Aluminiums grains shovel

Ideal for grain. Supplied with handle.

Reference	Description
129015	Handle 1,30 m



Shovel «Holsteiner»

Without shaft. Powder coated steel. Suitable shafts: 129007004, 129007006 and 129007007.

Reference	Description
129015100	27 x 25 cm





Aluminium shovel

Material thickness: 2 mm, Suitable shafts 129007004, 129007006 and 129007007.

Reference	Description
129015300	Sans manche 38 x 38 cm
129015400	Avec manche 38 x 38 cm
129015500	Sans manche 34 x 33 cm



Aluminium shovel

Reference	Description
129015800	With T handle 41x33 cm



Aluminium shovel

Material thickness: 2,5 mm, Suitable shafts 129007004, 129007006 and 129007007

Reference	Description
129015600	38x38 cm



Aluminium shovel

Suitable shafts 129007004, 129007006 and 129007007.

Reference	Description
129015700	Without shaft



Feeding cup 1,5L



- Easy measuring of feed quantity with inner scale
- Food safe polypropylene
- Shatter-proof premium plastic
- Perfect for bagged feed – the short handle avoids cracks.


Reference	Description
129016	Red



Straight scraper

Bib material: Caoutchouc. Length: 60 cm. Bracket material: Zingue.


Reference	Description
129005	60 cm
129006	Rubber for straight scraper, 60 cm



Curved dung scrapers

Rubber band. The rubber band and the handle brace are replaceable. Stick not included. Zinc plated.


Reference	Description
129001	75 cm, Spare rubber 75 cm: ref. 129 002
129003	55 cm, Spare rubber 75 cm: ref. 129 004



SMP dung scraper

Ejection squeegee, reinforced model. Use for the maintenance of waiting areas, curtains. Galvanized. Delivered without sleeve.

Reference	Description
129008	75 cm - Spare rubber: 129002
129009	55 cm - Spare rubber: 129004



Galvanized PRO-LINE curved scraper 65 cm

Curved scraper made of galvanized. The rubber band and the handle attachment are removable. Delivered without handle. 65 cm. **Limited stock.**

Reference	Description
129005300	65 cm



ECO-LINE straight scraper 55 cm

Straight scraper in Galvanized steel. **Limited stock.**

Reference	Description
129005800	55 cm





Stainless steel straight scraper

Delivered with 2 rubbers. Ideal after washing the floor. **Limited stock.**

Reference Description

129005400 40 cm

129005410 55 cm



Stainless steel scraper 60 cm

In stainless steel. For the cleaning duckboard, piggeries, milking room. Delivered without handle. 60 cm. **Limited stock.**

Reference Description

129005100 60 cm



PRO-LINE stainless steel straight scraper 65 cm

Stainless steel straight scraper. **Limited stock.**

Reference Description

129005500 65 cm



Pull scraper green 35 cm

Green, lacquered steel. Useful for keeping holding areas and sawdust covered grounds clean. Stick not included.

Reference Description

129009100 35 cm




Wooden handle for scrapers 1,30 m

Wood handle for scrapers. Diameter: 30 mm. Length: 1.30 m.

Reference Description

129007001 1,30 m



Stainless steel floor squeegee

Removes all chaff and dust without lifting. The soil dries out faster. Lightweight and easy to wash. Length: 44 cm.

Reference Description

129271 44 cm

129272 60 cm



CRESYL® bactericidal disinfectant fungicide

CRESYL is an effective disinfectant based on phenolic oil and cresol oil. The product is ideal to clean and for disinfecting cattle barns, rabbit hutches, hen houses and all transport equipment. The dilution rates is 3% (3 liters of Cresyl for 100L of water) 1 liter.

Reference	Description
000601001	Little model - 1 L
000601005	Big model - 5 L



EUTRA Stable dryer 25 kg

EUTRA

EUTRA stable dryer is a very effective product to keep the litter dry and thus ensuring the hygiene of the barn. The product is perfectly adapted to barns for pigs, cattles, horses and poultry. Composed of minerals that absorb liquid substances, essential oils with disinfecting properties. This product keeps the sleeping areas clean. In treated barns, there is a clear reduction in the risk of disease and a noticeable improvement in air quality. EUTRA Barn Dryer is particularly suitable for use in the kennel litter box for young piglets and for the powdering of newborns at barn, which reduces bites and promotes healing. It can also be applied to sleeping areas in the breeding center, free-stall barns and fattening barns, straw barns, stables, kennels and poultry houses. Dries sleeping areas and thus reduces the risk of infections and diseases. • Reduces ammonia emissions (up to 53%). • Improves animal welfare in barns.

Reference	Description
112570250	25 kilos



Gilmour Sprayer

Gilmour

Ideal for spraying hot or cold water. Metal head insert for maximum resistance to hot water, Male hose threaded front for attaching accessories, Metal valve stem and adjusting nut, Rubber head guard protects threads, Flow control adjusts water flow Hold-open clip for continuous spraying, insulated handle.

Reference	Description
123500	Color: Red



Sprayer «soft comfort grip»

Sprayer gun head «Soft Comfort Grip» with zinc insert and sic nozzle. Case made of zinc mold with «Thermoguard» rubber protection. Has a very good grip, even with wet hands.

Reference	Description
123390	Zinc



Multi-use sprayer

Adjustable jet with brass nozzle. Anatomical shape, shockproof.

Reference	Description
123400	Shockproof

Cattle counter KAMER

KAMER

For an evaluation of the number of living animals. 4 rows. Metal. Manual.

Reference	Description
129041	Metal



First electronic scale

KAMER

This Kamer First electronic load cell is ideal for making a precise weighing up to 30% 25 kg. Its digital screen, you will get an easy & Read and you will be sure never to make any mistakes. This electronics is a remarkable precision, Its graduation of 10 g. The weight can be measured in kg or in pounds. This electronic load cell has a very handy ergonomic handhold that allows you to hold it firmly when weighing. Not allowed for commercial transactions.

Load cell type: electronic. Color: black and green.

Reference	Description
129051025	25 kg graduation: 20 g
129051050	50 kg graduation: 20 g
129051100	100 kg graduation: 100 g
129051150	150 kg graduation: 100 g



Digital scale

KAMER

Peson KAMER Digital display Color Assorted Prohibited for commercial transactions. The new KAMER crane scale is robust, precise and highly reliable. The large and bright led display allows easy reading. Shockproof and vibration resistant construction makes the weighting fast and stable. Raising, weighting, and registering data are done at once. Your best partner for construction, agriculture, warehouse, factory, dock or storage. Not for commercial use.

Reference	Description
129053030	300 kg graduation: 100g
129053100	1000 kg graduation: 500g

300 kg



1 ton



Digital crane scale 200 kg

KAMER

Not allowed for commercial transactions. New model with more advanced electronics. Versatile, reliable, accurate and easy to use. New large LCD display for better visibility (visual distance over 10m). Removable hook.

Reference	Description
129051200	200 kg

200 kg





Standard spring scales

KAMER

Spring balance type: Dynamometric KAMER. Not allowed for commercial transactions.

Reference	Description
129055005	Graduation precision: 20 g/Kilos number: 5 kg
129055010	Graduation precision: 50g/Kilos number: 10kg
129055025	Graduation precision: 100g/Kilos number: 25 kg
129055050	Graduation precision: 250 g/Kilos number: 50 kg
129055100	Graduation precision: 500 g/Kilos number: 100 kg
129055250	Graduation precision: 1000 g/Kilos number: 250 kg



Special fishing scale

KAMER

Graduation precision: 250 g/Kilos number: 20 kg. Not allowed for commercial transaction.

Reference	Description
129049	0 to 20 kg



Kitchen scale 150 kg

KAMER

Kitchen scale, not allowed for commercial transactions. High precision sensor system- Large LCD backlit display. Different weighing units (kg, lb, b / oz)- External calibration- tare function- Capacity: 150 kg. Low battery and overload indication- Remote display (on the wall, desk ...). Allows weighing large packages without hiding the display. Stainless steel platform. Power: 1.5Vx4AA battery or 110V adapter (included). Does not stop automatically. Built-in clock (press the ON / TIME button to see the time).

- Minimum weight: 300g
- Graduation by 50g.

Reference	Description
129052150	150 kg - Graduation by 50g



Maxi mini digital thermometer dual display

Instructions The MAX-MIN thermometer simply records the maximum and minimum temperatures obtained during a period. Fix the thermometer in a vertical position, away from heat and direct sunlight. Press &C/F» to select the measurement unit.

Specifications:

Digital display: MAX/MIN temperature recorded -40+50°C / -40+120°F

Plastic body. Protection roof. AAA battery.

Reference	Description
129021250	White



Mini maxi thermometer hygrometer

Indoor or outdoor thermometer with digital display of temperatures. Temperature °C / °F. With mini-max. Wall hook. Works with 2 x 1.5V AAA batteries provided. Dimensions: 80 x 132 x 30 mm Weight: 86 grams (without batteries).

Reference	Description
129021200	White
129021208	Green



Mini maxi thermometer hygrometer

Specifications:

-50+ 70°C / -58+ 158°F / 20-99% RH. Display resolution: 0.1 / 1 % RH. Accuracy: ± 1 °C / ±2°F / ±5% RH. Cable: 200 cm. Double display. MAX/MIN- IN/OUT Ice point alert. Hygrometer functions: INT. 1 AAA battery.

Reference	Description
129021300	White




Thermometer indoor/outdoor dual display

Specifications: -50+ 70°C / -58+ 158°F
Resolution: 0.1°; Accuracy: ±1°C / ±2°F
Cable: 200 cm. MAX/MIN IN/OUT Alarm. AAA battery.

Reference	Description
129021400	White





Wall thermometer

Wall plastic thermometer. Blue liquid filled. Mercury free. Minimum temperature: -30°C. Maximum temperature: 50°C.

Reference Description

129023	15 cm
129025002	25 cm
129022	40 cm



Freezer thermometer

Freezer thermometer. 160 x 29 cm. 18 g. Minimum temperature: -40°C. Maximum temperature: 20°C.

Reference Description

129026	Special freezer
--------	-----------------



Digital thermometer extra long probe with handle

Digital thermometer extra long probe with handle, special for tanks, hay, cheese, ground, temperature control in inaccessible areas. Stainless steel probe # 340 suitable for food contact.

Characteristics:

Fixed probe very long : 1.45m. -50°C to +200°C / -58°F to +392°F

Resolution: 0.1°. Accuracy: ±1°C / ±2°F. Big digit. Stainless steel probe # 340 (suitable for food contact: 1450mm - Å 10mm. Tip Protection. 1 battery LR03AAA.

Reference Description

129021560	Height: 145 cm
-----------	----------------



Electronic rain group pressure cordless

Functions:

- Rain registering from 0 to 9999 mm.
- Rain alarm.
- Indoor/outdoor thermometer.
- Temperature alarm.
- Date and hour.
- Delivered with rain collector and digital screen.
- Battery not included.



Reference Description

129031100 Electronic rain group pressure cordless

Rain gauge

The rain gauge must be placed in an open area and inserted in the ground vertically.

Reference Description

129030 Rain gauge



Simple wall bell

Bell height: 7 cm. Bracket height: 20 cm. Bell with wrought forged steel bracket, brass bell.

Reference Description

121901 20 cm




Deluxe wall bell double

Bell height: 8 cm. Bracket height: 40 cm. Bell with wrought forged steel bracket, made of one piece, brass bell.

Reference Description

121905 40 cm





LED flashlight EXPLORER small model



EXPLORER flashlight: the multi-function accessory to have at home!
 Long autonomy: about 5-8 hours of main light, 4 hours of working light. Customized lighting with **3 lighting levels**: low, high and work light. Convenient: easy USB charging and nomadic. Easily transportable thanks to its ergonomic handle.
 Use sunlight to charge the lamp. The red LED on the back of the torch will indicate that the torch is charging. Charging time will depend on the power of the sun. The LED will turn green when the fixture is charged.
 Dual-beam LED flashlight with flexible housing. LED lifetime ±100,000 hours
 Maximum distance: 200 meters. Power: 3 watts. Supplied with USB charger. Warranty: 1 year.

Reference	Description	
126110	Small model	



Rechargeable flashlight EXPLORER large model



EXPLORER flashlight: the multi-function accessory to have at home!
 Long autonomy: about 15 hours. Custom lighting with **4 lighting levels**: low, high, flashing and work light. Practical: easy USB charging and nomadic. Easily transportable thanks to its ergonomic handle.
 Dual-beam LED torch with flexible housing. 10 watt high-power LED
 Supplied with a mains charger and a belt. 1 year warranty.

Reference	Description	
126120	Large model	



Special adhesive tape for films

For repairing damaged films (for example round bales, square bales and flat films). 10 cm wide and 10 m long. Extremely high adhesive power. Highly UV-resistant. Useful also on wet films.

Reference	Description	
129280001	White	
129280002	Black	
129280008	Green	



Harvest basket 15 L

Galvanized steel. In welded mesh. Handles in wood. Capacity 15 L.

Reference	Description
300015	15 L

Trigger hook, round rotating eye 20 mm

Eye diameter: 20 mm. Eye form: Round Nickel-plated steel. By pair.

Reference	Description
130700500	Round - 20 mm
130700521	Round - 30 mm
130700530	Square - 20 mm



Snap hook

Nickel-plated iron, rectangular rotating loop.

Reference	Description
130700531	



Snap hook

Nickel-plated iron, 20 mm oval, rotating loop.

Reference	Description
130700532	Oval - 20 mm



Snap hook

With round swivel for chain galvanizes.

Reference	Description
130700533	Galvanized 



Snap hook of panic, fixed round eye

Eye diameter: 20 mm. Eye form: Round. Panic hook was invented and manufactured to quickly release a horse that pulls strongly in the clip.

Reference	Description
130700536	20 mm
130700537	25 mm





Panic hook

Reference Description

130700523 Galvanized. By unit.



Snap hook

Nickel-plated steel. Delivered by unit.

Reference Description

130700538 10 cm

130700546 12 cm

130700540 14 cm



Snap hook

Nickel-plated steel. By pair.

Reference Description

130700545 5 cm

130700543 6 cm

130700542 7 cm

130700541 8 cm

Snap hook

Galvanized.

Reference Description

130700548 50 x 5 mm

130700549 50 x 5 mm

130700550 60 x 6 mm

130700552 60 x 6 mm

130700553 70 x 7 mm

130700554 70 x 7 mm

130700555 80 x 8 mm

130700556 80 x 8 mm

130700557 90 x 9 mm

130700558 90 x 9 mm

130700559 10 x 10 mm

130700560 10 x 10 mm

130700562 120 x 11 mm

130700568 120 x 11 mm

130700569 140 x 12 mm



Swivel hook

Size: 22 x 22 mm. Nickel-plated steel. By pair.

Reference Description

130700539 22 x 22 mm

Carabiner, 29 mm

Reference Description

130700535 29 mm



D ring universal trigger hook

D-ring 3". By piece.

Reference Description

130700547 12 cm / 5 inches



O ring universal trigger hook

O-ring safety trigger hook. 12 cm.

Reference Description

130700551 12 cm / 5 inches



Quick link

Galvanized. By piece.

Reference Description

130700563 5 cm

130700564 6 cm

130700565 7 cm

130700566 8 cm

130700567 10 cm




Attachment ring to screw

With ring to screwing. Galvanized steel. Plate: 50 mm x 50 mm x 4 mm. Ring: Inside diameter: 50 mm. Thickness: 8 mm.

Reference Description

130700620 5 cm




Fixed attachment ring

5 cm plate to screwing. 2.5 cm bulk ring (20 mm x 14 mm). Hot dip galvanized.

Reference Description

130700622 5 cm





Eye bolt

Galvanized. By 10.

Reference	Description
130700623	Iron thread, - 100 mm
130700624	Iron thread, - 140 mm
130700626	Wooden thread - 70 mm



Lynch pins

Galvanized.

Reference	Description
130700510	6 mm
130700511	8 mm
130700512	10 mm



Trigger hook plate

For example, to attach a bucket to a wall. 5 cm. Galvanized.

Reference	Description
130700675	5 cm



Eye bolt

Galvanized. By unit.

Reference	Description
130700621	50 x 50 mm



Shackles

Galvanized. Curved version. By 10.

Reference	Description
117711	3/8" diamètre 10 mm



Shackles

Galvanized. Straight version. By 10.

Reference	Description
117712	1/4" - Ø 66 mm
117713	5/16" - Ø 8 mm
117714	3/8" - Ø 10 mm
117715	1/2" - Ø 12 mm



Honda quick release hook

Honda quick release hook. 8 cm.

Reference	Description
121117102	



Pressure sprayer «Venus Super 360»

- Practically and multifunctional
- Modern und unique design
- Safety valve for perfect pressure control
- Articulated spray tip for hardly accessible places
- Ergonomic hand grip
- 360° system, works in any position even upside down
- Transparent scale on the tank for filling level control
- Made of high impact plastic
- Durable base ring for stabilizing and protecting the sprayer
- 3 years tank guarantee

Reference	Description
129902001	1 L
129902015	1,5 L
129902020	2 L



Knapsack sprayer «Neptune Super»

- Practically, reliable and multifunctional during long work
- Modern und unique design
- Handle with gauge working pressure under permanent control
- Glass fiber telescopic lance, adjustable from 60 up to 120 cm
- Practical for right und left-handers
- Handle and lance can be placed in an upright position at the side of the tank
- Easy tank filling
- Ergonomic formed tank and padded suspenders
- Transparent scale on the tank for filling level control
- Made of high impact plastic
- 6 years tank guarantee

Reference	Description
129900	15 L



Compression sprayer «Orion Super»

- Practically, reliable and multifunctional sprayers
- For professionell farming, hobby farming, home and garden
- Safety valve for perfect pressure control
- Glass fiber telescopic lance, adjustable from 60 up to 120 cm
- Handy funnel for easy tank filling
- Ergonomic belt
- Transparent scale on the tank for filling level control
- Made of high impact plastic
- Durable base ring for stabilizing and protecting the sprayer
- With additional base ring feed to help pumping the sprayer
- 5 years tank guarantee

Reference	Description
129901	6 L



Trigger sprayer «Mercury Super 360»

- Practically and multifunctional
- Regulable nozzle for perfect spray control
- Double action trigger: 1 x squeeze = 2 x release jet (easy spray function)
- Ergonomic hand grip
- 360° system, works in any position even upside down
- Transparent scale on the tank for filling level control
- Made of high impact plastic
- Durable base ring for stabilizing and protecting the sprayer

Reference	Description
129903	1 L



MILK AND MEAT PROCESSING



MILK PROCESSING

190

MEAT PROCESSING

193

ACCESSORIES

197





MILKY has over 25 years experience in the milk processing market. As producers of both the Milky cream separators and Milky butter churns, they have become one of the most appreciated brands worldwide. Their Milky cream separators, butter churns and pasteurizers are continuously developed by their research and development team to meet the needs of the customers who can rely on their quality worldwide. Leading technology, constant innovation, the highest precision in processing and the use of high-quality materials are all invaluable in the production of their products. A long life span, unproblematic working and easy operation of their products are self-evident. They have developed a wide range of products for milk, butter, yogurt and cheese processing. Everything you need in direct milk processing on the farm.



Cream separator AR 140 ECO



The cream separator MILKY AR 140 ECO allows the separation of small and medium quantities of milk. It is very easy to handle. We recommend the use of this cream skimmer for semi-professionals, in particular for breeders wishing to start processing milk on the farms. The ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. Materials: The body is made of plastic. The milk and cream outlets, the container holder and the milk container are made of polished, food-grade aluminum. The upper bowl and the discs in the upper bowl are also food grade.

Reference	Description
-----------	-------------

150600020	<p>Technical data:</p> <ul style="list-style-type: none"> • Dimensions: 40 x 24 x 42 cm • Power: 60W • Performance: 130-140 liters / hour • RPM: 8500 • Cream production: between 8% and 12%.
-----------	---

Technical data:

- Dimensions: 40 x 24 x 42 cm
- Power: 60W
- Performance: 130-140 liters / hour
- RPM: 8500
- Cream production: between 8% and 12%.





Butter churn

The manual 10L, electric 10L and electric 32L MILKY butter churns are ideal for small productions of homemade butters. These machines are intended for semi-professionals, professionals, as well as for farmers wishing to start milk processing on farms. They are the perfect solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. They allow an optimal yield of between 32% and 42% butter. It consists of:

- a 10 litre or 32 litre cream container depending on the model
- a removable stainless steel mixer

Reference Description

150700020

MANUAL 10L

Technical data:

- Dimensions: 40 x 24 x 42 cm
- Power: 60W
- Performance: 130-140 liters / hour
- RPM: 8500
- Cream production: between 8% and 12%.

150700010

ELECTRICAL 10L

Technical data:

- Tank volume: 10L
- Working time per cycle: 20-35 min.
- Filling capacity from 1.5 to 3.8L
- 4 speeds: 30. 60. 90. 150 rpm
- Power: 550W
- Dimensions: 39 x 33 x 31.5 cm
- Materials: plastic cover and stainless steel body.

150700030

ELECTRICAL 32L

Technical data:

- Tank volume: 32L
- Working time per cycle: 20-35 min.
- Filling capacity from 6 to 13L
- Power: 250/370W
- Dimensions: 70 x 32 x 46 cm
- 2 speeds: 70 and 140 rpm
- Materials: plastic cover and stainless steel body.





15 L



30 L



50 L



50 L



Table non fournie.

Pasteurizer

The pasteurizers MILKY 15L, 30L, 50L and 50L with mixer allow the pasteurization of milk and juices, as well as the production of cheese, yoghurt and other dairy products. Can also be used for heating calf's milk (colostrum), for feeding, honey liquidation, honey wax production, etc. These machines are intended for semi-professionals as well as to farmers wishing to start milk processing on farms. They are the ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. The pasteurizer works on the model of a water bath. All pasteurizers consist of a removable filling tank, a double wall heated to the desired temperature, an inlet with a pipe for filling the double wall with cold water for cooling the milk, an outlet with a pipe for draining off the hot water, a thermometer on the lid, the lid lock for maintaining the heat and a control display (setting the water temperature + pasteurization heating time). The 50L pasteurizer with mixer also consists of:

- a mixer,
- a time setting,
- a stable mixer support for the table version (wheels for stable support).

Reference

Description

150800010

15 L

Technical data:

- Power: 230W
- Tank volume: 15 L
- Filling capacity: 2L-14L
- Temperature setting: 4-100° C
- Time setting: 1 - 999 min
- Maximum temperature: 90°.
- Dimensions: 32 x 32 x 52 cm
- Weight: 6kg
- Stainless steel

150800020

30 L

Technical data:

- Power: 230W
- Tank volume: 30 L
- Min. filling capacity: 5L-29L
- Temperature setting: 4-100° C
- Time setting: 1 - 999 min
- Maximum temperature: 90°.
- Dimensions: 48 x 48 x 55 cm
- Weight: 12kg
- Stainless Steel

150800030

50 L

Technical data:

- Power: 230W
- Tank volume: 50 L
- Filling capacity min: 25 L-45 L
- Temperature setting: 4-100° C
- Time setting: 1 - 999 min
- Maximum temperature: 90°.
- Dimensions: 76 x 76 x 78 cm
- Weight: 32kg
- Stainless steel
- Mixer

150800040

50 L avec mélangeur

Technical data:

- Power: 400W
- Tank volume: 50 L
- Capacity min - max: 25 L - 45 L
- Temperature setting: 5-94° C
- Time setting: 1 - 999 min
- Maximum temperature: 94° C
- Dimensions: 76 x 76 x 78 cm
- Weight: 31kg
- Stainless steel
- Mixer



In the heart of the Po river plane, cradle of secular traditions and love for good food; Reber was born in 1964 in Luzzara, where land is more fertile and thanks to the water of the great Po river. After taking the first steps in field of machining for third parties, the founding partners began producing small household electrical appliances. This production has been enlarged and improved over time and today it also includes the production of machines for industry.

Meat mincer



Semi-professional meat mincers REBER are intended for professionals who want robust and quality equipment for the processing of their minced meat and the production of home-made fillings. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The meat grinders have a hourly production from 30 to 160 kg and are guaranteed for 2 years. REBER brand of 100% Italian manufacture. Guarantee of quality. All the meat mincers consist of an induction motor with continuous operation, an oil bath gearbox with a Long Life type oil suitable for contact with food, AISI 430 stainless steel fairing, body, propeller and a nut made of food certified tinned cast iron, a top plate made of stainless steel AISI 304, a steel plate, a knife made of C55 steel as standard and a pulse reversal switch.

Reference Description

- 150100001 Meat mincer REBER N5 - 400W**
- Dimensions: 35 x 17 cm,
 - Height: 26.5 cm,
 - Weight: 9 kg,
 - Hourly production: 30/50 kg,
 - Grill hole: 6 mm.

- 150100002 Meat mincer REBER N12 - 500W**
- Dimensions: 54 x 22 cm,
 - Height: 32 cm,
 - Weight: 16.3 kg,
 - Hourly production: 50/90 kg,
 - Grill hole: 6 mm,
 - 2 funnels provided for gutting.

- 150100003 Meat mincer REBER N22 Classic - 600W**
- Dimensions: 51 x 23 cm,
 - Height: 33 cm,
 - Weight: 31.3 kg,
 - Hourly production: 70/120 kg,
 - Grill hole: 8 mm.

- 150100004 Meat mincer REBER N32 - 1200W**
- Dimensions: 58 x 25.5 cm,
 - Height: 36 cm,
 - Weight: 29.3 kg,
 - Hourly production: 100-160 kg,
 - Grill hole: 10 mm.

best seller
UKAL



Our different grill sizes are available on page 198

UKAL'S TIP

It is advisable to change the engine oil every 3 years.





Inox sausage filling machines

The sausage filling machines have a stainless steel tube, a square bar steel rack to guarantee a major power take-off surface, a nylon 6.6 piston support, a cover, a piston and a plastic gasket for food use. We offer vertical or horizontal REBER plungers with capacities from 3 to 15 kg. All sausage filling machines have 2 speeds and are supplied with 4 funnels: 19, 25, 30 and 40.



Reference Description

15020001 Sausage filling machines REBER 2 speeds 5kg PRO

- Capacity: 5 Liters
- Dimensions: 57,5 x 33,5 cm
- Height: 20,5 cm
- Weight: 10,5 kg

15020002 Sausage filling machines REBER 2 speeds 8kg PRO

- Capacity: 7 Liters
- Dimensions: 67 x 33,5 cm
- Height: 20,5 cm
- Weight: 11,9 kg

15020003 Sausage filling machines REBER 2 speeds 10 kg PRO

- Capacity: 10 Liters
- Dimensions: 74 x 41 cm
- Height: 22 cm
- Weight: 19,4 kg

15020004 Sausage filling machines REBER 2 speeds 12 kg PRO

- Capacity: 12 Liters
- Dimensions: 83 x 40 cm
- Height: 23 cm
- Weight: 21 kg

150201001 Inox sausage filling machines REBER 2 speeds 5kg PRO

- Capacity: 5 Liters
- Dimensions: 57,5 x 33,5 cm
- Height: 20,5 cm
- Weight: 10,4 kg

150201002 Inox sausage filling machines REBER 2 speeds 8kg PRO

- Capacity: 7 Liters
- Dimensions: 67 x 33,5 cm
- Height: 20,5 cm
- Weight: 11,9 kg

150201003 Inox sausage filling machines REBER 2 speeds 10kg PRO

- Capacity: 10 Liters
- Dimensions: 74 x 41 cm
- Height: 22 cm
- Weight: 19,4 kg

150201004 Inox sausage filling machines REBER 2 speeds 15kg PRO

- Capacity: 15 Liters
- Dimensions: 86 x 26 cm
- Height: 29 cm
- Weight: 25 kg

150202001 Inox sausage filling machines REBER 2 speeds 3kg PRO vertical

- Capacity: 3L
- Dimensions: 28 x 24 cm
- Height: 60 cm
- Weight: 8,5 kg

150202002 Inox sausage filling machines REBER 2 speeds 5kg PRO vertical

- Capacity: 5L
- Dimensions: 40 x 31 cm
- Height: 70 cm
- Weight: 14 kg

UKAL'S TIP

It is imperative to clean and dry the components immediately after use to avoid damaging the equipment. It is important to regularly grease the tank seal with oil (sunflower oil) and especially not to clean them with aggressive detergents.





Food slicer

The ham slicers REBER, with 20 or 25 cm blades, are designed for professionals who want robust and quality equipment for cutting their meat, sausages and fish. From breeders to professionals in the meat industry (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The ham slicers are guaranteed for 2 years. REBER brand of 100% Italian manufacture. Guarantee of quality. They have a die-cast aluminium base varnished with steel effect, a professional tempered and fitted 200m steel blade with fixed protective ring, a movable partition made of molten aluminium with steel tips, a blade protector, a tray and a wall made of molten aluminium with a simple cleaning system, a blade shaft mounted on double ball bearing, a ventilated 140W professional motor, a safety button, a cutting thickness adjustment, a double ball bearing, a ventilated 140W professional motor, a safety button, a cutting thickness adjustment. from 0 to 16 mm.

Reference Description

150300001

REBER food slicer 20cm blade

- Motor power: 140 W,
- Dimensions: 46.5 x 34.5 cm,
- Height: 29.5 cm,
- Weight: 10 kg,
- Cutting thickness adjustment from 0 to 16 mm,
- Removable sharpener NOT INCLUDED available on request.

150300002

REBER food slicer 25cm blade with sharpener

- Motor power: 140 W,
- Dimensions: 53 x 48 cm,
- Height: 37.5 cm,
- Weight 13 kg,
- Cutting thickness adjustment from 0 to 16 mm,
- Fixed sharpener INCLUDED.



UKAL'S TIP

Do not disassemble the blade for cleaning the ham slicer. Clean your equipment easily with a cloth and alcohol.





Vacuum machines automatic

REBER automatic vacuum packing machines are ideal for automatically vacuum packing food. We recommend these machines for family, semi-professional or professional use. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The vacuum packing machines are easy to use, operate without stopping and waiting for cooling and are guaranteed for 2 years. All machines are supplied with 20 bags of 20 x 30 cm. They are equipped with an energy saving system.

Reference Description

150400001 Vacuum packing machine REBER automatic SALVASPESA PLUS

- Colour: white
- Dimensions: 37.5 x 17.5 x 11.5 cm.
- Weight: 3 kg.
- Power: 180 W.
- Empty: -830 mbar.
- Suction: 18 lt/min.
- Sealing bar: 32 cm.

150400002 Vacuum machine REBER automatic FAMILY DE LUXE

- Colour: silver.
- Dimensions: 43.5 x 15.5 x 11 cm.
- Weight: 3 kg.
- Power: 190 W.
- Empty: -830 mbar.
- Suction: 18 lt/min.
- Sealing bar: 32 cm. Supplied with suction hose for box

150400003 Vacuum packing machine REBER INOX 30 cm

- Colour: silver.
- Dimensions: 37 x 27 x 11 cm.
- Weight: 6,5 kg.
- Power: 280 W.
- Empty: -900mbar.
- Suction: 40lt/min.
- Sealing bar: 32 cm. Supplied with a Hose connection for containers.

150400004 Vacuum packing machine REBER INOX 40 cm

- Colour: silver.
- Dimensions: 47 x 27 x 12 cm.
- Power: 335 W.
- Weight: 7,8 kg.
- Empty: -900mbar.
- Suction: 40lt/min. Supplied with a Hose connection for containers.
- Sealing bar: 43 cm.





Vacuum bags and rolls



Vacuum bags and rolls REBER are ideal for optimal vacuum packaging for the preservation of your food fresh. They are resistant and airtight. We recommend these bags and rolls for professionals. From breeders to meat professionals (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The vacuum bags and rolls are easy to use. REBER brand of 100% Italian manufacture.

Guarantee of quality. REBER bags are tested for vacuum cooking up to a temperature of 100°C for a maximum of 4 hours. We recommend cooking at 60°C for 24 hours.

REBER triple-layer bags have all these qualities: 2 inner polyethylene layers suitable for contact with food, 1 outer layer of polyamide which guarantees airtightness against air penetration, 2 layers of polyethylene. These layers make the bag more resistant to punctures and tears and prevent the penetration of moisture, reduce the risk of leakage and the formation of frost and ice crystals in the freezer. Finally, the special indentations on the surface promote the exit and leakage of air and allow the creation of a true vacuum.

Reference	Description
150500015	100 embossed pockets 15 x 25 cm
150500020	100 embossed pockets 20 x 30 cm
150500025	100 embossed pockets 25 x 35 cm
150500030	100 embossed pockets 30 x 40 cm
150510020	2 rolls 20 x 600 cm
150510030	2 rolls 30 x 600 cm
150520005	50 embossed pockets 40 x 50 cm - 105 microns
150520006	50 embossed pockets 40 x 60 cm - 105 microns



Electronic food thermometer



Electronic cooking thermometer for monitoring the temperature of meat, cheese etc. For hot or frozen food. Memory and digital temperature display. Also suitable for monitoring the temperature of air conditioning or soil. It can be boiled.

- Waterproof.
- Comes with battery.
- Scale range in Celsius: -50°C to +200°C.
- Scale range in Fahrenheit: -58°F to +392°F.
- With min. and max. action.
- Length: 20 cm.

Reference	Description
129027	20 cm





Grills for meat mincer REBER

You will find all our mincer grids: 4.5 mm, 6 mm, 8 mm, 10 mm, 12 mm. Depending on the desired result (minced meat, sausages, pâtés). These grills are made of steel, which gives them a clean cut of the meat.



Reference	Description
9REB4007A/4	Grill 4,5 mm - Meat mincer N°5 REBER
9REB4007A/8	Grill 8 mm - Meat mincer N°5 REBER
9REB4007A/10	Grill 10 mm - Meat mincer N°5 REBER
9REB4007A/12	Grill 12 mm - Meat mincer N°5 REBER
9REB4312A/4	Grill 4,5 mm - Meat mincer N°12 REBER
9REB4312A/8	Grill 8 mm - Meat mincer N°12 REBER
9REB4312A/10	Grill 10 mm - Meat mincer N°12 REBER
9REB4312A/12	Grill 12 mm - Meat mincer N°12 REBER
9REB4312A/1	Grill Losanga 3 holes - Meat mincer N°12 REBER
9REB4714A/4	Grill 4,5 mm - Meat mincer N°22 REBER
9REB4714A/6	Grill 6 mm - Meat mincer N°22 REBER
9REB4714A/10	Grill 10 mm - Meat mincer N°22 REBER
9REB4714A/12	Grill 12 mm - Meat mincer N°22 REBER
9REB4714A/1	Grill Losanga 3 holes - Meat mincer N°22 REBER
9REB4750A/4	Grill 4,5 mm - Meat mincer N°32 REBER
9REB4750A/6	Grill 6 mm - Meat mincer N°32 REBER
9REB4750A/8	Grill 8 mm - Meat mincer N°32 REBER
9REB4750A/12	Grill 12 mm - Meat mincer N°32 REBER

UKAL'S TIP

It is recommended to clean the grill and dry it immediately before storing it. Once washed, you can store it in greasy paper.



INDEX

A

Additional FarmCam HD kit	160
Adhesive hoof tape	50
Aluminium milk sampler dipper	65
Anti-kick bars	36
Anti-kick bar US model	35
Anti-odour cap	147
Anti-odour turban	147
Applicator for calf weaners	32
Applicator for UKAFLEX eartags + 2 universal pins	118
ARKOS dehorning kit	27
Artery forceps	10
Attachment ring	185, 186
Automatic syringe	130, 133, 134

B

Battery 85Ah for meadow pump	155
Bells	71, 72, 86
Black markers	118
Black tattooing ink	125
Black tattooing paste	125
Blanket for calves	8
Blocks for DEMOTEC EASYBLOC	46
Bloodless castrator	31, 80
Blue hairnet	147
Bolus gun	24
Boot cleaner	152
Boot remover	152
Bromothymol Mastitis indicator test paper	56
Brooms	166, 167
Brown leather collars	72
Brush	66, 67, 69
Brush for colostrum bags	19
Bull holder	33, 34
Bull marking harness	124
Bull rings	34, 35
Butter churn	191

C

Calf collar	40
Calf feeder bucket	11, 14, 15, 20
Calf muzzle	20, 21
Calf teat	14, 15, 16, 18
Calf weaner	32, 33
Calving gown	148
Calving jack	7
Calving ropes	7
Calving straps	8
Cane	35
Cannula for syringes	132
Carbon fiber lamp	142
Carder	69
Catch hook	82
Catheter	58
Cattle counter	177
Cattle hoof care portico	51
Clay bandage "Corotex"	50
Cleaning brush	66
Clipper blades	100, 104, 105, 106
Cohesive flexible bandage	50
Collar with chain for calf	41
Collar with hook	41

Colostrum bags	19
Colostrum feeder	77
Colostrum refractometer	17
Colostrum scale	17
Complete clipper kit MOSER 1400	112
Complete kit for colostrum	19
Complete set for lamb feeder	75
Complete universal SMB calf teat	12
Control cover seal	63
Control cover without seal	63
Cool spray for comb 500ml	113
Cosmos kit	27
Cow brush	70
Cow collar	39, 40
Cow lift	8, 9
Cow presentation halter	39
Cow strap	41
Cream separator MILKY	190
CRESYL bactericidal disinfectant fungicide	176
Curry combs	68
Curved blade scissors	113
Curved scissors with or without ball tip	10
Cutters	104

D

Dairy apron	149
Dairy sleeves	149
Dehorner for goats	79
Dehorning pen	29
Dehorning saw wire	30
Dehorning saw wire handles	30
Digital thermometer extra-long probe with handle	180
Dip cup	54, 55
Dispenser box	
Disposable overalls	148
Disposable overboots	148
DL disc	43
Dosing bottle for reactive liquid	57
Dosing cup	56
Double adjustment leather halter	38
Double tissues	54
Drenching gun	131, 136
Drenching syringe	132
Drinking bowl	156, 157
Dust mask	147
Dutch bowl	20

E

Ear notcher	124
Eartags	116
Effluent ladle with socket	170
Electric dehorner	26, 28
Electric DEWALT dehorning saw	28
Electronic food thermometer	198
Electronic rain gauge, cordless	181
Eutra hand and body cream	150
EUTRA interlac-Pectin	21
Ewe and ram leather halter	83
Ewespoon with ties	74
Eye bolt	186

F

Fine hoof tar	52
Fish oil with 50% cod liver oil	90
Floating dummy TETIBLUE	12
Forks	168, 169

Freezer thermometer	180
Frost-protection heating cable	158

G

Galvanized tail bridle for cows	37
Gas cartridge	26, 53
Gas dehorner for cattle	25, 26
Gloves	144, 145, 146
Glue SEPTICARE II BOND EXPRESS XL	48
Grain shovel	171, 172
Grills for meat mincer REBER	197
Guide paddle	94

H

Halters	38, 39, 40
Hand sheep clippers	78
Harvest basket	182
Hay rack	165
Hay rake	170
Head gate for sheep/cattle	82
HEINIGER clippers	98, 99, 100, 101
HEINIGER professional shearing plant	102
HEINIGER special comb brush	113
High-quality nylon collar for bulls	39
Hobbles	37
Hoof checker	45
Hoof cutter	42
Hoof disc	43
Hoof glue	46, 47
Hoof knife	44, 85
Hoofmats	51, 152
Horn guide with strap	29
Hydro-alcoholic gel	151
Hydro-alcoholic solution	151

I

ICON handpiece for professional shearing plants	102
Identification strap digits	120
Inox sausage filling machines	194
Interheat carbon protector	142
Intravenous set	138
Introducer for magnets	24
IR lamp holder	140, 141
IR lamps	140
IR light bulbs	142

K

Kitchen scale 150kg	178
Knee pad	31, 80

L

Lamb feeder	75
Lamb feeder bucket	75, 76
Lamb teat	75, 76
Large scraper	70
Leads	38
Leather bull ring halter	35
Leather collar for sheep	87
Leg splint for calves	50
LORDSON trimmer	110
Luda Fence Alarm	162
Lynch pins	186

M

Machine Cam Mobility HD	161
Mangers	163, 164
Manual syringes	129, 130

Manual teat sprayer	55	Reactive liquid	57	Stainless steel chain	14
Marking block for harness	123	REBER food slicer	195	Stainless steel floor squeegee	174
Marking numbers 0-9	124	Rechargeable flashlight EXPLORER	182	Stainless steel milking pail	64
Marking spray	121	Rectangular ink pad	125	Steel emasculator	80
Mastitis detection kit	57	Replacement spring for anti-kick bar	36	Stethoscope	10
Mastitis detector	54	Restraining cage	27	Straps	120
Mastitis test paddle	57	Restraining ring for calf	30	Sucking preventor ring	32
MATIK revolver syringes	129	Restraint system for goats	83	Super-cleansing wipes	151
Meat mincers	193	Revolving leather punch	72	Syringes	129
Mechanical BARNES dehorner	29	Ring hoof knife	45	T	
Milk can	64	Round cattle trocar	24	T-handle bull lead	34
Milk filters	61, 62	Rubber milking tube	61	TAILWELL MK2	112
Milk funnel & aluminium grills	65	Rubber ring applicator	81	Tank set for automatic guns	132
Milk tank brush	66	Rubber rings	81	Tar bandage "Certoplast"	50
Milk thermometer in plastic cage	21	Rubber tourniquet	29	Teat for calf bucket TETIBLUE & TETICLEAR	11
Milk train 2 places 10L	14	Ruminal magnet	23	Teat plug for milking liners	61
Milk train feeder	74	Ruminal magnet in plastic cage	23	Tendon clamp	51
Milk warmer	21, 22	S		Thermal bag for colostrum bag	19
Milk whisk	22	Salt lick holder	165	Tip for dehorner 103290100	28
Milking cup	56	SAPHIR professional trimming clipper	107, 109	Tip for dehorner 127100025	28
Milking grease	59	Scales	177, 178	Tips for dehorner soldering iron 103301001	28
Mini pig catcher	91	Scalpel	90	Tooth-cutting nipper	91
Mini-maxi thermometer-hygrometer	179	Scalpel blades	90	Traditional hoof scraper	42
Mobility 4G	161	Scraper	173, 174	Triangular pig staples	92
Monitoring cameras	159, 160, 161	ScratchnAll™ pad	95	Trusti Feeder for lamb and goat	77
Moocall calving sensor	6	Self-adhesive ankle straps for cows	119	TRUSTI TUBER	18
Moocall Heat	6	Self-piercing bull rings	35	U	
Moocall Heat eartags	6	Semi-automatic syringe	136	Ukadex spray	95
MOSER clipper	111	SEPTICARE II BOND EXPRESS	48	UKALTAG applicator	119
Multi-purpose bucket	65, 158	SEPTICARE II BOND EXPRESS XL cannulas	49	UKALTAG eartags	118
N		SEPTICARE II BOND EXPRESS XL gun	49	Universal scissors multi-use	10
Natural fiber brush	69	SEPTICARE lubricating gel	9	Universal soap	150
Needles	137	Septicare tissues	54	V	
NETHORN dehorning paste	29	SEPTICARE XL kit	48	Vacuum bags and rolls	198
O		SEPTIJECT	9	Vacuum machines	196
Oil for milking machine	63	Shackles	186	Valve for lamb teats	76
P		Shafts / Handles	167, 169, 174, 175	Vaseline oil	113, 138
Panic hook, fixed round eye	183	Shaft for PULSAR prod	93	Veterinary thermometer	10
Pasteurizer for colostrum bags	19	Sharpening paste	113	VINK head lift	32
Pasteurizers	192	Sharpening stone	45	Visitor's kit	147
Perlon calving cord 2m	8	Shaving fork	169	W	
Pig catcher with slipknot	91	Shears	78	Wall bell	181
Pig nose rings	92	Sheep collar	119	Wall thermometer	179, 180
Pig ring applicator	92	Sheep ewespoon in nylon	74	Water pump kit with hose and float	155
Pig staples applicator	92	Sheep hoof shears	84	Weightband KAMER	138
Portable hair remover	53	Sheep marking fluid	124	Wooden blocks	49
Prod	93, 94	Shepherd leg crook	82	Wrapping kit	85
Prolapse harness	9	Shepherd stovel	82		
Prolapse needles (large)	9	Shepherd's knife	85		
Prolapse needles (small)	74	Shovels / scoops	170, 171, 172		
Pull scraper green 35cm	174	Sleeves	84, 149		
Q		Smart Plug LUDA	162		
Quarter milker	63	Snap hooks / Trigger hooks	183, 184, 185		
Quick link	185	Solar panel with support	155		
Quick release hook	38, 186	Sorting panel XL	95		
R		Spare teats	13		
RAIDEX marking spray	122	Special adhesive tape for films 10m	182		
RAIDEX marking sticks	122	Special clipper oil	113		
Rain gauge	181	Special dairy brush	66		
Ram apron	83	Special hoof disc	43		
Ram marking harness	123	Speedy drencher 4L	17		
Rasps	42	Sprayer	176, 187		
		Squeegee	67		
		Stable dryer	176		
		Stablemate	170		



2020

Conception et impression : RCS 315 682 203
Tous droits réservés UKAL.



UKAL

The world of livestock

UKAL

UKAL ELEVAGE

Parc économique
de la SAUER
2 Rue de l'étang
CS 50244 ESCHBACH
67892 NIEDERBRONN
LES BAINS - FRANCE
Tél : +33 (0) 3 88 07 40 15
ukalel@ukal.com
www.ukal-elevage.com

AFTER SALES SERVICES

sav@ukal.com
Tél : +33 (0) 88 90 73 93

UKAL INTERNATIONAL

Tél : +33 (0) 3 88 07 40 16
Fax : +33 (0) 3 88 07 40 14
export@ukal.com

GERMANY

HORIZONT ANIMAL CARE

Homberger Weg 4-6
34497 Korbach
GERMANY
Tel.: +49 (0) 5631/565-100
agrarr@horizont.com
www.agrarr.horizont.com

POLAND

ROLOS

Ul. Henryka Sienkiewicza 2
Wyszków
PL 07-200
Polska
E-mail:
rolos@horizont.com.pl
Tel.: + 48 29 742 33 39
www.horizont.com.pl

SLOVENIA

HORIZONT CLAIR D.O.O. TRGOVSKO PODJETJE D.O.O.

Zbilje 4 H
1215 SL - Medvode
SLOVENIEN
Tel. : +386 (0) 1 3617 606
Fax: +386 (0) 1 3617 607
info@clair.si
www.clair.si

UNITED KINGDOM

HOTLINE-HORIZONT LTD

Wharf Road
Newton Abbot
TQ12 2DA
UNITED KINGDOM
Tel.: +44(0)1626 331188
sales@hotline-fencing.co.uk
agrarr.horizont.com/en

UKAL CANADA INC.

7525 rue Pion
J2R 1R8
St Hyacinthe
QUEBEC / CANADA
Tél : (450) 796-1414
Fax : (450) 796-1415
Sans frais : 1 800 665 8389
info@ukal.ca



Par respect pour l'environnement, ce document est imprimé sur du papier sans chlore, avec des encres écologiques.



PARMENTIER IMPRIMEURS

